

2/15/67

FARMRITE 5% CAPTAN DUST

ACTIVE INGREDIENTS:

5% Captan (1-(2-chlorophenyl)-3-methyl-4-cyanopyridine-2,1-dione) - - - - - 5.0%

INERT INGREDIENTS -----  
Total ----- 100.0%

CAUTION (18 point type)

KEEP OUT OF REACH OF CHILDREN (12 point type)

Avoid inhaling dust. Avoid prolonged or repeated contact with skin. Wash hands and face thoroughly after dusting. Avoid contamination of feed and foodstuffs.

This product is poisonous to fish. Keep out of any body of water. Apply this product only as specified on this label.

Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by burying with wastes, or by burning (Keep out of smoke.).

DIRECTIONS FOR USE

This dust is prepared specifically for aircraft application to apple trees in accordance with recommendations of the State Experiment Station and the Agricultural Extension Service for the control of Scab, Bitter Rot, Brocks Fruit Spot, Fly-speck and Frog-eye Leaf Spot. Apply at the rate of 40 lbs. per acre. Make the first application at the green tip stage and repeat as necessary throughout the growing season.

MANUFACTURED FOR

CENTRAL CHEMICAL CORPORATION

General Offices  
Hagerstown, Maryland

NET \_\_\_\_\_ LBS.

USDA Reg. No. 477-X

ACCEPTED  
FEB 5 1968  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND FUNGICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 477-X SUBJECT  
TO ATTACHED COMMENTS.

477-258