

17 /
29 JUL 1988

REALEX
P.O. BOX 16826
Clayton MO. 63105

Dear Ms. Graham:

Subject: Real-Kill Rose and Garden Insect Spray
EPA Reg. No. 478-46
Your application of April 14, 1988

Your labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Note: Submit five (5) copies of the final printed labels before shipment of this product is release. Phil Hutton

Product Manager 17

Submit an updated confidential formulation pesticide Branch
Registration Division TS-767

Enclosures

IRH:POH:pg

6/23/88

ROSE & GARDEN

Insect Spray For

- *Ornamentals
- *Vegetables
- *Flowering Plants
- *House Plants

ACTIVE INGREDIENTS: Pyrethrins..... 0.02%
*Piperonyl butoxide, technical..... 0.02%
petroleum distillate..... 0.08%
INERT INGREDIENTS..... 99.88%
TOTAL.....100.00%

* Consists of 0.016% (butylcarbityl) (6-propylpiperonyl) ether and 0.004% related compounds.

CAUTION: KEEP OUT OF REACH OF CHILDREN
Read cautions and directions on back before using

Net Wt. 15 oz. (426 g)

ACCEPTED
with COMMENTS.
in EPA Letter 8/1/88

29 JUL 1988

Under the
Fungicide, Insecticide,
as amended by law, and
registered under EPA Reg. No.
478-46

ROSE . . . INSECT SPRAY

DIRECTIONS . & USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Hold container upright and at least 18 inches from foliage. Point valve opening away from you and press down.

Begin early --Make first application when insects first appear. Fog with a slow sweeping motion to cover upper and lower leaf surfaces and stems. For dense growth, spray from both sides. For Corn Ear Worm, spray into corn silk, and make three or four applications at two or three day intervals. Reapply immediately after rain. For best results, spray early in the morning or evening when air is still. Regular light sprayings are better than single heavy treatments. Repeat as necessary, generally at 7 day intervals. Stop use 1 day before harvest. Do not spray when temperature exceeds 90 degrees F.

TO CONTROL: Aphids, Spider Mites, Thrips, White Flies, Rose Chafers, Climbing Cutworms, Leaf Hopper Nymphs, Japanese Beetles, Lace Bugs and Lygus Bugs on houseplants, rose & ornamentals, evergreens & deciduous shrubs and vines.

For Houseplants

Remove plants from house. Hold container 18 inches from foliage. Spray with a slow sweeping motion. Avoid wetting foliage. To treat houseplants such as: African Violets, Philodendron, Geraniums, Begonias, etc.

For Trees and Shrubs

When infested, spray smaller evergreens, deciduous trees and shrubs as rhododendrons, pines, spruces, hemlock, yews, arborvitae, junipers, holly, podocarpus, boxwood, laurel, lilac, spiraea, dogwood, palm, tree mimosa, hoya, viburnum, euonymus, oaks, maples, locust, forsythia, althaea for control of aphids and other pests listed above.

For Roses and Flowers

Spray Roses and Azaleas, Chrysanthemums, Asters, Marigolds, Petunias, Nasturtiums, Gladioli, Salvia, Dahlias, Delphinium, Iris, Snapdragons, and other flowering plants.

.....

FOR INSECT CONTROL ON VEGETABLES

BEST AVAILABLE COPY.

TO CONTROL: Aphids, Bean Leaf Beetles, Cucumber Beetles, Mexican Bean Beetles, Tomato Fruit Worms, Colorado Potato Beetles, Japanese Beetles.

VEGETABLES: Tomatoes, beans, cabbage, potatoes, corn, peas, cucumbers and peppers.

4
4

STORAGE AND DISPOSAL

Store in a cool area away from heat or open flame. Replace cap and discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENT

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.

Statement of Practical Treatment

If Swallowed. Call a physician or poison control center immediately. Give one or two glasses of water. **DO NOT INDUCE VOMITING.** Never give anything by mouth to an unconscious person.

If in eyes. Flush with plenty of water. Get medical attention if irritation develops or persists.

If on skin. Wash with plenty of soap and water. Get medical attention if irritation develops or persists.

If inhaled. Remove victim to fresh air and apply artificial respiration if indicated.

Physical and Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees F may cause bursting.

EPA Reg. # 478-46
EPA Est. #9688-MO-1

Manufactured in the USA by
Chemico
St. Louis, Missouri 63114

BEST AVAILABLE COPY