

Reg # 478-46

PM-10

191

ACCEPTED

20 OCT 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 478-46

STOP (optional). READ ENTIRE LABEL BEFORE USE.

Directions for Use:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

(Option 1 - Paragraph form)

SHAKE WELL BEFORE USING.

Hold container upright and at least 18 inches from foliage. Point spray nozzle away from you and press down. Begin early—Make first application when insects first appear. Fog with a slow sweeping motion to cover upper and lower leaf surfaces and stems. For dense growth, spray from both sides. For Corn Ear Worm, spray into corn silk, and make three or four applications at two or three day intervals. Reapply immediately after rain. For best results, spray early in the morning or evening when air is still. Regular light sprayings are better than single heavy treatments. Repeat as necessary, generally at 7 day intervals. Do not spray when temperature exceeds 90°F.

To Control Aphids, Spider Mites, Thrips, White Flies, Rose Chalers, Climbing Cutworms, Leaf Hopper Nympha, Japanese Beetles, Lace Bugs and Lygus Bugs on houseplants, roses & ornamentals, evergreens & deciduous shrubs and vines.

Houseplants—Remove plants from house. Hold container 18 inches from foliage. Spray with a slow sweeping motion. Avoid wetting foliage. To treat houseplants such as: African Violets, Philodendron, Geraniums, Begonias, etc.

Trees and Shrubs—When infested, spray smaller evergreens, deciduous trees and shrubs as rhododendrons, pines, spruces, hemlock, yews, arborvitae, junipers, holly, podocarpus, boxwood, laurel, lilac, spirea, dogwood, palm, tree mimosa, hoyan, viburnum, euonymus, oaks, maples, locust, forsythia, althea for control of aphids and other pests listed above.

Roses and Flowers—Spray Roses and Azaleas, Chrysanthemums, Asters, Mangolds, Petunias, Nasturtiums, Gladioli, Salvia, Dahlias, Delphiniums, Iris, Snapdragons, and other flowering plants.

FOR INSECT CONTROL ON VEGETABLES

To Control Aphids, Bean Leaf Beetles, Cucumber Beetles, Mexican Bean Beetles, Tomato Fruit Worms, Colorado Potato Beetles, Japanese Beetles.

Vegetables: Tomatoes, beans, cabbage, potatoes, corn, peas, cucumbers and peppers

(Option 2 - Table form)

- 1. Shake well before using.
2. Begin early—Make first application when insects first appear.
3. Hold container upright and at least 18 inches from foliage. Point spray nozzle away from you and press down.
4. Fog with a slow sweeping motion to cover upper and lower leaf surfaces and stems. For dense growth, spray from both sides.
5. Repeat as necessary, generally at 7 day intervals. Reapply immediately after rain.



Water-Based

Fast Acting • Spray up to harvest • Use up to harvest • Can be applied up to harvest • PROTECTS: Roses, Flowers, Houseplants, Tomatoes, Vegetables, Shrubs, Trees, Ornamentals • Can be used on delicate ornamentals • Use on houseplants too

Active Ingredients:

- Pyrethrins 0.02%
Piperonyl butoxide, technical 0.02%
Inert Ingredients 99.96%

\* Consists of 0.016% (butylcarbityl) (6-propylpiperonyl) ether and 0.004% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements

NET WT. 15 oz. (426 g)

USAGE TIPS

- 1. Do not spray when temperature exceeds 90°F.
2. For best results, spray early in the morning or evening when air is still.
3. Regular light sprayings are better than single heavy treatments.

Table with 2 columns: TREATMENT AREAS and PESTS TO CONTROL. Rows include Roses and Flowers, Houseplants, Trees and Shrubs, and Vegetables.

\*For Corn Ear Worm, spray into corn silk, and make three or four applications at two or three day intervals.

STORAGE AND DISPOSAL

Store in a cool area away from heat or open flame. Discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENT

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.

Statement of Practical Treatment

If swallowed: Call a physician or poison control center immediately. Give one or two glasses of water. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. If in eyes: Flush with plenty of water. Get medical attention if irritation develops or persists. If on skin: Wash with plenty of soap and water. Get medical attention if irritation develops or persists. If inhaled: Remove victim to fresh air and apply artificial respiration if indicated.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call toll free 800-332-5553 weekdays 9-5 Central Time.

Manufactured in the U.S.A. for Realex, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842 EPA Reg. No. 478-46 EPA Est. No. 9688-MO-1 Form No. M&R/A3 © 1994

BEST AVAILABLE COPY