# REAL-KILL ROSE & GARDEN INSECT SPRAY

[Fast Acting · Spray up to harvest · Use up to harvest · Can be applied up to harvest · Apply anytime [right] up to harvest · Protects roses, flowers, houseplants, tomatoes, vegetables, shrubs, trees, ornamentals · Protects your entire garden from harmful insects · Can be used on delicate ornamentals · Use on houseplants too · Quickly kills insect pests on contact · Perfect for roses, flowers, vegetables and house plants · Kills aphids, whiteflies, spiders mites, beetles and other harmful insects · Made with a botanical insecticide from the chrysanthemum flower · Delicate mist for complete coverage · Water-Based]

ACCEPTED

VAY 21 2002

Under the Federal Insecticide, Printficide, and Rodemicide Act, are smended, for the pesticide registered under RPA Reg. No. 478-46

| Antice Inquestionts.                       |                |
|--|----------------|
| Active Ingredients:                        |                |
| Pyrethrins                                 | 0.02%          |
| Piperonyl butoxide                         | 0.02%          |
| ែប៊ីthef Ingredients ::                    | 99.96%         |
| KEEP OUT OF REACH OF CHILDREN              | 1              |
| CAUTION See back for additional precaution | ary statements |
| NET WT. 15 OZ. (426 g)                     |                |
| 1 ( ( 6 # 6 )                              |                |

Real-Kill® Rose & Garden Insect Spray protects flowers (including roses), vegetables, houseplants, shrubs and trees from numerous insect pests. Ideal for use on delicate ornamentals, it can even be used on vegetables right up to harvest!

# STOP . READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# PARAGRAPH FORMAT

#### SHAKE WELL BEFORE USING.

Hold container upright and at least 18 inches from foliage. Point spray nozzle away from you and press down. Begin early—Make first application when insects first appear. Fog with a slow sweeping motion to cover upper and lower leaf surfaces and stems. For dense growth, spray from both sides. Reapply immediately after rain. For best results, spray early in the morning or evening when air is still. Regular light sprayings are better than single heavy treatments. Repeat as necessary, generally at 7 day intervals. Do not spray when temperature exceeds 90° F.

To control Aphids, Spider Mites, Thrips, Whiteflies, Rose Chafers, Climbing Cutworms, Leafhopper Nymphs, Mealybugs, Japanese Beetles, Lace Bugs and Lygus Bugs on houseplants, roses & ornamentals, evergreens & deciduous shrubs and vines.

Houseplants—Remove plants from house. Hold container 18 inches from foliage. To treat houseplants such as: African Violets, Philodendron, Geraniums and Begonias.

Trees and Shrubs—When infested, spray smaller evergreens, deciduous trees and shrubs such as rhododendrons, pines, spruces, hemlock, yews, arborvitae, junipers, holly, podocarpus, boxwood, laural, lilac, spirea, dogwood, palm, tree mimosa, hoyan, viburnum, euonymus, oaks, maples, locust, forsythia and althea for control of aphids and other pests listed above.

Roses and Flowers—Spray Roses and Azaleas, Chrysanthemums, Asters, Marigolds, Petunias, Nasturtiums, Gladioli, Salvia, Dahlias, Delphiniums, Iris, Snapdragons, and other flowering plants.

2000 15000

#### FOR INSECT CONTROL ON VEGETABLES

To Control Aphids, Bean Leaf Beetles, \*Corn Earworms, Cucumber Beetles, Mealybugs, Mexican Bean Beetles, Tomato Fruitworms, Colorado Potato Beetles, Japanese Beetles.

**Vegetables—**Tomatoes, beans, cabbage, potatoes, corn, peas, cucumbers and peppers.

\*For corn earworm, spray into corn silk, and make three or four applications at two or three day intervals.

# **TABLE FORMAT**

- 1. Shake well before using.
- 2. Begin early. Make first application when insects first appear.
- Hold container upright and at least 18 inches from foliage. Point spray nozzle away from you and press down.
- 4. Fog with a slow sweeping motion to cover upper and lower leaf surfaces and stems. For dense growth, spray from both sides.
- Repeat as necessary, generally at 7 day intervals. Reapply immediately after rain.

## **[USAGE] USE TIPS**

- 1. Do not spray when temperature exceeds 90° F.
- 2. For best results, spray early in the morning or evening when air is still.
- 3. Regular light sprayings are better than a single heavy treatment.

| TREATMENT AREAS  | PESTS TO CONTROL  |  |
|--|---|--|
| Roses and Flowers  | Aphids, Climbing Cutworms, Japanese beetles,<br>Lace bugs, Leafhopper nymphs, Lygus bugs,<br>Mealybugs, Rose chafers, Spider mites, Thrips,<br>Whiteflies           |  |
| Houseplants (Remove plants from house. Avoid wetting foliage.)                           |   |  |
| Trees and Shrubs   |   |  |
| Vegetables<br>(Beans, Cabbage, Corn,<br>Cucumbers, Peas, Peppers,<br>Potatoes, Tomatoes) | Aphids, Bean leaf beetles, Corn earworms*,<br>Cucumber beetles, Mealybugs, Mexican bean<br>beetles, Tomato fruitworms, Colorado potato<br>beetles, Japanese beetles |  |

\*For come ar werm, spray into corn silk, and make three or four applications at two-or three cay intervals.

# SIMPLIFIED FORMAT WITH ADDITIONAL INSECTS, SITES & USE TIPS

Real-Kill Rose & Garden Insect Spray is ideal for use on most vegetables, herbs, fruits and nuts, including: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Com, Cranberry, Currant, Curry Leaf, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini.

Real-Kill Rose & Garden Insect Spray kills most harmful garden insects including: Ants, Aphids, Armyworms, Bagworms, Beetles (including bean leaf, Colorado potato, cucumber, Green June, Japanese and Mexican bean), Biting flies, Cankerworms, Caterpillars (including climbing and tent), Centipedes, Chiggers, Chinch bugs, Cicadas, Clover mites, Corn borers, Corn earworms\*, Crane flies, Crickets, Cutworms, Digger wasps, Earwigs, Fire ants, Firebrats, Fleas, Fruit flies, Fruitworms (green, tomato), Gnats, Grasshoppers, Green bugs, Hornets, Horse flies, Houseflies, Katydids, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Lice, Lygus bugs, Maggots, Mealybugs, Millipedes, Mosquitoes, Mites, Moths, Pillbugs, Rootworms, Rose chafers, Silverfish, Sowbugs, Spider mites, Spittlebugs, Stink bugs, Thrips, Ticks, Tornato hornworms, Webworms (including garden, sod), Weevils, Whiteflies

\* For corn earworms: Spray into corn silk. Make 3 applications at 2 day intervals.

## **HOW TO USE**

- Shake can well, (graphic)
- Hold can upright at least 18 inches from foliage. When treating houseplants, remove plants from home before spraying.
- Apply with a sweeping motion covering stems, upper and lower leaf surfaces.
   For dense growth, spray from both sides of plant. Do not saturate foliage.
- If necessary, repeat at 7 day intervals.

#### **USE TIPS**

- 1. Spraying when temperature is above 90° F could cause damage to delicate plants.
- 2. For best results, spray early in the morning or late in the evening, when air is still.
- 3. Regular light sprayings are more effective than a single heavy treatment.
- Reapply immediately after rain or if watering has washed product away from foliage.

- 5. Spray the undersides of leaves when possible as insects tend to cluster there.
- 6. To minimize effects on Honey Bees, spray early in the morning or at dusk.

# STORAGE & DISPOSAL AND PRECAUTIONARY STATEMENTS FOR ALL FORMATS

# STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame. Disposal: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

### **PRECAUTIONARY STATEMENTS**

#### **Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs.

#### First Aid

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

## **Environmental Hazards**

This pesticide is toxic to fish. Do not apply directly to water.

# Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

NOTICE: Experassumes all responsibility for safety and use not in accordance with directions.

#### Questions or comments? Call 1-800-332-5553

Contains NO CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

Made in the U.S.A. for Realex, Division of United Industries Corporation, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 478-46 EPA Est. No. 9688-MO-1

© 2002

