478-74 11-17 15/3/10

# PRECAUTIONARY STATEMENTS CAUTION

Hazards to Humans and Domestic Animals

Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be nandled with potable water.

### Statement of Practical Treatment

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. If on Skin: Wash contaminated clothing and wash affected areas with plenty of soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician if Irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

### **Environmental Hazards**

This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters.

## Physical and Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause bursting.

## Storage and Disposal

Storage: Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area. Disposal: Replace cap and discard container in trash. Do not puncture or incinerate.

# Real-Kill.

# INDOOR FOGGER

Kills Bugs\*
Freshens the Air
Works While You Are Away

Active Ingredients:		
d-trans Allethrin		0.323%
3-phenoxybenzyl-(1RS, 3 dimethyl-3-(2-methylprop		
, , , ,	•	0.200%
•	<i>.</i>	
Total		0.000%

\*\* Contains aliphatic petroleum hydrocarbons

Keep Out of Reach of Children CAUTION

See Back Panel for Additional Precautionary Statements

Net Wt. 7.5 oz. (213g)

#### **Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- \* KILLS: Fleas, Ticks, Houseflies, Mosquitoes, Black Carpet Beetles, Saw-Toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Wasps, Pill Bugs, Crickets, Silverfish, aids in the control of Roaches.
- 1. Cover exposed food dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Use one unit for each 6,000 cubic feet of unobstructed area. To kill fleas & ticks, use one unit per 1,500 cubic feet of room space.
- Place fogger on a raised area such as a table or chair with newspapers covering the area directly under the can.
   Also cover nearby finished wood furniture.
- 3. Remove cap. Turn cap upside down. Tilt top of can away from face. Place hole in cap over stem on top of can. Place cap down until firmly in place releasing spray. Set can upright on paper and leave the room at once. Leave treated area for 2 hours.
- 4. After 2 hours, open all doors and windows, turn on air conditioners and fans and let the treated area air for 30 minutes. Repeat spraying in two weeks or when necessary.
- 5. Destroy old pet bedding and replace. Use product as directed above. DO NOT USE ON PETS. Treat dogs and cats with registered flea and tick control product prior to re-entry.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured in the U.S.A. for Realex St. Louis, MO 63114. Form: DCI1990 EPA Reg. No. 478-94 EPA

EPA Est. No. 9688-MO-1

Not Reviewed. Registrant claims to be in accordance with heregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.