4178 115 PM 15 1/21/1 13

PRECAUTIONARY STATEMENTS CAUTION

Hazards to Humans and Domestic Animals Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not use in commercial food processing, preparation, storage or serving areas. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water. Statement of Practical Treatment

If Swaflowed: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration hazard. Never induce vomiting or give anything by mouth to an unconscious person, if on Skin: Wash contaminated clothing and wash affected areas with plenty of soap and water, if In Eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If Inhaled: Remove victim to fresh air, Apply artificial respiration if indicated,

Environmental Hazards

This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters.

Physical and Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate, Exposure to temperatures above 130°F may cause bursting.

Storage and Disposal

Storage: Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area. Disposal: Replace cap and discard container in trash. Do not puncture or incinerate.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Real-Kill.

Automatic INDOOR FLEA FOGGER

Kills Both Adult and
Preadult (larval) Fleas
Continues to Kill for
up to Four Weeks
No Unpleasant Residual Odor
This Can Treats up to 6,000 cubic feet
PREVENTS FLEA REINFESTATION

Active Ingredients: Tetramethrin [(1-cyclohexene-1,2-dicarboximide) met. yl 2,2-dimethyl-3-(2-methylpropenyl) cyc...propanecarboxylate)] 0.200% Permothrin (3-phenoxyphenyl) methyl (+/-) cis, trans-3-(2,2-dichlorox.haml)-2,2-dimethylcyclopropanecarboxylate 0.400% Inert Ingredients * 99,400% Total 100.000%

Keep Out of Reach of Children CAUTION

See Back Panel for Additional Precautionary Statements

Net Wt. 6 oz. (170 g)

SHAKE WELL BEFORE USING

FOR HOMES, APARTMENTS AND BUILDINGS
Real Kill Automatic Indoor Flea Fogger will kill fleas, pre-adult (larvae) fleas, ticks, cockroaches, flies, mosquitoes, wasps, spiders, crickets and silvertish. • For use in rooms, apartments, homes, attics, basements, garages, pet sleeping areas, household storage areas, cabins, campers, boats, etc. • When used as directed, it will not harm drapes, upholstery, fabrics, carpeting, bedspreads, clothing, linen, furniture, walls, floor tiles, ceiling,

- Cover exposed food dishes and food handling equipment.
 Open cabinets and doors to area to be treated, Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows.
- Tiff top of can away from face. Press valve all the way down, hooking the catch.

shades or blinds.

- Then place logger on stand, table or floor in center of room with the valve locked open, with several layers of newspaper or pad under logger. Leave treated area for 2 hours.
- After 2 hours, open all doors and windows, turn on air conditioners and fans and let the treated area air out for 30 minutes.
- 5. Destroy pet's old bedding and replace. Treat dogs and cats with a registered flea control product prior to re-entry.

Repeat spraying in two to four weeks if necessary. Use one unit for each 6,000 cubic feet of unobstructed area. Do not use this unit in an area less than 100 cubic feet. Use additional units for femote rooms or where free flow of mist is not assured.

To Kill Fless or Ticks: Remove and destroy pet's old bedding. Apply this product as for other insects. Put fresh bedding in pet's quarters after treatment. Treat dogs and cats with a registered fless or tick control product before allowing them to enter treated areas.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seiler, and buyer assumes the risk of any such use.

Manufactured in the U.S.A. for Realex, St. Louis, MO 63114 Form: DCI1990

EPA Reg. No. 478-115

EPA Est. No. 9688-MO-1

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2. Receptable Page 2.12, Active to Inert Change in Status.