-24-200 | Form Approved, OMB No. 2070-0060 | Approval expires 11-30-93 478 - 121
Please read instructions on reverse before completing form. OPP Identifier Number United States Environmental Protection Agency Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 Other Application for Pesticide: Section I 3. Proposed Classification 2.Product Manager 1. Company/Product Number J. Miller 478-121 Restricted PM# None 4. Company/Product (Name) Real-Kill Broadleaf Weed Killer 6 Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (include ZIP Code) (b)(i), my product is similar or identical in composition and labelling Realex Division of United Industries Corp. PO Box 142642 St. Louis, Missouri 63114-0642 EPA Reg. No. Check if this is a new address Product Name Section II Final printed label in response to Agency letter dated Amendment - Explain below "ME TOO" Application. Resubmission in response to Agency letter dated Notification - Explain below. Other - explain below Use additional page(s) if necessary. (For section I and Section II) **Explanation:** Notification under PR Notice 98-10 of optional marketing claim "Ace Promise - Satisfaction Guarantee" with explanatory statement, and optional marketing claim "Kills dandelions and many other broadleaf weeds" which is a variation of claims on the EPA stamped accepted label. Section III 1. Material in Which This Product Will Be Packaged: Child-Resistant Packaging Water-Soluble Packaging 2. Type of Container Unit Packaging Metal Yes ' Yes Yes Plastic Nο No No Glass If "YES," If "YES," No. per No. per Paper \* Certification must be Unit package wgt container container Other Package wgt (Specify) submitted. 3. Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Directions Container On Labeling accompanying product Manner in Which Label Is Affixed To Product Lithographed Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application) Name Telephone No. (include Proc Code) Glenda L. Mah **Regulatory Affairs Specialist** 800-242-1166 Ext. 3115 Certification Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate, and compliate. Received I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature 3. Title **Regulatory Affairs Specialist** Glenda L. Mah lept. 20, 2001



# BROADLEAF WFFD KILLER

**ITreats Northern and Southern Grasses** Bluegrass, Fescue, Zovsia, Bermuda, St. Augustine. Bentgrass, Centipede, Bahia, Ryel

[Kills the Weeds, not the Lawn • Kills 33+ Weed Types Roots and All • Kills 33+ Weeds]

(Kills weed roots • Kills Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others. Weed details on back . See Results in Hours • Overnight results • Rain fast in hours • Rainproof in hours • Rainproof in hours - won't wash away • Economical Concentrate • Water-Based • 1 quart treats up to 16,000 square feet • Treats 16,000 sq. ft. of Southern grasses or 8,000 sq. ft. of Northern grasses . \*Guaranteed Results or Your Money Back • GreenThumb® Satisfaction Guarantee • Ace Promise Satisfaction Guaranteed

Active	Ingredients:
ALC: UPO	mqroureme.

* 2,4-D, dimethylamine salt	7.59%
†Mecoprop, dimethylamine salt	
‡Dicamba, dimethylamine salt	0.84%
Other Ingredients	87.91%
* 0 C40 IL O 4 D axid as itimioni nor callen as C 200/ ± 0.00 lb Massacron oxid.	

0.543 lb. 2,4-D acid equivalent per gallon or 6.30%, † 0.26 lb. Mecoprop acid equivalent per gallon or 3.02%, \$ 0.059 lb. Dicamba acid equivalent pi-r garlon or 0.69%,

# KEEP OUT OF REACH OF CHILDREN

CAUTION See back [booklet] for additional precautionary statements

NET CONTENTS 32 FL. OZ./1 QUART

# **OPTIONAL CLAIMS**

(Won't harm lawn grasses • Won't harm the lawn • Especially effective on all types of hard-to-kill weeds • Kills 66+ types of weeds • Kills weed roots! • Kills all major broadleaf weeds • Dilutable concentrate • Clear-view measuring window • For home lawn care • Kills over 66 weed types including dandelions, chickweed, wild onions, plantain and poison ivv • Kills broadleaf weeds in lawns!

[Real-Kill Broadleaf Weed Killer kills all major broadleaf weeds, roots and all. And Real-Kill Broadleaf Weed Killer is formulated to kill only the weeks, not the lawn. Use as directed to kill all major broadleaf weeds in your lawn.] [Kills Dandelions and many other broadleaf weeds

[Real-Kill Broadleaf Weed Killer controls more than [66] [33] troublesome weeds including dandelions, clover, plantain and wild onion, it kills even woody weeds like poison ivy and poison oak in both northern and southern lawns.]

This concentrated formula covers 16,000 sq. ft. of Southern grasses or 8,000 sq. ft. of Northern grasses per quart.

[ALTERNATE: This concentrated formula covers up to 16,000 sq. ft. per quart. See specific directions for St. Augustine and other Southern grasses.1

WEEDS CONTROLLED: Bedstraw, Black Medic, Buckhorn, Burdock, Chickweed, Chicory, Clover, Dandelion, Dock, Ground Ivy, Heal-All, Henbit, Knotweed, Lambsquarters, Lespedeza, Mallow, Morning glory, Oxalis, Peppergrass, Pepperweed, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherd's Purse, Speedwell, Spurge (Spotted), Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Yarrow and other problem broadleaf weeds.

(Optional Placement: NOTE: DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINE GRASS IN FLORIDA.)

#### ADDITIONAL OPTIONAL WEEDS

Aster, Bedstraw, Bindweed, Bristly oxtongue, Carolina geranium, Carpetweed, Cinque foil, Cranesbill, Creeping woodsorrel, Cudweed, Deadnettle, Dog fennel, Dollarweed, English daisy, False dandelion, Fleabane, Filaree, Hairy bittlercress, Hawkweed, Kochia, Matchweed, Mustard, Pearlwort, Pennycress, Pennywort, Ptickly lettuce, Prostrate vervain, Puncturevine, Red sorrel, Scarlet pimpernel, Soliva, Spotted catsear, Spurweed, Thistle, Wild violet, Wild geranium, Yellow rocket

#### PRODUCT FACTS

#### What It Does:

Kills all Major Broadleaf Weeds Including Dandelion, Chickweed and Clover (See inside for complete list)

Where to Use: (icon weeds)

Lawns: Kills the Weeds not the Lawn

When to Use:

Do Not Apply when Daytime Temperatures are

above 85° F as Lawn injury can occur

Questions & Comments: (icon phone) (icon

computer)

Call 1-800-332-5553 or Visit our Website at

www.spectracide.com

# [OPTIONAL PRODUCT FACT BOX]

# STOP READ ENTIRE LABEL BEFORE USE [STOP. READ ALL INSTRUCTIONS INSIDE BEFORE USING.] **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.



(Graphic optional)

People and pets should not be allowed in treated areas until spray has dried.

### MEASUREMENT CALCULATIONS

Calculate square feet by multiplying length by width, 1 fl. oz. = 2 tablespoons (6 teaspoons); 2 fl. oz. = 4 tablespoons; 4 fl. oz. = 1/2 cup; 8 fl. oz. = 1 cup; 16 fl. oz. = 1 pint; 32 fl. oz. = 1 quart

#### WHEN TO USE

- 1) SPRING: The best time to treat weeds is when they are small and growing.
- 2) FALL: Many problem weeds germinate in the fall and treatment then will eliminate many of next year's weeds.

#### **HOW MUCHTO USE**

## SPOT TREATMENT

To spray small areas or individual weeds, use a pressure sprayer

for better control. Do not use a hose-end sprayer, Mix 1 fl. oz. (2 Tbsp.) in one gallon of water. Shake well before spraying. Be certain to wet each weed.

[ALTERNATE: Do not use a hose-end sprayer to spot treat. To spray small areas or individual weeds, use a pressure sprayer for better control. Mix 1 fl. oz. (2 Tbsp.) in one gallon of water. Shake well before spraying. Be certain to wet each weed.]

## **ENTIRE LAWN**

#### PRESSURE SPRAYERS (Optional Directions)

Measure amount of concentrate from chart below into sprayer tank and dilute with 1 gallon of water. Close tank sprayer and shake well before spraying. Use a spray pattern that gives small spray droplets without any fine mist to treat 250 sq. ft.

AMOUNT OF CONCENTRATE IN 1 GALLON WATER REQUIRED TO TREAT 250 SQ. FT. OF LAWN	
GRASS TYPE AMOUNT OF CONCENTRAT	
St. Augustine*, Bahia, Centipede	½ fl. oz. (1 Tbsp.)
Bermuda, Bentgrass	2/3 fl. oz. (4 tsp.)
Bluegrass, Fescue, Rye, Zoysia	1 fl. oz. (2 Tbsp.)

\*DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINE GRASS IN FLORIDA.

# **HOSE-END SPRAYERS** (Optional Directions)

"CONCENTRATE ONLY" (DIAL) SPRAYERS

- From the chart below determine amount of concentrate to be applied for each 250 sq. ft. of lawn.
- Fill sprayer jar with enough concentrate to cover area to be treated. Do not add water to sprayer.
- 3) Set dial on sprayer to the setting from the chart below.
- Attach sprayer to hose. Extend hose to the farthest area of lawn to be treated and work back toward faucet so that you do not walk over treated areas. Apply evenly to lawn.

Grass Type	Dial Setting	Area Treated	Oz. in Sprayer
St. Augustine*,		250 sq. ft,	½ fl. oz.
Bahia, Centipede	½ fl. oz.	1,000 sq. ft.	2 fl. oz.
Bermuda,		250 sq. ft.	2/3 fl. oz.
Bentgrass	2/3 fl. oz.	1,000 sq. ft.	2 2/3 fl. oz.
Bluegrass, Fescue,		250 sq. ft.	1 fl. oz.
Rye, Zoysia	1 fl. oz.	1,000 sq. ft.	4 fi. oz.

'DO N $\tilde{\phi}$ T USE ON FLORATAM VARIETY OF ST. AUGUSTINE GRASS IN FLORIDA

**EXAMPLE:** To treat 1,000 sq. ft. of Fescue lawn, add 4 ft. oz. of concentrate to the sprayer with sprayer dial set on 1 ft. oz. Check the directions you received when you purchased your sprayer for further details on the proper use of your dial sprayer.

#### "CONCENTRATE-PLUS-WATER" SPRAYERS

For sprayers that require [the] addition of water as well as concentrate prior to application [treating]:

- From the following chart [chart below], determine amount of concentrate required to treat each 250 sq. ft. of lawn.
- 2) Pour concentrate into sprayer jar to the required "fl. oz." level.
- Then add the appropriate amount of water to the "gals." level.
   Replace sprayer top on jar and shake well before spraying.
- 4) Attach sprayer to hose. Extend hose to the farthest area of lawn to be treated and work back toward faucet so that you do not walk over treated areas. Apply evenly to lawn.

#### OUNCES OF CONCENTRATE TO USE FOR:

Sq. Ft. to Be Treated	St. Augustine* Bahia Centipede	Bermuda Bentgrass	Bluegrass, Fescue, Rye, Zoysia	Gallons of Water
250	1/2	2/3	1	1
1,000	2	2 2/3	4	4
5,000	10	13 1/3	20	20
8,000	16	21 1/3	32	32

\*DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINE GRASS IN FLORIDA.

**EXAMPLE:** To treat 1,000 sq. ft. of Fescue pour in concentrate to the 4 ft. oz. mark and add water to the 4 gallon mark. Check the directions you received when you purchased your sprayer for further details on the proper use of your sprayer.

#### READY SPRAY NOZZLE (Optional Directions)

[Option Marketing Phrase for a Ready-Spray Product: Just connect to your garden hose and spray!]

#### **IHOW TO USE!**

USE THE FOLLOWING DIRECTIONS IF THE ATTACHED HOSE-END SPRAYER LOOKS LIKETHIS (HAS BOTH A DIAL AND A STAR SHAPED BUTTON) (graphic)

- Shake container well before using.
- Connect a garden hose to the ready spray nozzle. Make sure the yellow [large round] water control dial on the nozzle is in the "OFF" position (tab is vertical).
- 3. Turn on water at faucet. Extend hose to the farthest area of lawn to be treated and work back toward faucet so that you do not walk over treated areas. Twist the small, star-shaped [yellow] product concentrate control button to align the flat portion with the lock tab. Push the button in to open.
- To BEGIN spraying, point nozzle toward lawn and turn the yellow [large round] water control dial to the "ON" position (tab is horizontal). Water will automatically mix with the concentrate.

Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. One quart will treat 16,000 sq. ft. of Southern lawn or 8,000 sq. ft. of Northern lawn. Calculate square feet by multiplying length by

- width. NOTE: Do not use on Floratam variety of St. Augusine grass in Florida.
- To STOP spraying turn yellow [large round] water control dial
  to the "OFF" position. Push small, star-shaped [yellow] product control button in to close. Twist the small, star-shaped
  [yellow] product concentrate control button so that it is no
  longer aligned with the flat portion of the lock tab. Turn water
  off at faucet.

To relieve pressure, turn yellow [large round] water control dial to "ON" position until water stops spraying before remov-ing nozzle from hose.

TO STORE unused concentrate, place in cool area away from heat, direct sunlight or open flame.

NORTHERN LAWNS	SOUTHERN LAWNS
(covers 8,000 sq. ft.)	(covers 16,000 sq. ft.)
Bluegrass, Fescue, Rye, Zoysia	Bahia, Bermuda, Bentgrass, Centipede, St. Augustine

NOTE: Do not use on Floratam variety of St. Augustine grass in Florida. If you are unsure as to what type of grass you have, contact your county extension agent.

## **USE TIPS**

- 1) For best results, mow before treating weeds.
- Do not treat when air temperatures exceed 85EF or damage to grass may occur
- Do not water within 6 hours after treatment. Poor weed control may result if rainfall occurs within 6 hours of application.
- 4) For new lawns, treat within 24 hours after seeding. On estblished lawns, wait 3 weeks after treatment before re-seeding. Once new grass has started to grow, wait until it has reached a height of 2 inches before treating.
- Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not spray around roots of trees and ornamentals. Clover will be damaged if sprayed.
- 6) Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage other plants.

 If certain tough weeds are not dead within 3 weeks, repeat treatment. Broadcast application is not necessary; follow spot treatment directions.

# [OPTIONAL READY SPRAY NOZZLE DIRECTIONS:

USE THE FOLLOWING DIRECTIONS IF THE ATTACHED HOSE-END SPRAYER LOOKS LIKE THIS (HAS A DIAL BUTTON ONLY)

- 1. Shake container well before using.
- Connect a garden hose to the Ready Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the green safety tab in the valve notch.
- Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- 4. To BEGIN spraying, point nozzle toward lawn and 1.) bend the green safety tab back with your thumb, 2.) using your other hand QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
- 5. Spray until wet to control weeds on page 2. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. One quart will treat 16,000 sq. ft. of Southern Lawn or 8,000 sq. ft. of Northern lawn. Calculate square feet by multiplying length by width. Refer to sight gauge to guide coverage (example: when bottle is half empty, you should have covered half the area). NOTE: Do not use on Floratam variety of St. Augustine grass in Florida.
- 6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" until it stops and the safety tab engages the notch on the valve. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the 3-iety tab back and turn dial "ON" until water stops spraying.
- 7. To STORE unused product, make sure the dial is in the "OFF" position with green safety tab in the valve notch. Place in cool area away from heat, sunlight or open flame.

NORTHERN LAWNS	SOUTHERN LAWNS
(covers 8,000 sq. ft.)	(covers 16,000 sq. ft.)
Bluegrass, Fescue, Rye, Zoysia	Bahia, Bermuda, Bentgrass, Centipede, St. Augustine

NOTE: Do not use on Floratam variety of St. Augustine grass in Florida. If you are unsure as to what type of grass you have, contact your county extension agent.

# **USE TIPS**

- 1) For best results, mow before treating weeds.
- Do not treat when air temperatures exceed 85° F or damage to grass may occur.
- Do not water within 6 hours after treatment. Poor weed control may result if rainfall occurs within 6 hours of application.
- 4) For new lawns, treat within 24 hours after seeding. On established lawns, wait 3 weeks after treatment before reseeding. Once new grass has started to grow, wait until it has reached a height of 2 inches before treating.
- Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not spray around roots of trees and ornamentals. Clover will be damaged if sprayed.
- 6) Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage other plants.
- If certain tough weeds are not dead within 3 weeks, repeat treatment. Broadcast application is not necessary; follow spot treatment directions.

#### **USETIPS FOR READY-SPRAY NOZZLE**

- (Replaces #6) Avoid sprays which are too fine because they can drift and damage other plants.
- (Replaces #7) If certain tough weeds are not dead within 3 weeks, spot treat.
- It will take about 20 minutes to apply this bottle. Actual time will vary depending on water pressure.

# OPTIONAL CLAIMS AND DIRECTIONS FOR REFILLING A CHEMSICO SPOT WEED KILLER A POWER PUMP WITH A SINGLE USE REFILL

[Easy to mix • Just add water • Makes one gallon

• Single-use refill • No measuring required • Power Sprayer Refill

To refill the Chemsico Spot Weed Killer A Power Pump: [Mix 10 ozs.] [pour in the entire contents of this 10 oz. bottle] and dilute to a gallon with the water. See the Power Pump label for complete directions.

The Power Pump can be refilled up to 5 times with Real-Kill Broadleaf Killer.

IMPORTANT: Do not refill more than 5 times. Do not use any product other than Real-Kill Broadleaf Weed Killer in this Power Pump, Incompatible chemicals may damage the pump making it unsafe to use.

# STORAGE AND DISPOSAL

Store in a cool, dry area away from heat or open flame. Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap in several layers of newspaper and discard container in trash.

# PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin, eyes and clothing. When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. Wear goggles when applying this product. After using this product, rinse gloves before removing, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water. Remove saturated clothing as soon as possible and shower. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried. The maximum number of broadcast applications per treatment site is 2 per year.

#### **FIRST AID**

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touch of back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. If on Skin: Wash contaminated clothing and wash affected areas with plenty of soap and water. Get medical attention if irritation persists. If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

#### **Environmental Hazards**

Do not apply under conditions involving possible spray contact or drift onto food, forage, vegetables, ornamental plants or other desirable plantings that might be damaged or the crops rendered unfit for sale, use or consumption. This product is toxic to fish and aquatic invertebrates. Drift or runoff may adversely affect fish, aquatic invertebrates and nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of ground water supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 800-332-5553

[\*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Satisfaction Guaranteed: If for any reason you are not completely satisfied with the performance or results of this GreenThumb® product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

The ACE Promise: If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return

# the item to the Ace Hardware store where purchased for the replacement of the same or similar item.

Made in the USA for Realex, Division of United Industries Corporation, P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-121 EPA Est. No. 9688-MO-1 8 2001

