

478-121

11/3/2011

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

NOV -3 2011

Jessica Goldberg
Realex, Division of United Industries Corp.
P.O. Box 142642
St. Louis, MO 63114

Subject: Notification per PR Notice 98-10 – Addition of Marketing Statements
Real-Kill Broadleaf Weed Killer
EPA Reg. No. 478-121
Application Dated – October 21, 2011

Dear Ms. Goldberg:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product.

The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact Maggie Rudick at (703) 347-0257 or rudick.maggie@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "K. Montague".

Kathryn Montague, Product Manager 23
Herbicide Branch
Registration Division (7505P)

fer

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460

Application for Pesticide:

Registration
 Amendment
 Other

OPP Identifier Number

Section I

1. Company/Product Number 478-121	2. Product Manager K. Montague	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Real-Kill Broadleaf Weed Killer	PM# 23	
5. Name and Address of Applicant (include ZIP Code) Realex, Div. Of United Industries Corp. P.O. Box 142642 St. Louis, MO 63114 <input type="checkbox"/> Check if this is a new address	6 Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labelling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed label in response to Agency letter date
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "ME TOO" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
Notification per PR Notice 98-10 to add the optional marketing to accommodate an additional size. The claims are substantially similar to those already approved on the current base label.

Certification statement on cover letter

Section III

1. Material in Which This Product Will Be Packaged:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "YES," Unit package wgt No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Other _____ <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)		
Name Jessica Goldberg	Title Regulatory Affairs Specialist	Telephone No. (include Area Code) 314-683-2438
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6 Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Affairs Specialist	
4. Typed Name Jessica Goldberg	5. Date October 21, 2011	

Realex

Division of United Industries
P.O. Box 142642
St. Louis, MO 63114-0642

October 21, 2011

Document Processing Desk (NOTIF)
Office of Pesticide Programs
United States Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

Attention: Ms. Kathryn Montague
Product Manager Team 23

Subject: **NOTIFICATION: Label Notification per PRN 98-10**
Real-Kill Broadleaf Weed Killer
EPA Reg. No. 478-121

Please find the enclosed application for notification of the following registration amendments:

Pesticide Registration (PR) Notice 98-10:

We have added optional marketing claims to accommodate an additional size. The claims are substantially similar to those already approved on the current base label.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of

NOTIFICATION


The following documents are enclosed in support of this submission:

1. Application for Pesticide (EPA Form 8570-1)
2. One copy of the proposed label *with changes highlighted*
3. One clean copy of the proposed label


NOV - 3 2011

Please call me at 1-800-242-1166, Ext. 2438 or via email: jessica.goldberg@spectrumbrands.com, if you have questions or need further information. Thank you in advance for your time.

Sincerely,



Jessica Goldberg
Regulatory Affairs Specialist



REAL KILL BROADLEAF WEED KILLER

NOTIFICATION

NOV - 3 2011

[Treats Northern and Southern Grasses Bluegrass, Fescue, Zoysia, Bermuda, St. Augustine, Bentgrass, Centipede, Bahia, Rye]

[Kills the Weeds, not the Lawn • Kills 33+ Weed Types Roots and All • Kills 33+ Weeds]

[Kills weed roots • Kills Dandelion, Chickweed, Wild onion, Plantain, Poison ivy and many others. Weed details on back • See Results in Hours • Overnight results • Rainfast in hours • Rainproof in hours • Rainproof in hours - won't wash away • Economical Concentrate • Water-Based • 1 quart treats up to 16,000 square feet • Treats 16,000 sq. ft. of Southern grasses or 8,000 sq. ft. of Northern grasses • *Guaranteed Results or Your Money Back • Ace Promise Satisfaction Guaranteed] Kills more than 200 troublesome weed varieties • Kills 200+ weeds • Kills more than 200 broadleaf weeds • Kills 200+ Weed Types Roots and All • For Use on Southern and Northern [Lawns][Grasses] • [40 oz concentrate] Treats up to 20,000 sq ft • [40 oz concentrate][Treats 20,000 sq ft of Southern grasses or 10,000 sq ft of Northern grasses] • Treats[Covers] [up to] x,xxx sq ft [of Southern grasses or x,xxx sq ft of Northern grasses] • X% More [Free] • [X%] More Than [x oz.][size] • [Value][Bonus] Size

Active Ingredients:

- * 2,4-D, dimethylamine salt 7.59%
- † Mecoprop-p, dimethylamine salt 1.83%
- ‡ Dicamba, dimethylamine salt 0.84%
- Other Ingredients: 89.74%

* 0.540 lb. 2,4-D acid equivalent per gallon or 6.30%. † 0.129 lb. Mecoprop-p acid equivalent per gallon or 1.51%. ‡ 0.059 lb. Dicamba acid equivalent per gallon or 0.69%. Contains the single isomer form of Mecoprop-p.

KEEP OUT OF REACH OF CHILDREN

CAUTION See back [panel] [booklet] for additional precautionary statements

NET CONTENTS 32 FL. OZ. (1 QUART)

OPTIONAL CLAIMS

[Won't harm lawn grasses • Won't harm the lawn • Especially effective on all types of hard-to-kill weeds • Kills 200+ types of weeds • Kills weed roots! • Kills all major broadleaf weeds • Dilutable concentrate • Clear-view measuring window • For home lawn care • Kills over 200 weed types including dandelions, chickweed, wild onions, plantain and poison ivy • Kills broadleaf weeds in lawns]

[Real-Kill Broadleaf Weed Killer kills all major broadleaf weeds, roots and all. And Real-Kill Broadleaf Weed Killer is formulated to kill only the weeds, not the lawn. Use as directed to kill all major broadleaf weeds in your lawn.] [Kills dandelions and many other broadleaf weeds]

[Real-Kill Broadleaf Weed Killer controls more than [66] [33][200] troublesome weeds including dandelions, clover, plantain and wild onion. It kills even woody weeds like poison ivy and poison oak in both northern and southern lawns.]

This concentrated formula covers 16,000 sq. ft. of Southern grasses or 8,000 sq. ft. of Northern grasses per quart. [40 oz of this concentrated formula covers 20,000 sq ft of Southern grasses or 10,000 sq ft of Northern grasses]

[ALTERNATE: This concentrated formula covers up to [16,000 sq. ft. per quart] [20,000 sq ft per 40 oz [container]]. See specific directions for St. Augustine and other Southern grasses.]

WEEDS CONTROLLED: See [back panel][back booklet][back page] for list of weeds controlled.

[Optional Placement: NOTE: DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINE GRASS IN FLORIDA.]

4/9

[OPTIONAL PRODUCT FACT BOX]

PRODUCT FACTS**What It Does:**

Kills all Major Broadleaf Weeds Including Dandelion, Chickweed and Clover (See inside for complete list)

Where to Use: (icon weeds)

Lawns: Kills the Weeds not the Lawn

When to Use:

Do Not Apply when Daytime Temperatures are above 85° F as Lawn injury can occur

Questions & Comments: (icon phone) (icon computer)

Call 1-800-332-5553 or Visit our Website at www.spectracide.com

WHEN TO USE

- 1) **SPRING:** The best time to treat weeds is when they are small and growing.
- 2) **FALL:** Many problem weeds germinate in the fall and treatment then will eliminate many of next year's weeds.

HOW MUCH TO USE**SPOT TREATMENT**

To spray small areas or individual weeds, use a pressure sprayer for better control. Do not use a hose-end sprayer. Mix 1 fl. oz. (2 Tbsp.) in one gallon of water. Shake well before spraying. Be certain to wet each weed.

[ALTERNATE: Do not use a hose-end sprayer to spot treat. To spray small areas or individual weeds, use a pressure sprayer for better control. Mix 1 fl. oz. (2 Tbsp.) in one gallon of water. Shake well before spraying. Be certain to wet each weed.]

ENTIRE LAWN**PRESSURE SPRAYERS** (Optional Directions)

Measure amount of concentrate from chart below into sprayer tank and dilute with 1 gallon of water. Close tank sprayer and shake well before spraying. Use a spray pattern that gives small spray droplets without any fine mist to treat 250 sq. ft.

STOP. READ ENTIRE LABEL BEFORE USE

[STOP. READ ALL INSTRUCTIONS INSIDE BEFORE USING.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING.



Do not enter or allow entry until sprays have dried.

Precautions and Restrictions:

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. Do not use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result. The maximum number of broadcast applications per treatment site is 2 per year with a minimum of 30 days between applications.

MEASUREMENT CALCULATIONS

Calculate square feet by multiplying length by width. 1 fl. oz. = 2 tablespoons (6 teaspoons); 2 fl. oz. = 4 tablespoons; 4 fl. oz. = 1/2 cup; 8 fl. oz. = 1 cup; 16 fl. oz. = 1 pint; 32 fl. oz. = 1 quart

GRASS TYPE	AMOUNT OF CONCENTRATE
St. Augustine*, Bahia, Centipede	1/2 fl. oz. (1 Tbsp.)
Bermuda, Bentgrass	2/3 fl. oz. (4 tsp.)
Bluegrass, Fescue, Rye, Zoysia	1 fl. oz. (2 Tbsp.)

*DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINE GRASS IN FLORIDA.

HOSE-END SPRAYERS (Optional Directions)**"CONCENTRATE ONLY" (DIAL) SPRAYERS**

1. From the chart below determine amount of concentrate to be applied for each 250 sq. ft. of lawn.
2. Fill sprayer jar with enough concentrate to cover area to be treated. Do not add water to sprayer.
3. Set dial on sprayer to the setting from the chart below.
4. Attach sprayer to hose. Extend hose to the farthest area of lawn to be treated and work back toward faucet so that you do not walk over treated areas. Apply evenly to lawn.

Grass Type	Dial Setting	Area Treated	Oz. in Sprayer
St. Augustine*, Bahia, Centipede	1/2 fl. oz.	250 sq. ft.	1/2 fl. oz.
		1,000 sq. ft.	2 fl. oz.
Bermuda, Bentgrass	2/3 fl. oz.	250 sq. ft.	2/3 fl. oz.
		1,000 sq. ft.	2 2/3 fl. oz.
Bluegrass, Fescue, Rye, Zoysia	1 fl. oz.	250 sq. ft.	1 fl. oz.
		1,000 sq. ft.	4 fl. oz.

*DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINE GRASS IN FLORIDA.

EXAMPLE: To treat 1,000 sq. ft. of Fescue lawn, add 4 fl. oz. of concentrate to the sprayer with sprayer dial set on 1 fl. oz. Check the directions you received when you purchased your sprayer for further details on the proper use of your dial sprayer.

"CONCENTRATE-PLUS-WATER" SPRAYERS

For sprayers that require [the] addition of water as well as concentrate prior to application [treating]:

- 1) From the following chart [chart below], determine amount of concentrate required to treat each 250 sq. ft. of lawn.
- 2) Pour concentrate into sprayer jar to the required "fl. oz." level.
- 3) Then add the appropriate amount of water to the "gals." level. Replace sprayer top on jar and shake well before spraying.
- 4) Attach sprayer to hose. Extend hose to the farthest area of lawn to be treated and work back toward faucet so that you do not walk over treated areas. Apply evenly to lawn.

OUNCES OF CONCENTRATE TO USE FOR:

Sq. Ft. to Be Treated	St. Augustine* Bahia Centipede	Bermuda Bentgrass	Bluegrass, Fescue, Rye, Zoysia	Gallons of Water
250	1/2	2/3	1	1
1,000	2	2 2/3	4	4
5,000	10	13 1/3	20	20
8,000	16	21 1/3	32	32

*DO NOT USE ON FLORATAM VARIETY OF ST. AUGUSTINE GRASS IN FLORIDA.

EXAMPLE: To treat 1,000 sq. ft. of Fescue pour in concentrate to the 4 fl. oz. mark and add water to the 4 gallon mark. Check the directions you received when you purchased your sprayer for further details on the proper use of your sprayer.

READY SPRAY NOZZLE (Optional Directions)

[Option Marketing Phrase for a Ready-Spray Product: Just connect to your garden hose and spray!]

[HOW TO USE]

HOSE END SPRAYER INSTRUCTIONS [Dial Button]

1. Shake container well before using.
2. Connect a garden hose to the Ready-Spray nozzle. Make sure the dial on the nozzle is in the "OFF" position with the [green] safety tab in the valve notch.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in with the treated area
4. To BEGIN spraying, point nozzle toward lawn or plants to be treated and 1.) bend the green safety tab (located at right of [yellow] dial) back and hold, 2.) using your other hand, QUICKLY turn the dial clockwise until it stops. Water will automatically mix with the product.
5. Spray until wet to control weeds listed on page 4. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas. One quart will treat 16,000 sq. ft. of Southern and 8,000 sq. ft. of Northern grasses. [40 oz concentrate will treat 20,000 sq ft of Southern grasses or 10,000 sq ft of Northern grasses] Calculate square feet by multiplying length by width. Refer to sight gauge to guide coverage (example: when bottle is half empty, you should have covered half the area).
6. To STOP spraying, QUICKLY turn the dial in the opposite direction of "ON" (counter clockwise) until it stops and the safety tab engages into the notch. Turn water off at faucet. To relieve pressure before removing nozzle from hose, bend the safety tab back and turn dial "ON" until water stops spraying.
7. To STORE unused product, make sure the dial is in the "OFF" position with the [green] safety tab in the valve notch. Place in a cool area away from heat, sunlight or open flame.

NORTHERN LAWNS (covers 8,000 sq. ft.)	SOUTHERN LAWNS (covers 16,000 sq. ft.)
Bluegrass, Fescue, Rye, Zoysia	Bahia, Bermuda, Bentgrass, Centipede, St. Augustine
NOTE: Do not use on Floratam variety of St. Augustine grass in Florida. If you are unsure as to what type of grass you have, contact your county extension agent.	

USE TIPS

- 1) For best results, mow before treating weeds.
- 2) Do not treat when air temperatures exceed 85° F or damage to grass may occur.
- 3) Do not water within 6 hours after treatment. Poor weed control may result if rainfall occurs within 6 hours of application.
- 4) **For new lawns**, treat within 24 hours after seeding. **On established lawns**, wait 3 weeks after treatment before re-seeding. Once new grass has started to grow, wait until it has reached a height of 2 inches before treating.
- 5) Do not allow spray to get on vegetables or ornamental plants since injury may result. Do not spray around roots of trees and ornamentals. Clover will be damaged if sprayed.
- 6) Whether using a hose-end sprayer or pressure sprayer, avoid sprays which are too fine because they can drift and damage other plants.
- 7) If certain tough weeds are not dead within 3 weeks, repeat treatment. Broadcast application is not necessary; follow spot treatment directions.

USE TIPS FOR READY-SPRAY NOZZLE

- (Replaces #6) Avoid sprays which are too fine because they can drift and damage other plants.
- (Replaces #7) If certain tough weeds are not dead within 3 weeks, spot treat.
- It will take about 20 minutes to apply this bottle. Actual time will vary depending on water pressure.

OPTIONAL DIRECTIONS FOR REFILLING CHEMSICO SPOT WEED KILLER A

[Easy to mix • Just add water • Makes one gallon • • No measuring required • Power Sprayer Refill]

To refill the Chemsico Spot Weed Killer A: [Mix 10 fl.-oz. [pour 10 fl. oz. concentrate into the empty bottle [container]] and dilute to a gallon with water. See the Chemsico Spot Weed Killer A label for complete directions.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame. **Disposal:** If empty Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wear long-sleeved shirt, long pants, and shoes plus socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. **If Swallowed:** Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Environmental Hazards

This product may be toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions or comments? Call 1-800-332-5553

[*If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[**Satisfaction Guaranteed:** If you are not completely satisfied with the performance or results of this Green Thumb® product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

[**The ACE Promise:** If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for the replacement of the same or similar item.]

Made in the USA for Realex
Division of United Industries Corporation
P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-121

EPA Est. No. 9688-MO-1

© 2011

8/9

- BROADLEAF WEEDS -

Annual yellow sweetclover	Cockle	Musk thistle	Spiny amaranth
Aster	Cocklebur	Mustard	Spiny cocklebur
Austrian fieldcress	Common mullein	Narrowleaf plantain	Spiny sowthistle
Bedstraw	Creeping Jenny (Creeping Charlie)	Narrowleaf vetch	Spotted catsear
Beggarticks	Cudweed	Nettle	Spotted spurge
Betony, Florida	Curly dock	Orange hawkweed	Spurweed
Bindweed, field	Daisy, English	Oriental cocklebur	Stinging nettle
Bird vetch	Daisy fleabane	Oxalis	Strawberry, India mock
Bitter wintercress	Daisy, oxeye	Parsley-piert	Tall nettle
Bittercress, hairy	Dandelion	Parsnip	Tall vervain
Bitterweed	Dichondra	Pearlwort	Tansy ragwort
Black-eyed Susan	Dogbane	Pennycress	Tansy mustard
Black medic	Dogfennel	Pennywort	Tanweed
Black mustard	Dollarweed	Peppergrass	Thistle
Blackseed plantain	Elderberry	Pepperweed	Trailing crownvetch
Blessed thistle	False dandelion	Pigweed	Tumble mustard
Bloodflower milkweed	Falseflax	Pineywoods bedstraw	Tumble pigweed
Blue lettuce	False sunflower	Plains coreopsis (tickseed)	Velvetleaf
Blue vervain	Fiddleneck	Plantain	Venice mallow
Bracted plantain	Florida pusley	Poison ivy	Virginia buttonweed
Brassbuttons	Frenchweed	Poison oak	Virginia creeper
Bristly oxtongue	Galinsoga	Pokeweed	Virginia pepperweed
Broadleaf dock	Goathead	Poorjoe	Water pennywort
Broadleaf plantain	Goldenrod	Prairie sunflower	Wavyleaf bullthistle
Broomweed	Ground ivy	Prickly lettuce	Western clematis
Buckhorn	Gumweed	Prickly sida	Western salsify
Buckhorn plantain	Hairy fleabane	Prostrate knotweed	White mustard
Bulbous buttercup	Hawkweed	Prostrate pigweed	Wild aster
Bull thistle	Healall	Prostrate spurge	Wild buckwheat
Bullnettle	Heartleaf drymary	Prostrate vervain	Wild carrot
Burclover	Heathaster	Puncturevine	Wild four-o'clock
Burdock	Hedge bindweed	Purslane, common	Wild garlic
Burning nettle	Hedge mustard	Ragweed	Wild geranium
Burweed	Hemp	Red sorrel	Wild lettuce
Buttercup	Henbit	Redroot pigweed	Wild marigold
Buttonweed	Hoary cress	Redstem filaree	Wild mustard
Canada thistle	Hoary plantain	Rough cinquefoil	Wild onion
Carolina geranium	Hoary vervain	Rough fleabane	Wild parsnip
Carpetweed	Horsenettle	Russian pigweed	Wild radish
Catchweed bedstraw	Jimsonweed	Russian thistle	Wild rape
Catnip	Knawel	Scarlet pimpernel	Wild strawberry
Catsear	Knotweed	Scotch thistle	Wild sweet potato
Chickweed, common	Kochia	Sheep sorrel	Wild vetch
Chickweed, mouseear	Lambsquarters	Shepherdspurse	Woodsorrel
Chicory	Lespedeza	Slender plantain	Woolly croton
Cinquefoil	Mallow	Smallflower galinsoga	Woolly morningglory
Clover, crimson	Matchweed	Smooth dock	Woolly plantain
Clover, hop	Mexicanweed	Smooth pigweed	Wormseed
Clover, red	Milk vetch	Sorrel	Yarrow
Clover, strawberry	Morningglory	Sowthistle	Yellow rocket
Clover, sweet	Mouseear hawkweed	Spanishneedles	Yellowflower pepperweed
Clover, white	Mugwort	Speedwell	Cranesbill
Deadnettle	English Daisy	Fleabane	Fillaree
Soliva	Wild Violet		and other broadleaf weeds