

NEW IMPROVED
REAL-KILL
AUTOMATIC INDOOR
FLEA FOGGER II

DIC
478-122

KILLS ADULT AND PRE-ADULT FLEAS BEFORE THEY
GROW UP TO BITE.

PREVENTS FLEA REINFESTATION

ACTIVE INGREDIENTS: *+ Resmethrin [5-(phenylmethyl)
-3-furanylmethyl-2,2-dimethyl-3-(2-methyl-1-propenyl)
cyclopropanecarboxylate 0.2%; Allethrin (Allyl
Homolog of Cinerin I) 0.6%; Piperonyl Butoxide,
Technical 1.2%; Petroleum Distillate 8.6%.

INERT INGREDIENTS: 89.4%.

*Cis/trans isomers ratio: max. 30% (±) cis and min.
70% (±) trans.

+U.S. Patent Nos. 3,465,007 and 3,542,928.

Net Weight 6-oz. (170 g.)

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DRW/ns
8/26/82

FLEA FOGGER

FLEA FOGGER kills adult and pre-adult fleas hidden in cabinets, rugs, drapes, upholstery, pet bedding and floor cracks. Protects your home from reinfestation, your pets and family from bites.

FLEA FOGGER kills adult and pre-adult fleas on contact and controls flea infestations.

FLEA FOGGER also kills: ticks, roaches, flies, crickets, small flying moths, gnats (midges), mosquitoes, wasps, hornets, bees, yellow jackets, ants, booklice, carpet beetles, centipedes, earwigs, silverfish (firebrats), grasshoppers, millipedes, sowbugs (pillbugs), spiders, scorpions.

FLEA FOGGER leaves no bad smell, no sticky mess and, used as directed, does not stain furnishings.

For most effective results, entire dwelling should be treated. Use one fogger for each 6,000 cubic feet (750 square feet) of unobstructed area (approximately 27' x 27' or six 10' x 12' rooms). Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

1. Cover exposed food dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows.
2. Place fogger on a raised area such as a table or chair with newspapers covering the area directly under the can.
3. Remove cap. Turn can upside down. Tilt top of can away from face. Place hole in cap bottom over stem on top of can. Place cap down until firmly in place releasing spray. Set can upright on paper and leave the room. Leave treated area for 2 hours.
4. After 2 hours, open all doors and windows, turn on air conditioners and fans and let the treated area air for 30 minutes.
5. Destroy pet's old bedding and replace. Treat dogs and cats with registered flea control product prior to re-entry.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not use in kitchen, food processing, preparation, serving or storage areas. Do not apply directly to food. Cover or remove any food and food processing equipment during application. Wash all equipment with potable water, beaches, sidewalks, etc. where exposed for use. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130° F may cause bursting.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting because of aspiration hazard. Get medical attention. If on Skin: Wash off with soap and water. Get medical attention if irritation persists. If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.

STORAGE AND DISPOSAL:

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

WARRANTY STATEMENT: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

REALEX CORPORATION
BOX 78, KANSAS CITY,
MISSOURI 64141

UPC

EPA REG. NO.
EPA EST. NO. 478-LA-1
485-B

SYMBOL

7011600485

© COPYRIGHT REALEX CORPORATION 1982

DRW/ns
8/26/82