

PRECAUTIONARY STATEMENTS

CAUTION: Hazards to Humans and

Domestic Animals: Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not apply directly to food in commercial food handling facility. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in packing plant, bakery and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water.

Statement of Practical Treatment • If

Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. If on Skin: Wash contaminated clothing and wash affected areas with plenty of soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

Environmental Hazards • This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources. Do not contaminate water when disposing of equipment washwaters.

Physical and Chemical Hazards • Do not use or store near heat or open flame.

Storage and Disposal • Storage: Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area. Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Directions for Use: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Real-Kill®

ROSE & GARDEN INSECT SPRAY II

WATER-BASED

KILLS GYPSY MOTH CATERpillARS AND JAPANESE BEETLES

AN EFFECTIVE INSECTICIDE FOR USE ON VEGETABLE AND ORNAMENTAL PESTS

Active Ingredients:

Pyrethrins	0.02%
*Piperonyl Butoxide, Technical	0.20%
Inert Ingredients **	99.78%
Total	100.00%

*Equivalent to min. 0.16% (butylcarbityl (6-propylpiperonyl) ether and 0.04% related compounds

**Contains aliphatic petroleum hydrocarbons

Keep Out of Reach of Children

CAUTION

See Back Panel for Additional Precautionary Statements

Net Contents

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This insecticide may be used indoors, outdoors or in greenhouses throughout the growing season, or as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on a day of harvest. DO NOT TRANSPORT OR STORE UNDER 32° F. If freezing occurs, thaw and agitate vigorously.

Use on the following crops: Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes to control: asparagus beetles, aphids, leafhoppers, whiteflies, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, diamondback moth larvae, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leafhoppers, fireworms, blister beetles, Colorado potato beetles, and webworms.

Use on the following ornamentals: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds, to control: aphids, flea beetles, leafhoppers and whiteflies. To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and Forest tent caterpillars on contact: on trees and shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On roses and in flower gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured in the U.S.A. for Realex, St. Louis, MO 63114 Form: DC11990

EPA Reg. No. 478-125

EPA Est. No. 9688-MO-1

ACCEPTED
MAY 29 1991
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 478-125

BEST AVAILABLE COPY

10/29/81

501-515

10/10