

478-125

2/19/2001

1/4

Please read instructions on reverse before completing form.

Form Approved OMB No. 2070-0060 Approval expires 11-30-93



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460

Application for Pesticide:

Registration
 Amendment
 Other

OPP Identifier Number

Section I

1. Company/Product Number 478-125	2. Product Manager G. LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Real-Kill Rose & Garden Insect Spray II	PM# 13	
5. Name and Address of Applicant (include ZIP Code) Realex Division of United Industries Corp. PO Box 15842 St. Louis, Missouri 63114-0842 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labelling to: EPA Reg. No. _____ Product Name _____	

Section II

NOTIFICATION

Amendment - Explain below
 Resubmission in response to Agency letter dated _____
 Notification - Explain below.

Final printed label in response to Agency letter dated _____
 "ME TOO" Application.
 Other - explain below

FEB 19 2001

Explanation: Use additional page(s) if necessary. (For section I and Section II)

Notification under PR Notice 98-10 of optional marketing claim "GreenThumb Satisfaction Guarantee" with explanatory statement.

Section III

1. Material in Which This Product Will Be Packaged:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes * <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water-Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted.		If "YES," Unit package wgt	No. per container	If "YES," Package wgt	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label Is Affixed To Product <input type="checkbox"/> Lithographed <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of the individual to be contacted, if necessary, to process this application)		
Name Glenda L. Mah	Title Regulatory Affairs Specialist	Telephone No. (include Area Code) 800-242-1166 Ext. 3415

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received (Stamped)

2. Signature <i>Glenda L. Mah</i>	3. Title Regulatory Affairs Specialist	6. Date Application Received (Stamped)
4. Typed Name Glenda L. Mah	5. Date 2-14-01	



ROSE & GARDEN INSECT SPRAY II

WATER-BASED

Kills gypsy moth caterpillars and Japanese beetles

- Fast acting · An effective insecticide for use on vegetable and ornamental pests · Can be applied on day of harvest · Use on day of harvest · Made with botanical insecticides · Can be used on delicate ornamentals · Won't harm delicate ornamentals · Protects roses, vegetables, houseplants, ornamentals, trees, shrubs, flowers · Protects your whole garden (Option: from damaging insects!) · Made with a botanical insecticide from the chrysanthemum flower · Apply anytime right up to harvest · GreenThumb® Satisfaction Guarantee

Active Ingredients:

Pyrethrins	0.02%
*Piperonyl Butoxide, Technical	0.20%
Inert Ingredients	99.78%
*Equivalent to min. 0.16% (butylcarbityl (6-propylpiperonyl) ether and 0.04% related compounds	

Keep Out of Reach of Children

CAUTION See Back for Additional Precautionary Statements

NET CONTENTS 128 FL. OZ.

STOP (optional). READ ENTIRE LABEL BEFORE USE. (Optional: Stop. Read all instructions inside before using.)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

SPRAYER INSTRUCTIONS: (Optional)

How to prime and care for your sprayer:

1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This insecticide may be used indoors, outdoors or in (home) greenhouses throughout the growing season. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. **DO NOT TRANSPORT OR STORE UNDER 32° F.** If freezing occurs, thaw and agitate vigorously.

USE ON THE FOLLOWING CROPS (Optional: Vegetables): Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes to control: Asparagus beetles, aphids, leafhoppers, whiteflies, mealybugs, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, diamond-back moth larvae, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leafhoppers, fireworms, blister beetles, Colorado potato beetles and webworms. (Optional: **TO CONTROL:** Aphids (including green peach), beetles (asparagus, blister, Colorado potato, flea, Mexican bean 12-spotted cucumber), cabbageworms (cross-striped, imported), fireworms, harlequin bugs, leafhoppers, leafhoppers, loopers (cabbage), mealybugs, moth (diamondback larvae), stink bugs, webworms and whiteflies.

USE ON THE FOLLOWING ORNAMENTALS: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds, to control: Aphids, flea beetles, mealybugs, leafhoppers and whiteflies. To kill gypsy moth

caterpillars and adults, adult Japanese beetles and Eastern and Forest tent caterpillars on contact: **on trees and shrubs:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

ON ROSES AND IN FLOWER GARDENS: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

ALTERNATIVE SIMPLIFIED DIRECTIONS

(Optional Marketing Language) Real Kill Rose & Garden Insect Spray II kills

damaging insects that attack your tomatoes, other vegetables and fruits. Its Pyrethrin formula allows you to spray, harvest and eat all in the same day!

STOP. READ ENTIRE LABEL BEFORE USE. (Optional: Stop. Read all instructions inside before using.)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

HOW TO USE (Optional)

SHAKE BEFORE USING. Turn nozzle to spray position. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk. *Do not transport or store under 32° F.* If freezing occurs, thaw and agitate vigorously.

ALTERNATIVE DIRECTIONS FORMAT

STOP. READ ENTIRE LABEL BEFORE USE. (Optional: Stop. Read all instructions inside before using.)

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

NOTIFICATION
 FEB 19 2001

[Bracketed text] = Optional text

2/19

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. Do not transport or store under 32 F. If freezing occurs, thaw and agitate vigorously.

TREATMENT AREAS	PESTS TO CONTROL
VEGETABLES Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cranberries, Eggplant, Kale, Lettuce, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Tomatoes, Turnips	Asparagus Beetles, Aphids, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-striped Cabbageworms, Diamondback Moth Larvae, Fireworms, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbageworms, Leafhoppers, Leafminers, Mealybugs, Mexican bean beetles, 12-Spotted Cucumber Beetles, Stink Bugs, Webworms, Whiteflies
ORNAMENTALS African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladiol, Marigolds, Roses, Wandering Jew	Aphids, Flea Beetles, Leafhoppers, Mealybugs, Whiteflies
ROSES AND FLOWER GARDENS Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.	
TREES AND SHRUBS Treat as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.	Eastern and Forest Tent Caterpillars, Gypsy Moth Caterpillars and Adults, Adult Japanese Beetles

This product is ideal for use on most vegetables, herbs, fruits and nuts, including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini

This product kills most harmful garden insects including, but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Biting flies, Cankerworms, Caterpillars (including tent), Centipedes, Chiggers, Chinch bugs, Cicadas, Clover mites, Corn borers, Corn earworms, Crane flies, Crickets, Cutworms, Digger wasps, Earwigs, Fire ants, Firebrats, Fleas, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Hornets, Horse flies, House flies, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Lice, Maggots, Mealybugs, Millipedes, Mosquitoes, Mites, Moths, Pillbugs, Rootworms, Scales, Silverfish, Sowbugs, Spiders, Spider mites, Spittlebugs, Stink bugs, Thrips, Ticks, Tomato hornworms, Webworms (including garden, sod), Weevils

ALTERNATIVE WHEN TOMATOES & VEGETABLES ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE.
DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*
SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk. Do not transport or store under 32 F. If freezing occurs, thaw and shake vigorously.

This product is ideal for use on most vegetables, herbs, fruits and nuts, including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Carrot, Casaba, Cauliflower, Celery, Cherry, Chicory, Chives,

Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Spinach, Strawberry, Summer Squash, Sweet Potato, Swiss Chard, Tomato, Watermelon, Yam, Zucchini

This product kills most harmful garden insects including, but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Biting flies, Cankerworms, Caterpillars (including tent), Centipedes, Cicadas, Corn borers, Corn earworms, Crickets, Cutworms, Fruit flies, Gnats, Grass-hoppers, Green bugs, Green fruitworms, Green June beetles, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Maggots, Mealybugs, Millipedes, Mosquitoes, Mites, Pillbugs, Rootworms, Silverfish, Sowbugs, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

ALTERNATIVE WHEN ROSES & FLOWERS ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*
SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. Do not transport or store under 32 F. If freezing occurs, thaw and shake vigorously.
Kills most harmful garden insects including, but not limited to: Ants, aphids, bagworms, beetles, caterpillars (including tent), centipedes, chinch bugs, clover mites, cutworms, earwigs, fleas, fruit flies, gnats, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, lice, mealybugs, millipedes, mites (including spider), scales, spittlebugs, stinkbugs, thrips, webworms (including garden, sod), whiteflies

Ideal for use on most flower and ornamentals, including but not limited to: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

ALTERNATIVE SITES AND INSECTS

5/4

ALTERNATIVE WHEN HOUSEPLANTS & GARDENS ARE TARGETED

STOP READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. Do not transport or store under 32 F. If freezing occurs, thaw and shake vigorously.

Kills most harmful insects including, but not limited to: Ants, aphids, armyworms, bagworms, beetles, cankerworms, caterpillars (including tent), chinch bugs, clover mites, crickets, cutworms, earwigs, firebrats, fruit flies, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, maggots, mealybugs, millipedes, mites, moths, pillbugs, rootworms, sowbugs, spittlebugs, stink bugs, thrips, ticks, tomato hornworms, webworms (including garden, sod), weevils, whiteflies

Ideal for use on following houseplants, roses, flowers and ornamentals, including, but not limited to: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

Ideal for use on most vegetables, herbs, fruits and nuts, including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Cauliflower, Celery, Cherry, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lentils, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bry (Bayleaf), Sweet Potato, Tangerine, Tomato, Watermelon, Yam, Zucchini

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing

vapor. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquariums before spraying.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly into lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by disposing of equipment washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Satisfaction Guaranteed: If for any reason you are not completely satisfied with the performance or results of this GreenThumb® product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

Questions or comments? Call (Option: toll free) 800-332-5553

Manufactured in the USA for Realex, Division of United Industries, P.O. Box 15842, St. Louis, MO 63114-0842

EPA Reg. No. 478-125

EPA Est. No. 9688-MO-1

© 2001

7/17