478 - Please read instructions on rev		a torm	9/27/	2001		proval expires 11-30-93	
	United States Environ. Office of Pesticide Washington, DC Application	mental Protection Programs (H7505 20460	Agency 5C)		Registration Amendment Other	OPP Identifier Number	
Section I							
1. Company/Product Number 478-125			2.Product Mana A. Sibold	iger	3. Proposed Classific	cation	
4. Company/Product (Name) Real-Kill Rose & Garden Insect Spray II			PM# 10			Restricted	
5. Name and Address of Applicant <i>(include ZIP Code)</i> Realex Division of United Industries Corp. PO Box 142642 St. Louis, Missouri 63114-0642			6 Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labelling to: EPA Reg. No.				
Check if this is a n	ew address		Product Name				
		Section II				NOTIFICATION	
Amendment - Explain bei Resubmission in response X Notification - Explain bek	e to Agency letter dat	ed		nted label in respo DO [®] Application. Explain below	onse to Agency letter dat	SEP 2 7 2001	
Explanation: Use additional page(s) if necessary. (For section I and Section II) Notification under PR Notice 98-10 of optional marketing claim "Ace Promise - Satisfaction Guaranteed" with explanatory statement							
1. Material in Which This Product W	II Be Backsged	Section II		· · · · · ·			
Child-Resistant Packaging Yes * No * Certification must be	Unit Packaging Yes No If "YES," Unit package wgt	No. per container	Water-Soluble I Yes No If "YES," Package wgt	Packaging No. per container	2. Type of Container Metal Plastic Glass Paper Other (S	pecify)	
Submitted. 3. Location of Net Contents Informatio Label	n Container	4. Size(s) (I of Retail Contain	9r	5. Location of Label On Label On Labeling ac	Directions companying product	
6. Manner in Which Label Is Affixed To Product Lithographed Paper glued Stenciled							
		Section IV	/	····			
1. Contact Point (Complete items	directly below for idea			contacted, if nec	essary, to process thi	is application)	
Name Title		Regulate				ohone No. (include Area Code) 300-242-1166 Ext. 3415	
I certify that the statements I f I acknowledge that any knowi both under applicable law. 2. Signature		m and all attach ng statement ma	ay be punishable 3. Title	-	sonment or	6 Date Application Received (Stamped)	
4. Typed Name Glenda L. Mah Sept 20, 2001					• • • • • • • • • • • • • • • • • • •		
EPA Form 8570-1 (Rev.12-90)	Previous e	ditions are obs	olete	White - FPA Fi	le Copy (original)	Yellow - Applicant copy	

Real-Kill

Rose & Garden Insect Spray II

WATER-BASED

Kills gypsy moth caterpillars and Japanese beetles • Fast acting • An effective insecticide for use on vegetable and ornamental pests • Can be applied on day of harvest • Use on day of harvest • Made with botanical insecticides • Can be used on delicate ornamentals • Won't harm delicate ornamentals • Protects roses, vegetables, houseplants, ornamentals, trees, shrubs, flowers • Protects your whole garden (Option: from damaging insects!) • Made with a botanical insecticide from the chrysanthemum flower • Apply anytime right up to harvest • Green Thumb® Satisfaction Guarantee • Ace Promise Satisfaction Guaranteed

Active Ingredients:

Pyrethrins	0.02%			
*Piperonyl Butoxide, Technical	0.20%			
Other Ingredients				
*Equivalent to min. 0.16% (butylcarbityl (6-propylpiperonyl)				
ether and 0.04% related compounds				

Keep Out of Reach of Children CAUTION See Back for Additional Precautionary Statements

NET CONTENTS 128 FL. OZ.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For home use only.

SPRAYER INSTRUCTIONS: (Optional)

How to prime and care for your sprayer:

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.
- 2. Turn sprayer nozzle one half turn counterclockwise. Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This insecticide may be used indoors, outdoc¹ g or in (home) greenhouses throughout the growing season. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. DO NOT TRANSPORT OR STORE UNDER 32°F. If freezing occurs, thaw and agitate vigorously.

USE ON THE FOLLOWING CROPS (Optional: Vegetables): Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes to control: Asparagus beetles, aphids, leafhoppers, whiteflies, mealybugs, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers,

NOTIFICATION

SEP 2 7 2001

cross-striped cabbageworms, diamond-back moth larvae, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leaftiers, fireworms, blister beetles, Colorado potato beetles and webworms. (Optional: **TO CONTROL:** Aphids, (including green peach), beetles (asparagus, blister, Colorado potato, flea, Mexican bean, 12-spotted cucumber), cabbageworms (cross-striped, imported), fireworms, harlequin bugs, leafhoppers, leaftiers, loopers (cabbage), mealybugs, moth (diamondback larvae), stink bugs, webworms and whiteflies.

USE ON THE FOLLOWING ORNAMENTALS: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds, to control: Aphids, flea beetles, mealybugs, leafhoppers and whiteflies. To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and Forest tent caterpillars on contact: on trees and shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

ON ROSES AND IN FLOWER GARDENS: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

ALTERNATIVE SIMPLIFIED DIRECTIONS

(Optional Marketing Language) Real Kill Rose & Garden Insect Spray II kills damaging insects that attack your tomatoes, other vegetables and fruits. Its Pyrethrin formula allows you to spray, harvest and eat all in the same day!

STOP. READ ENTIRE LABEL BEFORE USE. (Optional: Stop. Read all instructions inside before using.)

Q

(V)

EPA Reg. No. 478-125

09/18/01

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For home use only.

HOW TO USE (Optional)

SHAKE BEFORE USING. Turn nozzle to spray position. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk. *Do not transport or store under 32° F*. If freezing occurs, thaw and agitate vigorously.

ALTERNATIVE DIRECTIONS FORMAT

STOP, READ ENTIRE LABEL BEFORE USE. (Optional: Stop. Read all instructions inside before using.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For home use only.

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. *Do not transport or store under 32°F.* If freezing occurs, thaw and agitate vigorously.

TREATMENT AREAS	PESTS TO CONTROL
VEGETABLES Asparagus,Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cranberries, Eggplant, Kale, Lettuce, Mustard Greens, Peppers,Potatoes, Radishes, Spinach, Tomatoes, Turnips	Asparagus Beetles, Aphids, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-striped Cabbageworms, Diamondback Moth Larvae, Fireworms, Flea Beetles, Green Peach Aphids, Hartequin Bugs, Imported Cabbageworms, Leafhoppers, Leaftiers, Mealybugs, Mexican bean beetles, 12-Spotted Cucumber Beetles, Stink Bugs, Webworms, Whiteflies
ORNAMENTALS African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses, Wandering Jew ROSES AND FLOWER GARDENS Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.	Aphids, Flea Beetles, Leafhoppers, Mealybugs, Whiteflies
TREES AND SHRUBS Treat as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenlý: making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.	Eastern and Forest Tent Caterpillars, Gypsy Moth Caterpillars and Adults, Adult Japanese Beetles

ALTERNATIVE SITES AND INSECTS

;

This product is ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeved Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Corn, Cranberry, Currant, Curry Leaf, Egoplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumguat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Sovbeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini

This product kills most harmful garden insects including, but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Biting flies, Cankerworms, Cateroillars (including tent), Centipedes, Chiggers, Chinch bugs, Cicadas, Clover mites, Corn borers, Corn earworms, Crane flies, Crickets, Cutworms, Digger wasps, Earwigs, Fire ants, Firebrats, Fleas, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Hornets, Horse flies, House flies, Japanese beetles, Katydids, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Lice, Maggots, Mealybugs, Millipedes, Mosquitoes, Mites, Moths, Pillbugs, Rootworms, Scales, Silverfish, Sowbugs, Spiders, Spider mites, Spittlebugs, Stink bugs, Thrips, Ticks, Tomato hornworms, Webworms (including garden, sod), Weevils

[Bracketed Text] = Optional language

Page 2 of 4

6

(U)

ALTERNATIVE WHEN TOMATOES & VEGETABLES ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For home use only.

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk. *Do not transport or store under 32°F.* If freezing occurs, thaw and shake vigorously.

This product is ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Carrot, Casaba, Cauliflower, Celery, Cherry, Chicory, Chives, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Spinach, Strawberry, Summer Squash, Sweet Potato, Swiss Chard, Tomato, Watermelon, Yam, Zucchini

This product kills most harmful garden insects, including but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Biting flies, Cankerworms, Caterpillars (including tent), Centipedes, Cicadas, Corn borers, Corn earworms, Crickets, Cutworms, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Japanese beetles, Katydids, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Maggots, Mealybugs, Millipedes, Mosquitoes, Mites, Pillbugs, Rootworms, Silverfish, Sowbugs, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

ALTERNATIVE WHEN ROSES & FLOWERS ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For home use only.

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. Do not transport or store under 32°F. If freezing occurs, thaw and shake vigorously.

Kills most harmful garden insects including, but not limited to: Ants, aphids, bagworms, beetles, caterpillars (including tent), centipedes, chinch bugs, clover mites, cutworms, earwigs, fléas, fruit flies, gnats, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, lice, mealybugs, millipedes, mites (including spider), scales, spittlebugs, stinkbugs, thrips, webworms (including garden, sod), whiteflies

Ideal for use on most flowers and ornamentals included by not limited to: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

FN: 478-125-N6

09/18/01

ALTERNATIVE WHEN HOUSEPLANTS AND GARDEN ARE TARGETED



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For home use only.

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. Do not transport or store under 32°F. If freezing occurs, thaw and shake vigorously.

Kills most harmful insects including, but not limited to: Ants, aphids, armyworms, bagworms, beetles, caterpillars (including tent), chinch bugs, clover mites, crickets, cutworms, earwigs, firebrats, fruit flies, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, lice, maggots, mealybugs, millipedes, mites, moths, pillbugs, rootworms, sowbugs, spittlebugs, stink bugs, thrips, ticks, tomato hornworms, webworms (including garden, sod), weevils, whiteflies

Ideal for use on following houseplants, roses, flowers and ornamentals: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

Ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple,

γ S Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Cauliflower, Celery, Cherry, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lentils, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Tangerine, Tomato, Watermelon, Yam, Zucchini

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapor. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquariums before spraying.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly into lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by disposing of equipment washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Satisfaction Guaranteed: If for any reason you are not completely satisfied with the performance or results of this Green Thumb® product, it will be repaired or

[Bracketed Text] = Optional language

replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

EPA Reg. No. 478-125

[The ACE Promise: If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for the replacement of the same or similar item.]

Questions or comments? Call (Option: toll free) 1-800-332-5553

Made in the USA for Realex Division of United Industries Corporation P.O. Box 142642, St. Louis, MO 63114-0642

EPA Fieg. No. 478-125 EPA Est. No. 9688-MO-1

© 2001

S

3

.