. 478-125		2-	-25-2004	f		1
Pleese read instructions on rev	United States Enviror	ng form. Imental Protection Programs (H750 C 20460	Form Ap Agency 5C)		OMB No. 2070-0060. Ap Registration Amendment Other	proval expires 11-30-93 OPP Identifier Number
		Section				
1. Company/Product Number 478-12 4. Company/Product (Name)			2.Product Manager Marvin Johnson PM#		3. Proposed Classific	ation
i. Name and Address of Applicant Realex ,	(Include ZIP C	ode)	10 6 Expedited Review. (b)(i), my product is simi		accordance with FIFRA dentical in composition	
Division of United Industries C PO Box 142642 St. Louis, Missouri 63114-064	2		to: EPA Reg. No. Product Name		······	
		Section I				NOTIFICATION
Amendment - Explain be Resubmission in respons Notification - Explain bek	e to Agency letter da	ated	Final printed label "ME TOO" Appli Other - explain be	cation.	onse to Agency letter date	
stamped approved label: Us Contact" which is on our ide	ntical product E		39609-1.		est and to add the	
. Material in Which This Product W Child-Resistant Packaging			Water-Soluble Packagin		2. Type of Container	
Yes *	Unit Packaging Yes No	No. per	Yes No		Metal Plastic Glass Paper	
* Certification must be submitted.	Unit package wgt	container I	Package wgt containe	er	Other (Sp	oecify)
Location of Net Contents Informatic Label	n Container	4. Size(s)	of Retail Container		5. Location of Label E On Label On Labeling aco	Directions
6. Manner in Which Label Is Affixed T	o Product	Lithograph Paper glue Stenciled		-		
	,	Section I	V			mit mit mit ner men konst ift kans til de til det konst i se som en s
1. Contact Point (Complete items directly below for identification of the Name Name Title Glenda L. Mah Manager, I			individual to be contacted, if necessary, to process this application) Telephone No. (include Area Code)		lude Area Code)	
		Product Labeling 1-800-2		1-800-242-1166 E	2-1166 Ext 2727	
I certify that the statements I I acknowledge that any know both under applicable law.		orm and all attac				6 Date Application Received (Stamped)
2. Signature Llenda L.Mak			3. Title Manager, Product Labeling			
4. Typéd Name Glenda L. Mah	10 10		5. Date February 4, 2004			••
EPA Form 8570-1 (Rev.12-90)	Previous	editions are ob	solete White -	EPA F	ile Copy (original)	Yellow - Applicant copy

•

02/04/04

Real-Kill **Rose & Garden Insect** Spray II

WATER-BASED

Kills gypsy moth caterpillars and Japanese beetles • Fast acting • Kills on Contact • Apply anytime right up to harvest • An effective insecticide for use on vegetable and ornamental pests . Can be applied on day of harvest • Use on day of harvest • Use Up to Day Of Harvest • Use Indoors and Outdoors • Made with botanical insecticides • Can be used on delicate ornamentals • Won't harm delicate ornamentals • Protects roses, vegetables, houseplants, ornamentais, trees, shrubs, flowers • Protects your whole garden (Option: from damaging insects!) • Made with a botanical insecticide from the chrysanthemum flower . Green Thumb® Satisfaction Guarantee • Ace Promise Satisfaction Guaranteed

Active Inaredients:

compounds

Pyrethrin	0.02%
*Piperonyl Butoxide, Technical	
Other Ingredients:	
*Equivalent to min. 0.16% (butylcarbityl (6-propylpiperonyl) ether and 0.0)4% related

KEEP OUT OF REACH OF CHILDREN

CAUTION See Back for Additional Precautionary Statements

NET CONTENTS 128 FL. OZ.

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For home use only.

SPRAYER INSTRUCTIONS: (Optional)

How to prime and care for your sprayer:

- 1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely,
- 2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
- 3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This insecticide may be used indoors, outdoors or in (home) greenhouses throughout the growing season. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. DO NOT TRANSPORT OR STORE UNDER 32°F. If freezing occurs, thaw and agitate vigorously.

USE ON THE FOLLOWING CROPS (Optional: Vegetables): Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes to control: Asparagus beetles, aphids, leafhoppers, whiteflies, mealybugs, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, diamond-back moth larvae, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leaftiers, fireworms, blister beetles, Colorado potato beetles and webworms.

[Optional: TO CONTROL: Aphids, (including green peach), beetles (asparagus, blister, Colorado potato, flea, Mexican bean, 12-spotted cucumber), cabbageworms (cross-striped, imported), fireworms, harlequin bugs, leafhoppers, leaftiers, loopers (cabbage), mealybugs, moth (diamondback larvae), stink bugs, webworms and whiteflies.]

USE ON THE FOLLOWING ORNAMENTALS: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds, to control: Aphids, flea beetles, mealybugs, leafhoppers and whiteflies. To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and Forest tent caterpillars on contact

NOTIFICATION



on trees and shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

ON ROSES AND IN FLOWER GARDENS: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

ALTERNATE A DIRECTIONS

[Optional Marketing Language] Real Kill Rose & Garden Insect Spray II kills damaging insects that attack your tomatoes, other vegetables and fruits. Its Pyrethrin formula allows you to spray, harvest and eat all in the same day!

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only*.

HOW TO USE

SHAKE BEFORE USING. Turn nozzle to spray position. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk. DO NOT TRANSPORT OR STORE UNDER 32° F. If freezing occurs, thaw and agitate vigorously.

ALTERNATE B DIRECTIONS

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of

harvest. DO NOT TRANSPORT OR STORE UNDER 32°F. If freezing occurs, thaw and agitate vigorously.

TREATMENT AREAS	PESTS TO CONTROL				
VEGETABLES Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cranberries, Eggplant, Kale, Lettuce, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Tomatoes, Turnips	Asparagus Beetles, Aphids, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-striped Cabbageworms, Diamondback Moth Larvae, Fireworms, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbageworms, Leafhoppers, Leaftiers, Mealybugs, Mexican bean beetles, 12-Spotted Cucumber Beetles, Stink Bugs, Webworms, Whiteflies				
ORNAMENTALS African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses, Wandering Jew	Aphids, Flea Beetles, Leafhoppers,				
ROSES AND FLOWER GARDENS Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.	Mealybugs, Whiteflies				
TREES AND SHRUBS Treat as soon as insects emerge (usually late spring). T reat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.	Eastern and Forest Tent Caterpillars. Gypsy Moth Caterpillars and Adults, Adult Japanese Beetles				

ALTERNATIVE SITES AND INSECTS

This product is ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini

This product kills most harmful garden insects including, but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Biting flies, Cankerworms, Caterpillars (including tent), Centipedes, Chiggers, Chinch bugs, Cicadas, Clover mites, Corn borers, Corn earworms, Crane flies, Crickets, Cutworms, Digger wasps, Earwigs, Fire ants, Firebrats, Fleas, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Hornets, Horseflies, Houseflies, Japanese beetles, Katydids, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Lice, Maggots, Mealybugs, Millipedes, Mosquitoes, Mites, Moths, Pillbugs, Rootworms, Scales, Silverfish, Sowbugs, Spiders, Spider mites, Spittlebugs, Stink bugs, Thrips, Ticks, Tomato hornworms, Webworms (including garden, sod), Weevils

ALTERNATIVE WHEN TOMATOES & VEGETABLES [FRUITS] ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk. DO NOT TRANSPORT OR STORE UNDER 32°F. If freezing occurs, thaw and shake vigorously.

This product is ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet,

Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Carrot, Casaba, Cauliflower, Celery, Cherry, Chicory, Chives, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew Horseradish, Lemon, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Spinach, Strawberry, Summer Squash, Sweet Potato, Swiss Chard, Tomato, Watermelon, Yam, Zucchini

This product kills most harmful garden insects, including but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Biting flies, Cankerworms, Caterpillars (including tent), Centipedes, Cicadas, Corn borers, Corn earworms, Crickets, Cutworms, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Japanese beetles, Katydids, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Maggots, Mealybugs, Millipedes, Mosquitoes, Mites, Pillbugs, Rootworms, Silverfish, Sowbugs, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

ALTERNATIVE WHEN ROSES & FLOWERS ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For home use only.

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. DO NOT TRANSPORT OR STORE UNDER 32°F. If freezing occurs, thaw and shake vigorously.

Ideal for u se on most flowers and ornamentals included by not limited to: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

Kills most harmful garden insects including, but not limited to: Ants, aphids, bagworms, beetles, caterpillars (including tent), centipedes, chinch bugs, clover mites, cutworms, earwigs, fleas, fruit flies, gnats, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, lice, mealybugs, millipedes, mites (including spider), scales, spittlebugs, stinkbugs, thrips, webworms (including garden, sod), whiteflies

ALTERNATIVE WHEN HOUSEPLANTS AND GARDEN ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. DO NOT TRANSPORT OR STORE UNDER 32°F. If freezing occurs, thaw and shake vigorously.

Kills most harmful insects including, but not limited to: Ants. aphids, armyworms, bagworms, beetles, caterpillars (including tent), chinch bugs, clover mites, crickets, cutworms, earwigs, firebrats, fruit flies, grasshoppers, green bugs, green fruitworms, green June b eetles, Japanese beetles, lace b ugs, leafhoppers, leafminers, leafrollers, lice, maggots, mealybugs, millipedes, mites, moths, pillbugs, rootworms, sowbugs, spittlebugs, stink bugs, thrips, ticks, tomato hornworms, webworms (including garden, sod), weevils, whiteflies

Ideal for use on following houseplants, roses, flowers and ornamentals: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Camations, Chrysanthemums, Geraniums, Gladioli and Marigolds

Ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Cauliflower, Celery, Cherry, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lentils, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Tangerine, Tomato, Watermelon, Yam, Zucchini

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage or disposal. **Disposal: If empty**: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapor. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Remove pets, birds and cover fish aquariums before spraying.

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. If Inhaled: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly into lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by disposing of equipment washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

[Satisfaction Guaranteed: If for any reason you are not completely satisfied with the performance or results of this Green Thumb® product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

[The ACE Promise: If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for the replacement of the same or similar item.]

Questions or comments? Call 1-800-332-5553

Made in the USA for Realex Division of United Industries Corporation P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-125 EPA Est. No. 9688-MO-1

© 2002

United Industries Corp.

NOTIFICATION PER PR NOTICE 98-10

February 4, 2004

Document Processing Desk (NOTIF) Office of Pesticide Programs United States Environmental Protection Agency Room 266A Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Marion Johnson Attention: Product Manager 10

Subject: Notification per PR Notice 98-10 Real-Kill Rose & Garden Insect Spray II EPA Reg. No. 478-125

Please find enclosed a notification per PR Notice 98-10 to add the following marketing claims "Use Up to Day of Harvest" which is a variation of the claim on the current EPA stamped approved label "Apply at anytime right up to harvest". "Use Indoors & Outdoors" which is supported by the statement in the directions for use "This insecticide may be used indoors, outdoors or in (home greenhouses) throughout the growing season". We are also adding the claim "Kills [Bugs] on Contact" which is on our EPA stamped approved label Schultz Houseplant & Garden Insect Spray, EPA Reg. No. 39609-1 and which is identical in formula.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

The following documents are enclosed in support of this submission:

- 1 Application for Pesticide (EPA Form 8570-1)
- Five copies of the proposed label with changes highlighted
 One copy of the final printed label.
- 4. One copy of the EPA stamped approved label.

Please call me at 1-800-242-1166, Ext. 2727 if you have questions or need further information. Thank you very much for your attention to our application.

Sincerely

Inda Z-Mak

Glenda L. Mah Manager, Product Labeling