

478-125

9/16/2011

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 16, 2011

Mr. William Metzger
United Industries Corporation
P.O. Box 142642
St. Louis, MO 63114-0642

Subject: Amended Reregistration Label
Product Name: Real-Kill Rose & Garden Insect Spray II
EPA Registration Number: 478-125
EPA Decision Number(s): 411316 and 411926

Dear Mr. Metzger:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the **Pyrethrins** and **Pipernoyl Butoxide** REDs, and has concluded that your submission is acceptable.

NOTE: This product is **not** being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on non-refillable containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 2/1/2010

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact either Linda Arrington at (703) 305 6249 or via e-mail at Arrington.Linda@epa.gov.

Sincerely,

Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7505P)

Enclosures: Label stamped "Accepted," dated 9/15/2011
Acute Toxicity Review, dated 4/27/2010
Product Chemistry Review, dated 3/7/2011

Real-Kill Rose & Garden Insect Spray II

WATER-BASED

Kills gypsy moth caterpillars and Japanese beetles • Fast acting • Kills on Contact • Kills over 50 types of insects as listed • Apply anytime right up to harvest • An effective insecticide for use on vegetable and ornamental pests • Can be applied on day of harvest • Use on day of harvest • Spray up to Harvest • Use Up to Day Of Harvest • Use Indoors and Outdoors • Made with botanical insecticides • Can be used on delicate ornamentals • Won't harm delicate ornamentals • Protects roses, vegetables, houseplants, ornamentals, trees, shrubs, flowers • Protects your whole garden (Option: from damaging insects!) • Made with a botanical insecticide from the chrysanthemum flower • Green Thumb® Satisfaction Guarantee • Ace Promise Satisfaction Guarantee

Active Ingredients:

Pyrethrins	0.02%
Piperonyl Butoxide	0.20%
Other Ingredients	99.78%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION See Back for Additional Precautionary Statements

NET CONTENTS 128 FL. OZ.

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Precautions and Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:


- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

SPRAYER INSTRUCTIONS: (Optional)

How to prime and care for your sprayer:

1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.



3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This insecticide may be used indoors, outdoors or in (home) greenhouses throughout the growing season. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. **DO NOT TRANSPORT OR STORE UNDER 32°F.** If freezing occurs, thaw and agitate vigorously. Do not apply more than 10 times per season. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

USE ON THE FOLLOWING CROPS (Optional: Vegetables): Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes **to control:** Asparagus beetles, aphids, leafhoppers, whiteflies, mealybugs, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, diamond-back moth larvae, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leafhoppers, fireworms, blister beetles, Colorado potato beetles and webworms.

[Optional: **TO CONTROL:** Aphids, (including green peach), beetles (asparagus, blister, Colorado potato, flea, Mexican bean, 12-spotted cucumber), cabbageworms (cross-striped, imported), fireworms, harlequin bugs, leafhoppers, leafhoppers, loopers (cabbage), mealybugs, moth (diamondback larvae), stink bugs, webworms and whiteflies.]

USE ON THE FOLLOWING ORNAMENTALS: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds, **to control:** Aphids, flea beetles, mealybugs, leafhoppers and whiteflies. **To kill gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and Forest tent caterpillars on contact on trees and shrubs:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control. **ON ROSES AND IN FLOWER GARDENS:** Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

ALTERNATE A DIRECTIONS

[Optional Marketing Language] Real Kill Rose & Garden Insect Spray II kills damaging insects that attack your tomatoes, other vegetables and fruits. Its Pyrethrin formula allows you to spray, harvest and eat all in the same day!

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Precautions and Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

HOW TO USE

SHAKE BEFORE USING. Turn nozzle to spray position. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk. **DO NOT TRANSPORT OR STORE UNDER 32° F.** If freezing occurs, thaw and agitate vigorously. Do not apply more than 10 times per season. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

ALTERNATE B DIRECTIONS

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Precautions and Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. **DO NOT TRANSPORT OR STORE UNDER 32°F.** If freezing occurs, thaw and agitate vigorously. Do not apply more than 10 times per season. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

TREATMENT AREAS	PESTS TO CONTROL
VEGETABLES Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cranberries, Eggplant, Kale, Lettuce, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Tomatoes, Turnips	Asparagus Beetles, Aphids, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-striped Cabbageworms, Diamondback Moth Larvae, Fireworms, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbageworms, Leafhoppers, Leafhoppers, Mealybugs, Mexican bean beetles, 12-Spotted Cucumber Beetles, Stink Bugs, Webworms, Whiteflies
ORNAMENTALS African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses, Wandering Jew	Aphids, Flea Beetles, Leafhoppers,

5/9

<p>ROSES AND FLOWER GARDENS Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.</p>	<p>Mealybugs, Whiteflies</p>
<p>TREES AND SHRUBS Treat as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.</p>	<p>Eastern and Forest Tent Caterpillars, Gypsy Moth Caterpillars and Adults, Adult Japanese Beetles</p>

ALTERNATIVE SITES AND INSECTS

This product is ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini

This product kills most harmful garden insects including, but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Cankerworms, Caterpillars (including tent), Centipedes, Chiggers, Chinch bugs, Cicadas, Clover mites, Corn borers, Corn earworms, Crane flies, Crickets, Cutworms, Digger wasps, Earwigs, Firebrats, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Horseflies, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Maggots, Mealybugs, Millipedes, Mites, Moths, Pillbugs, Rootworms, Scales, Silverfish, Sowbugs, Spider mites, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

ALTERNATIVE WHEN TOMATOES & VEGETABLES [FRUITS] ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Precautions and Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early

in the morning or at dusk. DO NOT TRANSPORT OR STORE UNDER 32°F. If freezing occurs, thaw and shake vigorously. Do not apply more than 10 times per season. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

This product is ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Carrot, Casaba, Cauliflower, Celery, Cherry, Chicory, Chives, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimientos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Spinach, Strawberry, Summer Squash, Sweet Potato, Swiss Chard, Tomato, Watermelon, Yam, Zucchini

This product kills most harmful garden insects, including but not limited to: Ants, Aphids, Armyworms, Bagworms, Beetles, Cankervorms, Caterpillars (including tent), Centipedes, Cicadas, Corn borers, Corn earworms, Crickets, Cutworms, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Maggots, Mealybugs, Millipedes, Mites, Pillbugs, Rootworms, Silverfish, Sowbugs, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

ALTERNATIVE WHEN ROSES & FLOWERS ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Precautions and Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. **DO NOT TRANSPORT OR STORE UNDER 32°F.** If freezing occurs, thaw and shake vigorously. Do not apply more than 10 times per season. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

Ideal for use on most flowers and ornamentals included by not limited to: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

Kills most harmful garden insects including, but not limited to: Ants, aphids, bagworms, beetles, caterpillars (including tent), centipedes, chinch bugs, clover mites, cutworms, earwigs, fruit flies, gnats, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, mealybugs, millipedes, mites (including spider), scales, spittlebugs, stinkbugs, thrips, webworms (including garden, sod), whiteflies

ALTERNATIVE WHEN HOUSEPLANTS AND GARDEN ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Precautions and Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and

tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. DO NOT TRANSPORT OR STORE UNDER 32°F. If freezing occurs, thaw and shake vigorously. Do not apply more than 10 times per season. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

Kills most harmful insects including, but not limited to: Ants, aphids, armyworms, bagworms, beetles, caterpillars (including tent), chinch bugs, clover mites, crickets, cutworms, earwigs, firebrats, fruit flies, grasshoppers; green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, maggots, mealybugs, millipedes, mites, moths, pillbugs, rootworms, sowbugs, spittlebugs, stink bugs, thrips, tomato hornworms, webworms (including garden, sod), weevils, whiteflies

Ideal for use on following houseplants, roses, flowers and ornamentals: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Camations, Chrysanthemums, Geraniums, Gladioli and Marigolds

Ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Cauliflower, Celery, Cherry, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lentils, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Tangerine, Tomato, Watermelon, Yam, Zucchini

STORAGE AND DISPOSAL

Pesticide Storage: Do not contaminate water, food, or feed by storage or disposal. **Pesticide Container Disposal:** If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapor. Avoid contact with eyes, skin or clothing.

8/9

FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment or call 1-800-332-5553 for emergency medical treatment information.

Environmental Hazards

This product is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[Satisfaction Guaranteed: If for any reason you are not completely satisfied with the performance or results of this Green Thumb® product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

[The ACE Promise: If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for the replacement of the same or similar item.]

Questions or comments? Call 1-800-332-5553

Made in the USA for Realex
Division of United Industries Corporation
P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-125
EPA Est. No. 9688-MO-1

© 2011