



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

August 17, 2016

Jessica Goldberg
Senior Regulatory Affairs Specialist
Chemsico, Division of United Industries
P.O. Box 142642
St. Louis, MO 63114

Subject: Label Amendment – Adding two statements that were inadvertently left off of the label after reregistration.
Product Name: Real-Kill Rose & Garden Insect Spray II
EPA Registration Number: 478-125
Application Date: May 3, 2016
Decision Number: 517152

Dear Ms. Goldberg:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 478-125
Decision No. 517152

with FIFRA section 6. If you have any questions, please contact Jennifer Gaines at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "L. N. Bacon". The signature is fluid and cursive, with a long horizontal line extending to the right.

Laura N. Bacon, Acting Product Manager 4
Invertebrate & Vertebrate Branch 1 (IVB1)
Registration Division (7505P)
Office of Pesticide Programs

Real-Kill Rose & Garden Insect Spray II

WATER-BASED

Kills gypsy moth caterpillars and Japanese beetles • Fast acting • Kills on Contact • Kills over 50 types of Insects as listed • Apply anytime right up to harvest • An effective insecticide for use on vegetable and ornamental pests • Can be applied on day of harvest • Use on day of harvest • Spray up to Harvest • Use Up to Day Of Harvest • Use Indoors and Outdoors • Made with botanical insecticides • Can be used on delicate ornamentals • Won't harm delicate ornamentals • Protects roses, vegetables, houseplants, ornamentals, trees, shrubs, flowers • Protects your whole garden (Option: from damaging insects!) • Made with a botanical insecticide from the chrysanthemum flower • Green Thumb® Satisfaction Guarantee • Ace Promise Satisfaction Guaranteed

Active Ingredients:	
Pyrethrins	0.02%
Piperonyl Butoxide	0.20%
Other Ingredients	99.78%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION See Back for Additional Precautionary Statements

NET CONTENTS 128 FL. OZ.

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

SPRAYER INSTRUCTIONS: (Optional)

How to prime and care for your sprayer:

1. After shaking product well, remove cap from container and replace with sprayer hose and cap assembly. Tighten securely.

ACCEPTED

08/17/2016

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 478-125

2. Turn sprayer nozzle one half turn counter-clockwise. Hold sprayer below the level of container and prime by pumping trigger 10-15 times until product is dispensed. Adjust nozzle to fine spray or jet stream as needed.
3. To store, turn nozzle to "OFF" position and store with sprayer above level of liquid in container to prevent leakage.

TO OPERATE; SHAKE BEFORE USING. Turn nozzle to "spray" or "stream" position before using. Hold pump sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This insecticide may be used indoors, outdoors or in (home) greenhouses throughout the growing season. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. **DO NOT TRANSPORT OR STORE UNDER 32°F.** If freezing occurs, thaw and agitate vigorously. Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure do not apply within 24 hours. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

USE ON THE FOLLOWING CROPS (Optional: Vegetables): Asparagus, Beans, Broccoli, Cauliflower, Cabbage, Brussels Sprouts, Celery, Cranberries, Eggplant, Lettuce, Mustard Greens, Kale, Collards, Turnips, Peppers, Potatoes, Radishes, Spinach and Tomatoes **to control:** Asparagus beetles, aphids, leafhoppers, whiteflies, mealybugs, Mexican bean beetles, 12-spotted cucumber beetles, cabbage loopers, cross-striped cabbageworms, diamond-back moth larvae, flea beetles, harlequin bugs, imported cabbageworms, stink bugs, green peach aphids, leaf-tiers, fireworms, blister beetles, Colorado potato beetles and webworms.

[Optional: **TO CONTROL:** Aphids, (including green peach), beetles (asparagus, blister, Colorado potato, flea, Mexican bean, 12-spotted cucumber), cabbageworms (cross-striped, imported), fireworms, harlequin bugs, leafhoppers, leaf-tiers, loopers (cabbage), mealybugs, moth (diamondback larvae), stink bugs, webworms and whiteflies.]

USE ON THE FOLLOWING ORNAMENTALS: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds, **to control:** Aphids, flea beetles, mealybugs, leafhoppers and whiteflies. **To kill** gypsy moth caterpillars and adults, adult Japanese beetles and Eastern and Forest tent caterpillars on contact **on trees and shrubs:** Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control. **ON ROSES AND IN FLOWER GARDENS:** Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.

ALTERNATE A DIRECTIONS

[Optional Marketing Language] Real Kill Rose & Garden Insect Spray II kills damaging insects that attack your tomatoes, other vegetables and fruits. Its Pyrethrin formula allows you to spray, harvest and eat all in the same day!

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

HOW TO USE

SHAKE BEFORE USING. Turn nozzle to spray position. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the morning or at dusk. **DO NOT TRANSPORT OR STORE UNDER 32° F.** If freezing occurs, thaw and agitate vigorously. Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure do not apply within 24 hours. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

ALTERNATE B DIRECTIONS

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Restrictions

- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.
- Do not wet plants to point of runoff or drip.
- Remove pets, birds, and cover fish aquariums before spraying.
- Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.
- Not for use in outdoor residential misting systems.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

TO OPERATE: SHAKE BEFORE USING. Turn nozzle to “spray” or “stream” position before using. Hold sprayer 18 to 24 inches from foliage or surfaces being treated. Direct the spray so that upper and lower surfaces are contacted. Use caution on new growth and tender foliage. To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. **DO NOT TRANSPORT OR STORE UNDER 32°F.** If freezing occurs, thaw and agitate vigorously. Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure do not apply within 24 hours. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

TREATMENT AREAS	PESTS TO CONTROL
<p>VEGETABLES Asparagus, Beans, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Collards, Cranberries, Eggplant, Kale, Lettuce, Mustard Greens, Peppers, Potatoes, Radishes, Spinach, Tomatoes, Turnips</p>	Asparagus Beetles, Aphids, Blister Beetles, Cabbage Loopers, Colorado Potato Beetles, Cross-striped Cabbageworms, Diamondback Moth Larvae, Fireworms, Flea Beetles, Green Peach Aphids, Harlequin Bugs, Imported Cabbageworms, Leafhoppers, Leafliers, Mealybugs, Mexican bean beetles, 12-Spotted Cucumber Beetles, Stink Bugs, Webworms, Whiteflies
<p>ORNAMENTALS African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Geraniums, Gladioli, Marigolds, Roses, Wandering Jew</p>	

<p>ROSES AND FLOWER GARDENS Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Repeat application every 7 days or as necessary for control.</p>	<p>Aphids, Flea Beetles, Leafhoppers, Mealybugs, Whiteflies</p>
<p>TREES AND SHRUBS Treat as soon as insects emerge (usually late spring). Treat leaves, branches and tree trunks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.</p>	<p>Eastern and Forest Tent Caterpillars, Gypsy Moth Caterpillars and Adults, Adult Japanese Beetles</p>

This product is ideal for use on the following vegetables, herbs, fruits and nuts:
Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Casaba, Cashew, Cauliflower, Celery, Cherry, Chicory, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Kumquat, Lemon, Lentils, Lime, Lettuce, Loganberry, Loquat, Macadamia Nut, Mango Melon, Melon, Mint, Nectarine, Onion, Orange, Paprika, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Swiss Chard, Tangelo, Tangerine, Tomato, Walnut, Watermelon, Yam, Zucchini

This product kills the following garden insects: Ants (excluding carpenter, harvester, fire and pharaoh), Aphids, Armyworms, Bagworms, Beetles, Cankerworms, Caterpillars (including tent), Centipedes, Chiggers, Chinch bugs, Cicadas, Clover mites, Corn borers, Corn earworms, Crane flies, Crickets, Cutworms, Digger wasps, Earwigs, Firebrats, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Horseflies, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Maggots, Mealybugs, Millipedes, Mites, Moths, Pillbugs, Rootworms, Scales, Silverfish, Sowbugs, Spider mites, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

APPLICATION INSTRUCTIONS WHEN TOMATOES & VEGETABLES [FRUITS] ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from plant. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. To minimize effects on Honey Bees, spray early in the

morning or at dusk. DO NOT TRANSPORT OR STORE UNDER 32°F. If freezing occurs, thaw and shake vigorously. Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure do not apply within 24 hours. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

This product is ideal for use on the following vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Carrot, Casaba, Cauliflower, Celery, Cherry, Chicory, Chives, Eggplant, Elderberry, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Pimentos, Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Spinach, Strawberry, Summer Squash, Sweet Potato, Swiss Chard, Tomato, Watermelon, Yam, Zucchini

This product kills the following garden insects: Aphids, Armyworms, Bagworms, Beetles, Cankerworms, Caterpillars (including tent), Centipedes, Cicadas, Corn borers, Corn earworms, Crickets, Cutworms, Fruit flies, Gnats, Grasshoppers, Green bugs, Green fruitworms, Green June beetles, Japanese beetles, Katydid, Lace bugs, Leafhoppers, Leafminers, Leafrollers, Maggots, Mealybugs, Millipedes, Mites, Pillbugs, Rootworms, Silverfish, Sowbugs, Spittlebugs, Stink bugs, Thrips, Tomato hornworms, Webworms (including garden, sod), Weevils

APPLICATION INSTRUCTIONS WHEN ROSES & FLOWERS ARE TARGETED

STOP. READ ENTIRE LABEL BEFORE USE. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. **DO NOT TRANSPORT OR STORE UNDER 32°F.** If freezing occurs, thaw and shake vigorously. Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure do not apply within 24 hours. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

Ideal for use on most flowers and ornamentals included by not limited to: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

Kills the following garden insects: Ants (excluding carpenter, harvester, fire and pharaoh), Aphids, bagworms, beetles, caterpillars (including tent), centipedes, chinch bugs, clover mites, cutworms, earwigs, fruit flies, gnats, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, mealybugs, millipedes, mites (including spider), scales, spittlebugs, stinkbugs, thrips, webworms (including garden, sod), whiteflies

APPLICATION INSTRUCTIONS WHEN HOUSEPLANTS AND GARDEN ARE TARGETED

STOP . READ ENTIRE LABEL BEFORE USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For home use only.*

Restrictions

Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Do not wet plants to point of runoff or drip.

Remove pets, birds, and cover fish aquariums before spraying.

Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply when heavy rain is expected. Rinse applicator over lawn or garden area only.

Not for use in outdoor residential misting systems.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1) Treatment to soil or vegetation around structures;

All outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications only. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application

SHAKE BEFORE USING. Turn nozzle to "spray" position before using. Hold sprayer 18 to 24 inches from foliage being treated. Direct the spray so that upper and lower leaf surfaces are thoroughly covered. Use caution on new growth and tender foliage. This product may be used indoors, outdoors or in (home) greenhouses throughout the growing season. Repeat treatment weekly or as needed to control infestations. May be applied on day of harvest. **DO NOT TRANSPORT OR STORE UNDER 32°F.** If freezing occurs, thaw and shake vigorously. Do not apply more than 10 times per

season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure do not apply within 24 hours. One gallon treats 170 sq. ft. (17ft x 10 ft) [24 fl. oz. treats 32 sq. ft. (8ft x 4ft)] [12 fl. oz. treats 16 sq. ft. (4 ft x 4 ft)]

Kills the following garden insects: Ants (excluding carpenter, harvester, fire and pharaoh), Aphids, armyworms, bagworms, beetles, caterpillars (including tent), chinch bugs, clover mites, crickets, cutworms, earwigs, firebrats, fruit flies, grasshoppers, green bugs, green fruitworms, green June beetles, Japanese beetles, lace bugs, leafhoppers, leafminers, leafrollers, maggots, mealybugs, millipedes, mites, moths, pillbugs, rootworms, sowbugs, spittlebugs, stink bugs, thrips, tomato hornworms, webworms (including garden, sod), weevils, whiteflies

Ideal for use on following houseplants, roses, flowers and ornamentals: African Violets, Azaleas, Begonias, Camellias, Dahlias, Dogwood, Roses, Wandering Jew, Asters, Carnations, Chrysanthemums, Geraniums, Gladioli and Marigolds

Ideal for use on most vegetables, herbs, fruits and nuts including but not limited to: Almond, Apple, Apricot, Arrugula, Basil, Bean, Beet, Blackberry, Blackeyed Peas, Blueberry, Broccoli, Brussels Sprouts, Cabbage, Camomile, Cantaloupe, Carrot, Cauliflower, Celery, Cherry, Chives, Corn, Cranberry, Currant, Curry Leaf, Eggplant, Endive, Garden Peas, Garlic, Grape, Grapefruit, Honeydew, Horseradish, Lemon, Lentils, Lime, Lettuce, Melon, Mint, Nectarine, Onion, Orange, Parsley, Peach, Pear (Bitter Melon), Pepper (including Bell, Chili), Plum, Potato, Pumpkin, Radish, Raspberry, Sage, Snap Bean, Soybeans, Spinach, Strawberry, Summer Squash, Sweet Bay (Bayleaf), Sweet Potato, Tangerine, Tomato, Watermelon, Yam, Zucchini

STORAGE AND DISPOSAL

Pesticide Storage: Do not contaminate water, food, or feed by storage or disposal.

Pesticide Container Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid breathing vapor. Avoid contact with eyes, skin or clothing.
FIRST AID

If Swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person. **If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice. **If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment or call 1-800-332-5553 for emergency medical treatment information.

Environmental Hazards

This product is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[Satisfaction Guaranteed: If for any reason you are not completely satisfied with the performance or results of this Green Thumb® product, it will be repaired or replaced free of charge. Simply provide proof of purchase and return the product and/or unused portion to the place of purchase.]

[The Ace Promise: If this Ace product when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for the replacement of the same or similar item.]

Questions or comments? Call 1-800-332-5553

Made in the USA for Realex

Division of United Industries Corporation
P.O. Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 478-125
EPA Est. No. 9688-MO-1

© 2016