

OPEN ONLY WITH SPECIAL APPLICATOR

This package is covered by U.S. Patent No. 2,890,794



METHYL BROMIDE

For fumigation of Seed and Plant Beds, Golf Greens and Lawns



DANGER! KEEP OUT OF REACH OF CHILDREN! See antidote statement and other required warning statements on the back panel of label.


ACTIVE INGREDIENTS:

METHYL BROMIDE.....98% CHLOROPICRIN2%

NET WEIGHT 1 POUND

Manufactured by

MICHIGAN CHEMICAL CORPORATION, CHICAGO, ILLINOIS



ANTIDOTE: Remove victim to fresh air immediately. Keep victim lying down and warm. Give artificial respiration if breathing has stopped. Call A Physician Immediately! Administer oxygen or caffeine stimulants only under doctor's supervision.

DANGER: Poisonous Liquid and Vapor! Contact with liquid may produce burns. DANGER: Do not breathe vapor. Wear a full-face gas mask with black cannister meeting specifications of the U.S. Bureau of Mines for organic vapors. DANGER: Do not get in eyes, on skin, or on clothing. In case of contact, immediately remove all contaminated clothing, including shoes. DANGER: Wash skin thoroughly with soap and water and flush eyes with water for at least 15 minutes. DANGER: Get medical attention. Do not reuse shoes or clothing until free of all contamination. DANGER: Harmful if swallowed.

DIRECTIONS: Use PESTMASTER FUMIGANT-1 only in accordance with directions in folder furnished by Michigan Chemical Corporation and enclosed in the packing case. When used as directed, this product controls certain germinating weed and grass seeds, grass stolons, active nematode stages, grubs, wireworms and certain other soil infesting organisms. The efficiency of liquid methyl bromide for soil fumigation is increased by vaporization.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° Fahrenheit may cause bursting. Never throw container into fire or incinerator.

CAUTION: Open only with a special applicator obtainable from your supplier or Michigan Chemical Corporation. Use no other device. Do not reuse container. Destroy when empty.

STORE IN A COOL, WELL-VENTILATED PLACE, AWAY FROM DWELLINGS

Not for use or storage in or around the home.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Made in USA

USDA Reg. No. 481-35

Printed in USA

ENG. NO. CH-4787 • MICHIGAN CHEM. CO. - RED, 1st BLUE, 2nd BLUE.

SH-42965

RECEIVED

021971

FEDERAL INSECTICIDE AND RODENTICIDE ACT POISON REGISTER SUBJECT COMMENTS.

DANGER

**VAPOR EXTREMELY HAZARDOUS
HIGHLY VOLATILE • CAUSES BURNS**

WARNING: Poisonous Liquid and Vapor! Contact with liquid may produce burns. Do not breathe vapor. Wear a full-face gas mask with black canister meeting specifications of the U.S. Bureau of Mines. Do not get in eyes, on skin, or on clothing.

IN CASE OF CONTACT: Immediately remove all contaminated clothing, including shoes. Wash skin thoroughly with soap and water and flush eyes with water for at least 15 minutes. Get medical attention. Do not reuse shoes or clothing until free of all contamination.



POISON



FIRST AID TREATMENT — ANTIDOTE

Remove victim to fresh air immediately. Keep victim lying down and warm. Give artificial respiration if breathing has stopped. Call A Physician Immediately!

**Keep Container Away from Heat.
Store in Cool, Well-Ventilated Place
Away from Dwellings.**



FUMIGANT

NET WEIGHT: LBS.

ACTIVE INGREDIENT:	
Methyl Bromide.....	100%

NOTE: Seller makes no warranty, express or implied, concerning the use of this product. Buyer assumes all risk of use or handling, whether or not in accordance with directions.

DANGER: Keep out of reach of children.

See antidote statement and other required warning statements on the side panel of label

Manufactured By

**MICHIGAN CHEMICAL CORPORATION
CHICAGO, ILLINOIS**

FOR GRAIN
*in Flat or
Storage, Mills, Wineries,*
FUMIGATION PROCEDURE
master Fumigation Manual
Furor.

Caution: Wear a full-face releasing gas in building after fumigation.

Insects Controlled: All granary weevil, rice weevil, saw-toothed grain beetle.
Rodent Control: Apply well sealed buildings.

Rate of Application: Normal rate is 1 to 3 pounds per space for an exposure of 72 hours.

Usual Rates for Bulk
Shelled corn
Wheat, barley, rye
Grain sorghum (mature)

Use Precautions: Fumigation above 14% may injure humans. Do not fumigate in excess of legal tolerance. Do not fumigate products other than those listed unless it is first determined that it is safe with Food and Drug Administration regulations. The following are not fumigable: rubber, protein flour and cereal, salt, synthetic detergents, sulfur compounds. Turn off all flame and turn on exhaust fans.
Michigan Chemical Corporation
information.