

**DIRECTIONS
FOR THE USE OF CRYSTOSAN**
For the Sanitization of dishes, glassware,
eating and cooking utensils, USE A 3
COMPARTMENT SINK
1. Remove all soil from dishes and glass-
ware. Then wash thoroughly with a
good detergent.
2. Rinse in clear water.
3. Use a final rinse of a solution of 1
oz. of Crystosan in 4 gallons of water.
Allow to drain dry, do not towel. Leave
in the solution for two minutes. Solu-
tion is 195 PPM Active Quaternary.

For Sanitizing and General Disinfect-
ing of floors, walls, empty garbage pails,
sink tops and similar inanimate hard
surfaces in locker rooms, corridors, class
rooms and shower stalls.

Remove gross filth and heavy soil de-
posits from surfaces, then apply solu-
tion with mop or cloth.

Sanitize with 1 oz. of Crystosan Liquid
Sanitizer with 4 gallons of water.

Disinfect with 3 ozs. of Crystosan
Liquid Sanitizer with 5 gallons of water.
Kills Staphylococcus aureus and Salmon-
ella choleraesuis.



CRYSTOSAN

Liquid

SANITIZER

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	5%
dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C12, 32% C14) dimethyl	5%
ethylbenzyl ammonium chlorides	5%
INERT INGREDIENTS:	90%
	100%

DANGER
KEEP OUT OF REACH OF CHILDREN

See right panel for First Aid statement
and other precautions.

Net Contents — One Gallon
EPA Reg. No. 482 - 2

This Product is a concentrate
and should be diluted before using.

Rinse Empty Container Thoroughly with Water
and Discard it.

BAN ODOR CHEMICAL CO.
212 BLACKMAN AVE. NO.
DULUTH, MINNESOTA 55811
PH: 1-218-727-6480

**ADVANTAGES OF USING
CRYSTOSAN SANITIZER**
When used as directed this sanitizer is
odorless and non volatile, leaves no odor
retention on glasses or dishes. Glasses
will be crystal clear and free of spots.

DANGER

Corrosive. Causes eye damage and skin
irritation. Do not get in eyes, on skin or
on clothing. Protect eyes and skin when
handling. Harmful if swallowed. Avoid
contamination of food.

FIRST AID

In case of contact, immediately flush
eyes or skin with plenty of water for at
least 15 minutes. For eyes, call a phy-
sician. Remove and wash contaminated
clothing before reuse.

If swallowed, drink promptly a large
quantity of milk, egg white, gelatin so-
lution, or, if these are not available,
drink large quantities of water. Call a
physician immediately.

NOTE TO PHYSICIAN

Probable mucosal damage may contra-
indicate the use of gastric lavage. Mea-
sures against circulatory shock, respira-
tory depression and convulsion may be
needed.

482-2