


INFUCO

FUMIGANT



75

485-17
ACCEPTED
NOV 18 1969
U.S. DEPT. OF AGRICULTURE
FEDERAL REGISTER

Ingredients	100%
Methylene Dichloride	70%
Carbon Tetrachloride	30%

DANGER

HAZARDOUS VAPOR AND LIQUID
MAY BE FATAL IF INHALED OR SWALLOWED
MAY CAUSE EYE IRRITATION

AVOID CONTACT WITH EYES, SKIN AND CLOTHING
USE ONLY WITH ADEQUATE VENTILATION
DO NOT BREATHE VAPOR • DO NOT TAKE INTERNALLY
WHEN NECESSARY USE GAS MASK SUITABLE FOR ORGANIC VAPORS

KEEP OUT OF REACH OF CHILDREN

In case of skin contact, wash with soap and water. For eyes, flush with plenty of water for at least 15 minutes and get medical attention. Remove and wash clothing before re-use. Do not wear shoes until free of all chemical odor.

If illness results from inhalation, remove to fresh air and call a physician. If swallowed, call a physician. Induce vomiting by giving emetic such as 2 tablespoonful of salt in a glass of warm water.

Do not use fumigated material or feed it to livestock until irritation has eliminated the odor of the fumigant.

DIRECTIONS

APPLICATION

Apply outside always with suitable gas mask.

NOTE

ELEVATOR STORAGE

FARM STORAGE

Avoid prolonged or repeated exposure.

USDA Reg. No. 485-17

FLAT STORAGE

RETREATMENT

DOSAGE

BOX CARS

RICE

RECOMMENDED DOSAGES

Grain Temperatures 50 F. or Higher

Note

PRECAUTIONS

KEEP FUMIGANT PROPERLY LABELLED

DO NOT RE USE CONTAINER TESTED WHEN EMPTY

NET CONTENTS

GALLOS