

THIS PRODUCT FOR USE BY TRAINED PERSONNEL ONLY

**CAUTION KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water separately from other clothing before re-use. If swallowed do not induce vomiting. Call a physician immediately.

Do not apply directly to food in commercial food handling facilities, cover or remove any food during application. Do not apply space spray while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

—STORAGE AND DISPOSAL—

STORAGE: Store in a cool, dry, well ventilated place. Keep container closed.
PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

FOR CONTAINERS ONE GALLON AND UNDER: Do not reuse empty container. Wrap container and put in trash.

FOR CONTAINERS OVER ONE GALLON:

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



**PYRENONE EMULSIFIABLE
CONCENTRATE STABLE**

ACTIVE INGREDIENTS:	
Technical piperonyl butoxide	11.80%*
Pyrethrins	1.18%
Petroleum distillate	72.27%
INERT INGREDIENTS:	14.75%
	100.00%

*Equivalent to 9.44% (but-carbonyl) (6-propylpiperonyl) ether and 2.36% of related compounds.

BEST AVAILABLE COPY

**CAUTION KEEP OUT OF REACH OF CHILDREN
STATEMENT OF PRACTICAL TREATMENT**

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Wash immediately with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately. See additional precautionary statements.

E.P.A. Reg. No. 485-88

E.P.A. Est. No. 3624-MO-1

Manufactured for
THE INDUSTRIAL FUMIGANT COMPANY
801 East 11th St., Olathe, Kansas 65081


A special Pyrenone® emulsifiable concentrate which gives stable emulsion when diluted with water. This spray possesses some surface protection against certain insects. When one gallon of the concentrate is diluted with four gallons of water and applied at the rate of one gallon of the finished spray to approximately 1,000 square feet of surface.

Care should be taken not to apply the spray directly to food products, since the small amount of base oil might cause contamination.

When used as directed, this material will control exposed stages of the confused flour beetles, cadelle, flat grain beetles, meal worms, dermestids, roaches, silverfish, Mediterranean flour moth, Indian meal moth and other closely related insects.

DIRECTIONS

Mix with water at rate of one gallon of concentrate to four gallons of water. Shake well before using. Apply liberally when necessary as a coarse spray to all areas over which insects might crawl. However, this spray should not be applied to ceilings or walls near vessels that are to be used for processing foods, since insects that are partially paralyzed may drop into the product being processed. In food processing plants, particularly flour and cereal plants, the infested stock should be removed from the machines, conveyors, etc., and these areas liberally sprayed. This is a stable emulsion spray designed to leave as much of the active ingredients as possible on the surface treated.



WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use but neither this warranty nor any other WARRANTY of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE express or implied extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

NET CONTENTS _____ GALLONS