

**CAUTION KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water separately from other clothing before re-use. If swallowed do not induce vomiting. Call a physician immediately.

Do not apply directly to food in commercial food handling facilities, cover or remove any food during application. Do not apply space spray while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

—STORAGE AND DISPOSAL—

STORAGE: Store in a cool, dry, well ventilated place. Keep container closed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

FOR CONTAINERS ONE GALLON AND UNDER: Do not reuse empty container. Wrap container and put in trash.

FOR CONTAINERS OVER ONE GALLON:

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



PYRETHRIN CONCENTRATE 101

ACTIVE INGREDIENTS: 100%

*Technical piperonyl butoxide	12.15%
Pyrethrins	1.22%
Petroleum distillate	86.63%

*Reg. Trade Mark Fairfield American Corporation
*Equivalent to 9.72% (lufenicarbinyl) (6-propylpiperonyl) ether and 2.43% of related compounds.

100.00%

DIRECTIONS: Pyrenone® Concentrate 101 is an oil base concentrate to be used as a contact or fogging spray for the control of accessible stages of many pest insects in food processing plants, feed mills, homes, and industrial plants.

Pyrenone® Concentrate 101 should be diluted at the rate of 1 gallon of concentrate to 9 gallons of petroleum distillate. The resulting spray should be applied liberally to cracks and crevices and other hidden areas in order to contact the exposed stages of silverfish, ants, roaches, spiders, psocids (booklice), house centipedes, and certain other insect pests.

For flying insects such as mosquitoes, flies, gnats, moths and similar insects, the infested area should be closed and filled with a fine mist or fog and left closed for at least 10 minutes after treatment. At close of period, sweep up and destroy fallen insects. Repeat treatment as needed.

This concentrate is highly suited for use in various types of fog or mist producing machines. For equipment which produces fog by mechanical shearing or by heat, one gallon of concentrate should be mixed with 4 gallons of petroleum distillate or deodorized kerosene and fogged into cracks and crevices and into the open space of the room. Do NOT exceed a coverage of 1 gallon of spray solution for each 50,000 cubic feet.

BEST AVAILABLE COPY

ACCEPTED
MAR 8 1985
United Federal Insecticide, Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 485-21

**CAUTION KEEP OUT OF REACH OF CHILDREN
STATEMENT OF PRACTICAL TREATMENT**

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Wash immediately with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

See additional precautionary statements.

E.P.A. Reg. No. 485-21

E.P.A Est. No. 3824-MO-1

Manufactured for
THE INDUSTRIAL FUMIGANT COMPANY
801 East 159th St., Olathe, Kansas 65061

WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use but neither this warranty nor any other WARRANTY of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE express or implied extends to the use of this product contrary to label instructions or under abnormal conditions of use or conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

NET CONTENTS _____ GALLONS