

THIS PRODUCT FOR USE BY TRAINED PERSONNEL ONLY

CAUTION KEEP OUT OF REACH OF CHILDREN
PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS

Avoid if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety and Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water separately from other clothing before re-use. If swallowed do not induce vomiting. Call a physician immediately.

Do not apply directly to food in commercial food handling facilities, cover or remove any food during application. Do not apply space spray while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use in areas near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

—STORAGE AND DISPOSAL—

STORAGE: Store in a cool, dry, well ventilated place. Keep container closed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

FOR CONTAINERS ONE GALLON AND UNDER: Do not reuse empty container. Rinse container and put in trash.

CONTAINERS OVER ONE GALLON:

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

12/84

BEST AVAILABLE COPY



PYRETHRIN MILL SPRAY

ACTIVE INGREDIENTS: 100%

Technical piperonyl butoxide	1.0%
Pyrethrins1%
Petroleum Distillate	98.9%
	100.0%

*Equivalent to 9% (butylcarbitol) (propylparathion) ester and 2% of related compounds.

CAUTION KEEP OUT OF REACH OF CHILDREN
STATEMENT OF PRACTICAL TREATMENT

If swallowed—Call a physician immediately. Gastric lavage is indicated if material was taken orally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Wash immediately with soap and water.

If in eyes—Flush eyes for at least 15 minutes with water. Call a physician immediately. See additional precautionary statements.

E.P.A. Reg. No. 481-23

E.P.A. Est. No. 3634-MO-1

Manufactured by
THE INDUSTRIAL FUMIGANT COMPANY
681 East 150th St., Olathe, Kansas 66061

ACCEPTED

MAR 8 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 481-23

Pyrethrin Mill Spray is designed especially for control of the accessible stages of the confused flour beetle, cadelle, Indian meal moth, Angoumois grain moth, flat grain beetle, and sawtoothed grain beetle in food plants.

DIRECTIONS:

For best results, spray as a coarse mist in those places where the insecticide will come into contact with the exposed stages of the insects named above. Direct the spray around the base of machinery, in cracks and corners where these insects are likely to be harbored.

This spray may be fogged for the control of flying insects such as flies, gnats, mosquitoes, small moths, midges, leafhoppers and flying cereal pest insects.

For maximum control, windows should be closed during the fogging operation and remain closed for at least 10 minutes after the fogging operation. The fallen insects should be swept up at the end of the 10 minute period. Repeat treatments as needed.

WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use but neither this warranty nor any other WARRANTY of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE expressly or implied extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.

NET CONTENTS _____ GALLONS