

ACCEPTED

JAN 8 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act registered under label No. 485-22

THIS PRODUCT FOR USE BY TRAINED PERSONNEL ONLY.

CAUTION KEEP OUT OF REACH OF CHILDREN PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask or respirator of type recommended by NIOSH...

Do not apply directly to food in commercial food handling facilities. Do not apply space spray while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled...

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, well ventilated place. Keep container closed. PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

FOR CONTAINERS ONE GALLON AND UNDER: Do not reuse empty container. Wrap container and put in trash.

FOR CONTAINERS OVER ONE GALLON:

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



PYRETHRIN MILL SPRAY

Table listing active ingredients: Technical piperonyl butoxide (1.0%), Pyrethrins (0.1%), Petroleum distillate (98.9%), totaling 100.0%.

*Equivalent to 8% (1,1-dicyclohexyl (6-propylpiperonyl) ether and 2% or related compounds

CAUTION KEEP OUT OF REACH OF CHILDREN STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. If in eyes - Flush eyes for at least 15 minutes with water. Call a physician immediately.

E.P.A. Reg. No. 485 22 E.P.A Est. No. 3624-MO-1 THE INDUSTRIAL FUMIGANT COMPANY 601 East 159th St., Olathe, Kansas 66061

The Industrial Fumigant Company Pyrethrin Mill Spray, is designed especially for control of the accessible stages of the confused flour beetle, cadelle, Indian meal moth, Angoumois grain moth, flat grain beetle, and sawtoothed grain beetle in food plants.

DIRECTIONS: For best results, spray as a coarse mist in those places where the insecticide will come into contact with the exposed stages of the insects named above. Direct the spray around the base of machinery, in cracks and corners where these insects are likely to be harbored. This spray may be logged for the control of flying insects such as flies, gnats, mosquitos, small moths, midges, leafhoppers and flying cereal pest insects.

For maximum efficiency, all doors and windows should be closed during the logging operation and remain closed for at least 10 minutes after the logging operation. The fallen insects should be swept up at the end of the 10 minute period. Repeat treatments as needed.

WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use but neither this warranty nor any other WARRANTY of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NET CONTENTS _____ GALLONS

10-180 3/1/86 Page 89

Do not apply directly to food in commercial food handling facilities, cover or remove food during application. Do not apply space spray while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with an effective cleaning compound followed by a potable water rinse. Except in federally inspected plants, in the case that washing is impractical, do not allow food to come in contact with treated surface for at least 48 hours. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.