

485-27

111-17

121/81

BEST AVAILABLE COPY

THIS PRODUCT FOR USE BY TRAINED PERSONNEL ONLY.

**CAUTION KEEP OUT OF REACH OF CHILDREN.
STATEMENT OF PRACTICAL TREATMENT
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water separately from other clothing before re-use. If swallowed do not induce vomiting. Call a physician immediately.

Do not apply directly to food in commercial food handling facilities; cover or remove any food during application. Do not apply space spray while food processing is underway. After space spraying in food processing plants wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, well-ventilated place. Keep container closed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal.


Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

FOR CONTAINERS ONE GALLON AND UNDER: Do not reuse empty container. Wrap container and put in trash.

FOR CONTAINERS OVER ONE GALLON: **METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**PYRETHRIN INDUSTRIAL****ACTIVE INGREDIENTS: SPRAY**

Technical piperonyl butoxide	3.00%
Pyrethrins	0.30%
**Inert Ingredients:	
Petroleum distillate	96.70%
	100.00%

Authorized by USDA for use in the edible product processing areas of Federally Inspected Meat and Poultry Plants.

*Equivalent to 2.4% (Butylcarbityl) (6-propyloxy) ether and 60% of related compounds.

**CAUTION KEEP OUT OF REACH OF CHILDREN
STATEMENT OF PRACTICAL TREATMENT**

If swallowed—Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to or unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Wash immediately with soap and water.

If in eyes—Flush eyes for at least 15 minutes with water. Call a physician immediately. See additional precautionary statements.

EPA Reg. No. 485-27

EPA Est. No. 3624-MO-1

Manufactured for
THE INDUSTRIAL FUMIGANT COMPANY
601 East 159th St., Olathe, Kansas 66061

DIRECTIONS

A spray especially designed for use around food plants and in storerooms and trailers prior to loading and where food may be handled, prepared or stored. Care should be taken not to spray directly to food products as the primary reason for contamination. This spray when applied as directed will control the suggested stages of confused flour beetles, cabinet floor grain beetle, mealworms, European Mediterranean flour moth and Indian meal moth.

For the control of roaches, Pyrethrin Industrial spray should be applied so that it comes in direct contact with the insect. Special attention should be given to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and other areas of the room where this pest is suspected to be hiding. These areas should be thoroughly sprayed.

For the control of silverfish, frequent and repeated spraying of baseboards, windows, door frames, bookcases and storage areas is required. The insect should be directly contacted with the spray for adequate control.

Apply this spray directly to floors, walls and other areas requiring treatment, preferably as a coarse mist as needed. Particular attention should be given to cracks, crevices and other hiding places. It is suggested that one gallon of the spray be applied to 1,000 square feet for best results. Surface spray should not be applied to ceiling and walls near vessels that are to be used for processing food since insects that are partially paralyzed may drop into the processed product. Food should be protected during treatment. Food processing equipment should be protected or cleaned before re-use.

USE AS A FOGGING SPRAY: For the control of bees, moths, gnats and mosquitoes, this spray may be fogged by any mechanical or thermal fog generator using 1/2 ounce per 1,000 cubic feet.

For craking insect control, use 1 ounce per 1,000 cubic feet.

In mushroom production and processing, to control mushroom flies or fungus gnats in growing houses, apply at a rate of 1 ounce per 1,000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation. For best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2,000 cubic feet of space.

For maximum efficiency, all doors and windows should be closed during the fogging operation and remain closed for at least 10 minutes afterward. The fallen insects should be swept up after the end of the 10 minute period. Treatments may be repeated as needed.

DO NOT REMAIN IN TREATED AREAS. VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.

WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. But neither this warranty nor any other WARRANTY OF MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NET CONTENTS _____ GALLONS

**Contains Petroleum distillate

Not Reviewed. Registrant claims to be in accordance with reregistration of Pesticide Product Guidance for Phase 2 Response. Page 2.12, Active to Inert Change in Status.