

prentox DIAZINON-6E INSECTICIDE

FOR PROFESSIONAL USE ONLY

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles, Spiders, Scorpions, and Turf and Ornamental Pests.

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate*	88.0%
Aromatic petroleum derivative solvent	6.0%
INERT INGREDIENTS:	25.4%
TOTAL:	100.0%

DIAZINON® 6E contains 6 lbs. Diazinon Per Gallon.
DIAZINON-REGISTERED TRADEMARK CHEA-68547

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION
Diazinon 6E is an emulsifiable solution containing 6 lbs. of Diazinon per gallon. It is intended for use by pest control operators after dilution with water for the control of those insects listed below.
Diazinon 6E is not intended for use in preparing oil base sprays. Pest control operators who prefer oil base sprays should use Diazinon 6E.
Note: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber and asphalt materials such as tiles and floor coverings. Do not treat such materials. Care should also be taken to avoid spotting of wallpaper and fabrics. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate feed, food containers or cooking utensils.

STORAGE & DISPOSAL

1. Prohibitions — DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING IS PROHIBITED.
2. Pesticide Storage — PESTICIDE SPRAY MIXTURE OR RINSE WATER THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE, AWAY FROM WATER SUPPLIES.
3. Container Storage — LESS THAN 30 GAL.: TRIPLE RINSE AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE. 30 GAL. OR LARGER: RESEAL CONTAINER AND OFFER FOR RECONDITIONING OR TRIPLE RINSE AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN AN APPROVED LANDFILL, OR BURY IN A SAFE PLACE.

DIRECTIONS FOR USE CONTINUED:

Fire Ants
To aid in the control of fire ants in lawns and other recreation areas, apply 1/2 fl. oz. (1 tbsp.) in a minimum of 1 gal. of water as a drench. Apply over and 6 inches around each mound. Apply gently to avoid disturbing ants. Reapply as necessary. Larger quantities of solution can be prepared for multiple mound treatments. Use equipment capable of delivering the diluted product as a gentle rain at the rate of 1 gal. per mound. High pressure sprays may disturb the ants and cause migration, reducing product effectiveness.
NOTE: For best results, apply in cool weather (65-80°F), or in early morning or late evening hours. Treat new mounds as they appear.

DIRECTIONS FOR USE HOUSEHOLD INSECTS
Dilute Diazinon 6E with water to make a 1/4% or 1% Diazinon spray and apply as indicated below.

Gals. of Finished Spray	Amount of Diazinon 6E in 1/2 gal. (1/2 spray)	
	1/4% spray	1% spray
1	1.0 fl. oz.	2.0 fl. oz.
2	2.0 fl. oz.	4.0 fl. oz.
3	3.0 fl. oz.	6.0 fl. oz.
10	10.0 fl. oz.	20.0 fl. oz.
25	20.0 fl. oz.	50.0 fl. oz.

*2 1/2 tablespoons = 1.25 fl. oz.

Cockroaches (Waterbugs), Ants, and Silverfish — Make spot applications of 1/4% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, crack and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where these insects hide.
For heavy cockroach infestations, make the first application of a strength of 1% Diazinon, followed by monthly applications of 1/4% Diazinon.
Carpet Beetles — Apply a 1/4% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.
Spiders and Scorpions — Apply a 1/4% Diazinon spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)
May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Keep children and pets off treated areas until grass is dry.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. This product is highly toxic to bees exposed to direct treatment or residues remaining on crops. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.
MINIMUM FLASH POINT: 105°F.

FOOD HANDLING ESTABLISHMENTS — Places other than private residences in which exposed food is held, processed, prepared or served. Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed.

POOR AREAS — Includes garbage rooms, storerooms, floor drains (to sewer), entries and vestibules, office locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (for cleaning or mopping).
Apply 1/4-1% Diazinon to baseboard areas, under pipes, under sinks, and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter.

E.P.A. REG. NO. 655-481

ACCEPTED

MAY 23 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under E.P.A. Reg. No. 655-481

E.P.A. EST. NO. 655-04-1

46

NET CONTENTS

Manufactured by **prentiss** 655-481
Drug & Chemical Co., Inc.

Plant: 33, Wilson Avenue
Newark, N.J. 07105
Offices: 363 7th Avenue
New York, N.Y. 10001