

Reg # 485-60
 PM 17
 1/1/82



PYRE-MIST AQUA 3

A Concentrated Pyrethrin Micro Emulsion
 Effective, Fast Acting Insecticide
 For use in Homes, Institutions, Restaurants, Food Processing Plants,
 Breweries, Warehouses, and outdoors for Mosquito Control.
 Apply with conventional mechanical or compressed air equipment

ACTIVE INGREDIENTS:

Pyrethrins	0.3%
*Piperonyl Butoxide, Technical	3.0%
INERT INGREDIENTS:	96.7%
	100.00%

*Equivalent to min. 2.4% (Butylcarbityl) (6-propylpiperoxy) ether and 0.6% related compounds.

CAUTION KEEP OUT OF REACH OF CHILDREN STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Wash immediately with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately. See additional precautionary statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOOR APPLICATION

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Vacate treated areas and ventilate before reoccupying.
 For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.

SPACE SPRAYING: Close doors and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of house flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, tobacco moths and exposed or accessible stages of the crawling insects listed under SURFACE SPRAYING:

Direct the spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space (one gallon to 20,000 to 40,000 cubic feet of space).

SURFACE SPRAYING: To control cockroaches, ants, silverfish, spiders, crickets, clever mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and cadellies: Use a good sprayer adjusted to a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish spray bookcases. For ants spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests and closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

OUTDOOR APPLICATION

ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may rest, low marshy places, stagnant pools or ponds and shore lines. Apply at a rate of 13 fluid ounces per acre (0.3 fluid ounces per 1000 square feet).

Using truck-mounted conventional misting equipment traveling at 5 m. p. h. to treat a 300 foot swath calibrate equipment to deliver 30 fluid ounces per minute.

WARRANTY

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use but neither this warranty nor any other WARRANTY OF MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

E.P.A. Reg. No. 485-60 E.P.A. Est. No. 3624-MO-1
 NET CONTENTS — GALLONS
 THE INDUSTRIAL FUMIGANT COMPANY
 601 East 159th St., Olathe, Kansas 66061

ACCEPTED
 OCT 3 1985
 Under the Fungicide, Insecticide, and Plant Growth Regulator Act, 1974
 reg. No. 485-60

SPRINKLER PRINTERS Art Dept. - Quadex/VII
 146392 JFC Pyre Mist Aqua 3
 12-21-84 kw r0 area 17-10

PC 17-28-84

Reg # 485-60
 PM 17
 11/10/82



PYRE-MIST AQUA 3

A Concentrated Pyrethrin Micro Emulsion
 Effective, Fast Acting Insecticide
 For use in Homes, Institutions, Restaurants, Food Processing Plants,
 Breweries, Warehouses, and outdoors for Mosquito Control.
 Apply with conventional mechanical or compressed air equipment

ACTIVE INGREDIENTS:

Pyrethrins	0.3%
*Piperonyl Butoxide, Technical	3.0%
INERT INGREDIENTS:	96.7%
	100.00%

*Equivalent to min. 2.4% (Butylcarbityl) (6-propylpiperonyl) ether and 0.6% related compounds.

CAUTION KEEP OUT OF REACH OF CHILDREN
STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Wash immediately with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately. See additional precautionary statements.

E.P.A Reg. No. 485-60 E.P.A. Est. No. 3624-MO-1
 NET CONTENTS — GALLONS
THE INDUSTRIAL FUMIGANT COMPANY
 601 East 159th St., Olathe, Kansas 66061

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOOR APPLICATION
 The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Vacate treated areas and ventilate before reoccupying.
 For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.
SPACE SPRAYING: Close doors and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of house flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, Anagasta grain moths, Mediterranean flour moths, Indian meal moths, tobacco moths and exposed or accessible stages of the crawling insects listed under SURFACE SPRAYING:

Direct the spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3-6 ounces per 1000 cubic feet of space (one gallon to 20,000 to 40,000 cubic feet of space).

SURFACE SPRAYING: To control cockroaches, ants, silverfish, spiders, crickets, clematis mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rust red flour beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, meal worms, grain mites and cadellies: Use a good sprayer adjusted to a coarse wet spray. Direct the spray into hiding places, cracks and crevices, under pallets, around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish spray bookcases. For ants spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control fleas and brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames, and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

To control clothes moths: Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests and closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

OUTDOOR APPLICATION

ADULT MOSQUITO CONTROL: Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may rest, low marshy places, stagnant pools or ponds and shore lines. Apply at a rate of 13 fluid ounces per acre (0.3 fluid ounces per 1000 square feet).

Using truck-mounted conventional misting equipment traveling at 5 m.p.h. to treat a 300 foot swath calibrate equipment to deliver 30 fluid ounces per minute.

WARRANTY
 NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use but neither this warranty nor any other WARRANTY OF MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

ACCEPTED

OCT 3 1985

Under the F.F.I.H.
 Fungicide, 0-1 R
 as accepted in the
 registration order
 EPA Reg. No. 485-60

Art's.

SPRINGER PRINTERS Art Dept. - Quadex/VII
 146392 JFC Pyre Mist Aqua 3
 12-21-84 kw r0 area 17-10

PC 12-28-84

AAAN
2071

AAAN
2071

P-3 H 40
1117
1117

THIS PRODUCT FOR USE BY TRAINED PERSONNEL ONLY.

CAUTION KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water separately from other clothing before re-use. If swallowed do not induce vomiting. Call a physician immediately.

Do not apply directly to food in commercial food handling facilities. Cover or remove any food during application. Do not apply space spray while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, well ventilated place. Keep container closed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

FOR CONTAINERS ONE GALLON AND UNDER: Do not reuse empty container. Wrap container and put in trash.

FOR CONTAINERS OVER ONE GALLON:

METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.