

PEROLIN ALGAE PREVENTIVE #909 TABLETS

Perolin Algae Preventive #909 Tablets - for controlling growth of algae or slime-forming bacteria in evaporative condensers and cooling tower systems.

METHOD OF APPLICATION: The Tablets may be fed by simply throwing them into the sump of the cooling system.

DOSAGE:

1. CONTINUOUS PREVENTIVE MAINTENANCE

Four Tablets per day per 10 tons of refrigeration, or 4 Tablets per day per 480 Gallons of makeup water, when the bleedoff rate is 1 Gallon per hour per ton. The dosage should be adjusted, as required, to maintain a chlorine residual of 0.3 to 1.0 PPM as determined by chlorine test kit on a sample of water returning to the tower - taken 4 hours after dosing.

2. SHOCK TREATMENT

Apply when indications of Algae growth or slime-forming bacteria appear, or on a periodic feeding schedule, at the rate of 12 Tablets per 10 Tons of refrigeration. Frequency of shock application is dependent upon visual observation and severity of the organic growths. Normally, weekly shock dosage will suffice.



DANGER! POISON!

KEEP OUT OF THE REACH OF CHILDREN

DO NOT TAKE INTERNALLY!

**MAY PRODUCE SEVERE CHEMICAL BURNS!
DO NOT GET ON SKIN OR IN EYES! IN CASE OF SKIN OR EYE CONTACT, FLUSH WITH PLENTY OF WATER! IF IRRITATION PERSISTS, GET MEDICAL ATTENTION!**

ANTIDOTES: EXTERNAL: Wash with water. For eyes, get prompt medical attention.

INTERNAL: Drink milk or raw egg white. Follow with emetic (tablespoonful of mustard in glass of water).

CALL PHYSICIAN

Because these Tablets contain more than 10% available chlorine, they are required by Federal law to be labelled "Poison". However, water treated with these Tablets, as directed, is not considered a "Poison".

TABLETS CALCIUM HYPOCHLORITE

ACTIVE INGREDIENTS:

Calcium Hypochlorite 70%

INERT INGREDIENTS: 30%

USDA Registration No. 486-6



The PEROLIN COMPANY, Inc.

Empire State Bldg.
New York 1, N. Y.

1112 W. 37th St.
Chicago 9, Ill.