

JUN 4 1991

Ms. Michelle Nooney
Selig Chemical Industries
840 Selig Drive S.W.
Atlanta, GA 30336

Daer Ms. Nooney:

Subject: Label revision
Du-Kil
EPA Registration Number 491-100
Your application dated February 14, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment listed below. A stamped copy is enclosed for your records.

Delete the statement "ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS". This statement is not enforceable.

Sincerely,

RFM
Richard F. Mountfort
Product Manager 10
Insecticide-Rodenticide Branch
Registration Division (H7505C)

272

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Avoid skin and eye contact. Avoid breathing spray mist.

DO NOT apply directly to food. In commercial food handling facilities, cover or remove any food or food processing equipment during application. DO NOT apply while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before reuse.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS:

DO NOT pour or spill near open flame.

An effective fast acting insecticide formulated especially for use in food processing and bottling plants. Can be used safely around food, food products, and utensils without danger of contamination or poisonous residues. Also, ideal for insect control in institutions, public buildings, hospitals, hotels, clubs, restaurants and theatres.

DU-KIL kills on contact the exposed stages of:

Roaches	Flies	Wasps	Carpet Beetles
Silverfish	Mosquitoes	Hornets	Fleas
Crickets	Stinkbugs	Boxelder Bugs	Ticks
Spiders	Moths	Clover Mites	Bedbugs
Ants	Gnats	Clothes Moths	

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

For most effective results against the active stages of the above named insects, use in a good sprayer adjusted to deliver a fine mist. Treat infested areas thoroughly and whenever possible, keep doors and windows closed for 10 minutes after spraying.

Flying insects: For control of flies, mosquitoes, gnats, boxelder bugs, wasps, hornets and certain other flying pests, direct the spray toward the upper portions of the room and saturate the atmosphere with the mist, using 2 to 3 ounces to each 1000 cubic feet of space.

Crawling insects: To control roaches, silverfish, crickets, spiders, scorpions and clover mites, spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames and pipes; toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places.

Against ant infestations, treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally.

In controlling fleas and ticks, direct the application toward lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed

To effectively control bedbugs, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture with particular attention to protected bedbug hiding and breeding places.

(Continued on right panel.....)

DU-KIL
 ACCEPTED
 With Comments
 in EPA Letter # 100
 JUN 4 1991
 Under the Federal Insecticide, Fungicide, and Rodenticide Act
 as amended, for the pest
 registered under EPA #

ACTIVE INGREDIENTS:

- Pyrethrins
- Technical Piperonyl Butoxide
- N-Octyl Picycloheptene Dicarboximide

INERT INGREDIENTS

*Equivalent to 24% of (Butylcarbitol) (6-Propylpiperonyl Ether) and 0.5% of
 **Contains Petroleum Distillates

"ONLY FOR SALE TO USE, AND STORED BY SERVICE PERSONS"
KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a Physician or Poison Control Center immediately. Drink 1 or 2 glasses of water. DO NOT induce vomiting. Do not take petroleum distillate. Consult a physician immediately and get prompt medical attention. Aspiration pneumonia is a potential hazard.

If Inhaled: Remove victim to fresh air, and provide adequate medical attention. mask or respirator of a type recommended by the U.S. Bureau of Occupational Safety and Health. Provide adequate protection.

If on Skin: Flush skin with water for at least 15 minutes. Wash thoroughly with soap and water after handling.

If in Eyes: Immediately flush with water for 15 minutes. Get prompt medical attention. See side panel for additional precautionary statements.

Manufactured By:

Net Contents:



840 Selig Drive, S.W. * Atlanta, GA 30336 * (404) 525-1111