

Application can be made by means of bucket sprayers or power sprayers. Spray the liquid uniformly over the surface of the material. GRAINFUME MB quickly vaporizes, forming a heavy vapor which kills the insects as it settles through the seed or grain. The optimum grain temperature for fumigating is between 65° to 75° F. Use GRAINFUME MB at a dosage of 1½ gallons per 1000 bushels of stored material. It is usual to make application as the grain or seed is being turned from one bin to another. In that way the ingoing material will carry the fumigant along and distribute it uniformly throughout the bin. Material going into the top and bottom of the bin should receive a double dosage. The exposure period is one week. After exposure, the enclosures should be aerated for at least 24 hours. Fumigation should be undertaken only on storage facilities capable of retaining the vapors for the required exposure period. Stored grain or seed should be inspected at least once a month. If evidence of insect damage shows up, fumigate promptly.

Directions on this label are based on best information available, and are not necessarily recommended for use under all conditions. Therefore, consult the USDA or your state agricultural agencies for exact recommendations on methods of application, fumigation dosages and insects controlled.

NOTICE: Seller makes no warranty of any kind, express or implied, concerning the use of this product. Buyer assumes all risk of use or handling, whether in accordance with directions or not.

WARNING: VOLATILE LIQUID. VAPOR HARMFUL

- Use only under conditions which prevent breathing of vapor. Wear a gas mask approved by the U. S. Bureau of Mines for protection against organic vapors. Avoid contact with eyes, skin, or clothing. Do not take internally.
- In case of contact, immediately wash skin with soap and plenty of water; flush eyes with water for at least 15 minutes and get medical attention.
- Remove contaminated clothing (including shoes) and do not re-use until all fumigant vapor has been removed either by washing or prolonged airing.
- Do not enter any structure until it has been aired thoroughly (for at least 24 hours) and all fumigant vapor removed.
- For emergency entry have an approved hose mask or oxygen breathing apparatus available.
- Harmful by inhalation, swallowing or skin contact.

WARNING: KEEP OUT OF REACH OF CHILDREN

Manufactured by

DALLAS
HOUSTON
LOUISVILLE
LOS ANGELES



MIAMI
NEW ORLEANS
KANSAS CITY
SAN JUAN

ATLANTA, GEORGIA

U.S.D.A. REG. NO. 491-154