



A different disinfectant with the delightful odor of freshly squeezed lemons. Manufactured especially for use in industrial plants, institutions, and hospitals. Should not be used with soap or anionic detergents.

Recommended for use on floors, walls, tables, chairs, shower stalls, bath tubs, urinals, lavatories, and toilet bowls. When used on food handling surfaces or equipment follow with a potable water rinse after treatment.

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL DISINFECTING: Remove all filth and dirt from premises or utensils to be disinfected. Then wet all surfaces with a solution of 1 ounce LEM-O-DIS per gallon of water. This solution acts as a disinfectant against S. Typhosa, S. Aureus and Pseudomonas Aeruginosa when used as directed.

MOPPING: Use LEM-O-DIS in mopping solutions of 1 oz. to 1 gallon of water.

TOILET BOWLS: First thoroughly clean, then remove residual water from bowl prior to the application of the recommended solution, for general disinfecting.

Precautionary Statements Hazards to Humans and Domestic Animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

*3004

09/86

SELIG'S LEM-O-DIS DISINFECTANT-DEODORANT

ACTIVE INGREDIENTS:

n-Alkyl (60 C - 30 C) 6 C - 5 C	27
Dimethyl Benzyl Ammonium Chlorides	27
n-Alkyl (50 C - 30 C) 17 C - 3 C	12
Dimethyl Ethylbenzyl Ammonium Chlorides	27
Essential Oils	12

INERT INGREDIENTS

27.4

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



CHEMICAL INDUSTRIES
Atlanta • New York • Los Angeles • Louisville

Salt Lake City • Houston • Dallas • Miami • San Juan

840 Selig Drive, S.W. • Atlanta, GA 30378 • (404)691-9220

EPA Registration No. 491-166-AA

EPA Establishment No. 491-GA-1

Net Contents: _____