

[491-180]

SELIG'S PB-100 X-T

ACTIVE INGREDIENTS 100%

N-Octyl Bicycloheptene Dicarbeximide33%
*Technical Piperonyl Butoxide20%
Pyrethrins10%
Petroleum Distillates	99.37%

*Equivalent to .16% of (Butylcarbityl) (6-Propylpiperonyl) Ether and .04% of related compounds.

An effective fast acting insecticide formulated especially for use in food processing plants, bottling plants, dairies, bakeries, frozen food lockers, meat packing plants, and flour and feed mills.

Kills on contact the exposed stages of:

Roaches	Ants
Silverfish	Flies
Gnats	Mosquitoes
Grain Weevils	

ACCEPTED

JUN 20, 1972

UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTRATION UNDER NO. 491-180 TO ATTACHED COMMENTS

DIRECTIONS:

For most effective results against the active stages of the above named flying insects, use in a good sprayer adjusted to deliver a fine mist. For crawling insects apply a coarse spray. Treat infested areas thoroughly and whenever possible, keep doors and windows closed for 10 minutes after spraying. Do not remain in treated areas. Ventilate the area after treatment is completed.

FLYING INSECTS: For control of flies, mosquitoes, gnats and certain other flying pests, direct the spray toward the upper portions of the rooms and saturate the atmosphere with the mist, using 2 to 3 ounces to each 1000 cubic feet of space.

CRAWLING INSECTS: To control roaches, silverfish, and exposed stages of grain weevils, thoroughly spray infested areas and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, and pipes; toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places.

AGAINST ANT INFESTATIONS, treat shelves, cabinets and storage areas, spray ant runs, trails, baseboards, thresholds and other places of entry and treat nest liberally.

An excellent insecticide for use as a vapor, fog or mist spray in special generators. Regulate dosage in accordance with equipment manufacturers' directions for the particular type of applicator employed. Application should be sufficient to thoroughly fill the enclosure with fog, mist or vapor. Repeat all treatments as necessary.

CAUTION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

Use in food processing plants only when plant is not in operation. All food processing surfaces should be covered or thoroughly cleaned before using. Food should be removed or protected during treatment.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

NET CONTENTS

EPA REG. NO. 491-180

Columbus

Louisville

Dallas

Miami

Houston

New Orleans

Los Angeles

Puerto Rico



Atlanta
0472