


491-194

PM-12

1/22/90

1981



PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals **WARNING**

May be harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash hands, arms, and face thoroughly with soap and hot water before re-use.

Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not store near feed or food products. Avoid contamination of feed, food, food processing equipment, and food handling surfaces. Do not apply to animals. Remove pets and cover fish bowls before spraying. Do not spray plants. Avoid breathing spray mist.

Do not use in edible products area of food processing plants.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife. Birds feeding on treated areas may be killed. Apply product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

DO NOT use or store near heat or open flame.

STORAGE AND DISPOSAL

PROHIBITIONS

- DO NOT contaminate water, food, or feed by storage or disposal.
- Open dumping is prohibited
- DO NOT reuse empty container

PESTICIDE DISPOSAL

"Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance."

CONTAINER DISPOSAL

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT

This product is designed exclusively for industrial and institutional use by trained professional maintenance personnel. Label directions and precautions must be followed exactly. Selig Chemical Industries will not be responsible for injury, loss, or damage if product is used in any manner not in compliance with label directions or if precautions are not observed.

3434

01/90

SELIG'S SUPER SNIPER RESIDUAL SPRAY

For Industrial and Institutional Use

Residual Spray is a highly effective ready to use formulation for control of the insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product drives insects from their hiding places, gives rapid kill and long residual activity.

ACTIVE INGREDIENTS:

2-(1-Methylethoxy) phenol methylcarbamate 1.00%

*INERT INGREDIENTS: 99.00%

100.00%

*Contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water. DO NOT induce vomiting. Product contains petroleum distillates and aspiration pneumonia is a potential hazard.

To Physician: Atropine sulfate is antidotal.

If Inhaled: Remove victim to fresh air, and provide adequate ventilation. Apply artificial respiration if indicated.

If on Skin: Flush skin with water for 15 minutes. Wash with soap and water after handling.

If in Eyes: Immediately flush with water for 15 minutes. If irritation persists, get medical attention.


See side panel for additional precautionary statements.

EPA Reg. No. 491-194-AA

EPA Est. No. 491-GA-1

Manufactured By:

Net Contents:



840 Selig Drive, S.W. * Atlanta, GA 30336 * (404)691-9220

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL: Apply with a low pressure sprayer equipped with a coarse spray nozzle. Spray surface only until wet. Avoid excessive run-off. Apply to all insect breeding sites and harborage. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

Cockroaches - Thoroughly treat the infested area. Spray baseboards, cracks and crevices, around window and door frames; the under surfaces of shelves, drawers and work tables, behind and beneath cabinets, refrigerators, sinks and stoves, in and around waste containers, switch panels, junction boxes, floor drains and other places where cockroaches hide or rest.

Ants - Apply to trails and places where ants enter premises such as window and door sills. Spray hills and runways outdoors.

Cadellids, Cigarette Beetles, Dermestids, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Saw-toothed Grain Beetles and Weevils (exposed stages) - Thoroughly treat floors and the walls of the infested area with attention to cracks, crevices, corners, and perimeters. Sanitation and dust control are of primary importance. Fumigate or destroy infested products.

Silverfish, Firebrats and Paperlice - Apply to localized areas infested with these insects.

Brown Dog Ticks - Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

Clover Mites, Crickets, Earwigs, Millipedes, Centipedes, Sowbugs, Scorpions and Spiders - Thoroughly spray the interior and exterior perimeter of the infested premises. For Clover Mites give special attention to window sills.

Fleas, Flies, Gnats, Mosquitoes, Punkies and Sandflies (outdoors only) - Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

For Use in Meat Packaging and Food Processing Plants: Use only in the inedible product areas of meat packing plants, including those that are federally inspected. Any exposed food products, equipment, or packaging materials must be removed or covered before spraying. Rinse all equipment with water before resuming operations. Treat food processing plants early in the season before canning or other processing begins. Repeat applications, if necessary, when plant is not in operation. Spraying unloading docks and outside areas where insects congregate will aid in preventing re-infestation. Good sanitation and proper disposal of wastes is essential in any effective insect control program.

Insect Control in Research Facilities: The use of Residual Spray in and around research animal quarters for insect control will not induce changes in liver microsomal enzyme activity in these animals.

KILLS: Ants, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Earwigs, Firebrats, Fleas, Flies, Gnats, Millipedes, Mosquitoes, Paperlice, Punkies, Sandflies, Scorpions, Silverfish, Sowbugs and Spiders. Exposed stages of Cadellids, Cigarette Beetles, Dermestids, Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Saw-toothed Grain Beetles and Weevils.

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.