

**DIRECTIONS:** Best results are obtained after pre-dominant species are well established in late spring or early summer when the temperature has reached the 70's. Before treating, calibrate equipment to insure uniform cover of the area to be treated. Measure out the proper amount and apply.

**EQUIPMENT:** Power sprayers, compressed air hand sprayer or knapsack sprayers. No dilution or agitation required.

**GENERAL WEED CONTROL:** To control most weeds for an extended period of time on non-crop areas such as parking lots, fence lines, loading ramps, road sidings, storage areas, etc. Use 2 gals. per 1,000 sq. ft. treated.

To control annual weeds and grasses such as crabgrass, pigweed, and horseweed, use 2 gals. per 1,000 sq. ft. treated.

To control perennial weeds and grasses such as bermudagrass, crabgrass, and horseweed, use 2 gals. per 1,000 sq. ft. treated.

# SELIG'S Mister Zero

**KILLS VEGETATION  
QUICKLY...TOTALLY**

## GENERAL INFORMATION

A liquid herbicide to be applied undiluted or diluted as desired. The degree of weed control depends on the type of weeds with which it is used.

**CAUTION:** Keep out of reach of children.

See side panel for other precautions.

## ACTIVE INGREDIENTS

Aromatic Petroleum	
Distillate	94.94%
1,4-Dichlorophenoxyacetic acid, n-butyl ester	1.09%
Bromacil, 5-Bromo 3 sec butyl 6-methyl uracil	0.98%
Pentachlorophenol	0.80%
Chlorobutyl alcohol	0.09%
<b>INERT INGREDIENTS</b>	<b>2.10%</b>
<b>Total</b>	<b>100.00%</b>

1,4-Dichlorophenoxyacetic acid, n-butyl ester 0.70%

Manufactured by FOR



ATLANTA

REG. NO. 451198

## CAUTION:

Do not apply directly to, or otherwise permit to come into contact with, susceptible plants such as vegetables, flowers, fruit trees, ornamentals, cotton, grapes, or other desirable plants. Do not permit any mist containing it to come into contact with them. Do not spray directly to the ground. This product may injure or kill desirable plants in the immediate vicinity. This herbicide is not to be used for other purposes. Do not use same spray equipment for other purposes. Do not store near fertilizers, insecticides, or fungicides. Do not contaminate water used for irrigation or domestic purposes. Do not reuse this container for other materials without thorough cleaning.

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes skin irritation. Do not breathe vapors or spray mist. Do not get in eyes, on face, or on clothing. Wash thoroughly after handling. In case of contact wash skin with soap and water. For eyes, immediately flush with large amounts of water for at least 15 minutes. Seek medical attention. Remove and wash contaminated clothing before reuse. Treated effluent water may be harmful to fish and wildlife. Toxic to fish and wildlife.

## WARNING

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN  
CAUSES SKIN IRRITATION  
SEE SIDE PANEL FOR FURTHER  
CAUTION STATEMENTS  
KEEP AWAY FROM CHILDREN

BEST DOCUMENT AVAILABLE

ACCEPTED  
12-11-69

DALLAS  
HOUSTON  
LOUISVILLE  
LOS ANGELES

491-198

MIAMI  
NEW ORLEANS  
KANSAS CITY  
SAN JUAN

**DIRECTIONS:** Best results are obtained after pre-dominant species are well established in late spring or early summer when the temperature has reached the 70's. Before treating, calibrate equipment to insure uniform cover of the area to be treated. Measure out the proper amount and apply.

**EQUIPMENT:** Use any sprayers complete with nozzle or nozzle or knapsack sprayer for broadcast or spot application as required.

**GENERAL WEED CONTROL:** To control most weeds, apply 1/2 to 1 lb. per 1000 sq. ft. on non-cultivated areas, parking lots, fence rows, etc. For control of weeds, apply 1/2 to 1 lb. per 1000 sq. ft. on cultivated areas, such as lawns, etc.

**SPRING WEED CONTROL:** Apply 1/2 to 1 lb. per 1000 sq. ft. on non-cultivated areas, parking lots, fence rows, etc. For control of weeds, apply 1/2 to 1 lb. per 1000 sq. ft. on cultivated areas, such as lawns, etc.

**WINTER WEED CONTROL:** Apply 1/2 to 1 lb. per 1000 sq. ft. on non-cultivated areas, parking lots, fence rows, etc. For control of weeds, apply 1/2 to 1 lb. per 1000 sq. ft. on cultivated areas, such as lawns, etc.

**SPRING WEED CONTROL:** Apply 1/2 to 1 lb. per 1000 sq. ft. on non-cultivated areas, parking lots, fence rows, etc. For control of weeds, apply 1/2 to 1 lb. per 1000 sq. ft. on cultivated areas, such as lawns, etc.

5 9

3

12-11-69

491-198

DALLAS  
HOUSTON  
LOUISVILLE  
LOS ANGELES

SELL

**WILSON**

**KILLS WEEDS QUICKLY...**

**GENERAL INFORMATION**

Apply total killer to weeds, grasses, or other plants growing in desired areas. Application of this amount of chemical will kill weeds and other plants.

**CAUTION: Keep children off treated areas.**

See label panel for directions.

**ACTIVE INGREDIENTS**

Aromatic Petroleum Distillate

1,4-Dichlorobenzene

2,4-Dichlorophenoxyacetic acid, sodium salt

Endosulfan S-bromide

**INERT INGREDIENTS**

**Total**

100% active ingredient content

Manufactured by



ATLANTA

U.S. PATENT