

[491-204]

ACCEPTED
JUL - 1958

DELIG'S

NON-TOXIC TO
HUMANS AND PETS

NON-FLAMMABLE

MR. PEST

FORMULATED FOR USE IN
KITCHENS, DINING ROOMS,
RESTAURANTS, BAKERIES,
DAIRIES, FOOD PROCESSING
PLANTS AND WHEREVER
FOOD IS HANDLED.

NET WT. 1 POUND AVOIR.

CAUTION: KEEP OUT OF REACH OF CHILDREN.
CONTENTS UNDER PRESSURE.
SEE OTHER CAUTIONS ON BACK PANEL.

Formulated Exclusively For

ATLANTA
DALLAS
HOUSTON
LOS ANGELES



LOUISVILLE
MIAMI
NEW ORLEANS
SAN JUAN

A DIVISION OF NATIONAL SERVICE INDUSTRIES, INC.

C
O
N
T
R
O
L

Active ingredients:	
Pyrethrins	0.500% w/w
Di-Cetyl sulfonate of dinotofrole	0.12%
Related compounds	0.074%
*Propionyl butoxide technical	0.616%
Petroleum distillate	18.268%
Inert ingredients	80.000%
*Sulfoxide	100.000%
**Equivalent to 0.493% (butylcarbityl) (6-propylpiperonyl) ether and 0.123% related compounds	

CAUTION: KEEP OUT OF REACH OF CHILDREN.

In food handling and processing areas only, food should be removed or covered during treatment and all food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in food processing plants, apply only when plant is not in operation. Contents under pressure. Do not puncture. Do not expose container to temperature above 120° F. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

Mr. Pest Control Aerosol will effectively control flies, mosquitoes, wasps, gnats, flying moths, roaches, ants, crickets, silverfish and exposed stages of stored products insects, when used as directed.

For flies, mosquitoes, wasps and gnats: Close all doors and windows. Point nozzle upward, direct the aerosol to all parts of the room, especially windows and other light sources which attract these insects. For best results, keep nozzle in motion while spraying. Allow 3 to 5 seconds spraying time per 1,000 cubic feet of space. Keep room closed at least 15 minutes after each treatment.

For roaches, ants, silverfish and crickets: Open all inside doors, cabinets, closets, etc. Direct the mist toward insects, into cracks, crevices, and trails, on doorsills and window frames. For initial application, apply for 10 to 15 seconds for each 100 square feet of floor space. Follow this up with periodic space applications at 3 to 5 seconds per 1,000 cubic feet. Keep room closed for one hour after application. Repeat treatment when necessary.

For stored products insects (exposed stages): For such insects as flour beetles and granary weevils, spray insects, into cracks, crevices, around machinery, around containers of stored products and other areas wherever these insects may hide. It is important to contact as many insects as possible. A minimum of 30 seconds treatment time should be used per 100 square feet of floor space. Treated area should be kept tightly closed for at least 45 minutes. Repeat treatment when necessary.

For such insects as flour moths and Indian meal moths: Close all doors and windows. Direct mist to all parts of the room, especially into dark areas, around stored products containers, where adult moths may be resting. A minimum treatment time of 6 to 8 seconds should be used for each 1,000 cubic feet of space. Keep treated area closed for at least 30 minutes. Repeat weekly or when flying moths reappear.

USDA Reg. No. 491-204