



PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals
WARNING

Harmful if swallowed. Avoid skin and eye contact. Avoid breathing spray mist. DO NOT apply directly to food. In commercial food handling facilities, cover or remove any food or food processing equipment during application. DO NOT apply while food processing is underway. After space spraying in food processing plants, wash all equipment benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before reuse.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT apply directly to water. DO NOT apply when weather conditions favor drift from areas treated. DO NOT contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Storage: Keep out of reach of children. Keep container closed and store in a cool place. DO NOT pour or spill near open flame.

- Do not contaminate water, food, or feed by storage or disposal.
- Open dumping is prohibited.
- Do not reuse empty container.

PESTICIDE DISPOSAL

"Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance."

CONTAINER DISPOSAL

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture, and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

EPA Reg. No. 491-212-AA
 EPA Est. No. 491-GA-1

SELIG'S
DU-KIL SP

A new synthetic pyrethroid for controlling the following flying and crawling insects: Flies, mosquitoes, gnats, wasps, roaches, earwigs, spiders, grain mites, sowbugs and centipedes.

An effective fast acting insecticide formulated especially for use in food processing and bottling plants. Also ideal for insect control in institutions, public buildings, hospitals, hotels, clubs, restaurants and theatres.

ACTIVE INGREDIENTS:

*† Resmethrin ((5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate)

0.200% w/w

****INERT INGREDIENTS**

99.800%

100.000%

*Cis/trans isomers ratio: max 30% (±) cis and min 70% (±) trans.
 †U.S. Patent No. 3,465,007

**Contains petroleum distillates

"ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS"

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Give 1 to 2 glasses of water. DO NOT induce vomiting. Contains petroleum distillate. Consult a physician immediately and get prompt medical attention. Aspiration pneumonia is a potential hazard.
 If inhaled: Remove victim to fresh air, and provide adequate ventilation. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection.
 If on Skin: Flush skin with water for at least 15 minutes. Wash with soap and water after handling.
 If in eyes: Immediately flush with water for 15 minutes. If irritation persists, get medical attention.

See side panel for additional precautionary statements.

Manufactured By:



CHEMICAL INDUSTRIES
 A DIVISION OF NATIONAL SERVICE INDUSTRIES, INC.
 ATLANTA * NEW ORLEANS * LOS ANGELES
 LOUISVILLE * MIAMI * DALLAS * SAN JUAN
 SAN FRANCISCO * HOUSTON * CHARLOTTE

840 Selig Drive, S.W. * Atlanta, GA 30336 * (404)691-9220

Use as a space spray in food processing plants only when plants are not in operation. * Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For most effective results, use in a good sprayer adjusted to deliver a fine mist.

For houseflies, mosquitoes and gnats: Close all doors and windows. Point nozzle upward, direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

WARRANTY STATEMENT

This product is designed exclusively for industrial and institutional use by trained professional maintenance personnel. Prior to using this material, read complete label and Material Safety Data Sheet on file at your place of work. Label directions and precautions must be followed exactly. Selig Chemical Industries will not be responsible for injury, loss, or damage if product is used in any manner not in compliance with label directions or if precautions are not observed.

3353

08/89

Not Reviewed. Registrant claims to be in accordance with registration of Pesticide Product Guidance for Phase 2 response, Page 2.12, Active to Inert Change in Status.