


491-217

PM - 17 1/22/90

181



DIRECTIONS FOR USE

*It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General Use Concentrate is designed for use utilized in mechanical sprayers which give particle size of aerosol size. It can be diluted with refined kerosenes or mineral oil which meet Food Additive Regulation 121.1182 and can be applied in logging equipment that gives larger than aerosol particle size. It can also be diluted with oil specified above and applied as contact spray to kill crawling insects shown later on this label.
 Note: This spray when diluted properly as described, and applied per the directions or cautions given below, conforms with Food Additive Regulations 121.1074, 121.075 and 121.1205 and the food additive tolerances established thereunder.

INDOOR USE:

Kills the Accessible Stages of INDIAN MEAL MOTH, DRIED FRUIT BEETLE, and COI FUSED FLOUR BEETLE: in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use an aerosol spraying device dispense this product. DO NOT apply to dried fruit directly. Direct spray into areas of the room frequented by these insects, hitting as many insects as possible. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 50,000 cu. ft. of space. Repeat application every 30 days. Leave room closed for one hour after application. DO NOT remain in treated area and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Kills the Accessible Stages of RICE WEEVIL, YELLOW MEALWORM CADELLE, COI FUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, and INDIAN MEAL MOTH in food warehouses, storage rooms and similar areas. Close room or warehouse and shut off all ventilating systems. Use an aerosol spraying device to direct spray into corners, under pallets and around stacks packaged goods, hitting as many insects as possible. Then spray at the rate of one fluid ounce of spray per 1,000 cu. ft. of space. Repeat applications as necessary. Leave room closed for one hour after application. DO NOT remain in treated areas and ventilate prior to re-entry. Infested package goods should be fumigated or treated by other effective means using approved product intended for this purpose.

To Kill ROACHES, SILVERFISH, EARWIGS, ANTS, and SPIDERS: Apply in aerosol generator equipment adjusted to coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where the insects hide. Contact as many insects as possible. DO NOT allow spray to contact stored food.

OUTDOOR USE:

To Kill HOUSE FLIES, MOSQUITOES and GNATS in Open Areas and Feedlots: Use undiluted at a time when the temperature is cool (75°F or less) and the wind velocity approximately 5 mph. With ULV aerosol equipment, spray at a dosage rate of 10 ounces per minute upwind of the area to be controlled.

If the equipment is truck-mounted, keep the speed at approximately 5 mph and treat a swath width of no more than 300 feet. Machines that could be used should produce particles in the 5 to 30 micron range. The name of a company that determines droplet size will be supplied on request.

SUPER SE-FLY-GO

FOR USE IN RESTAURANTS, FOOD PROCESSING PLANTS,
 WAREHOUSES, INDUSTRIAL INSTALLATIONS,
 FEEDLOTS, AND BARN.

ACTIVE INGREDIENTS:

Pyrethrins	1.50%
*Piperonyl butoxide, technical	3.00%
+N-octyl bicycloheptene dicarboximide	5.00%
**INERT INGREDIENTS	90.50%
	100.00%

*Equivalent of 2.4% (Butylcarbityl)(6-propylpiperonyl) ether and .60% related compounds.

+MGK-264, Insecticide Synergist.

**Contains Petroleum Distillate

"ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS"

WARNING

STATEMENT OF PRACTICAL TREATMENT


If Swallowed: DO NOT induce vomiting. Contains petroleum distillate. Consult a physician immediately and get prompt medical attention. Aspiration pneumonia is a potential hazard.
If Inhaled: Remove victim to fresh air, and provide adequate ventilation. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection.
If on Skin: Flush skin with water for at least 15 minutes. Wash with soap and water after handling.
If in Eyes: Immediately flush with water for 15 minutes. If irritation persists, get medical attention.

See side panel for additional precautionary statements.

WARRANTY STATEMENT

This product is designed exclusively for industrial and institutional use by trained professional maintenance personnel. Prior to using this material, read complete label and Material Safety Data Sheet on file at your place of work. Label directions and precautions must be followed exactly. Selig Chemical Industries will not be responsible for injury, loss, or damage if product is used in any manner not in compliance with label directions or if precautions are not observed.

Manufactured By:



840 Selig Drive, S.W. • Atlanta, GA 30378 • (404)691-9220

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING

DO NOT apply directly to food. In commercial food handling facilities, cover or remove any food or food processing equipment during application. DO NOT apply while food processing is underway. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before reuse.

Remove pets, birds and cover fish aquariums before spraying.

Harmful if swallowed. Avoid skin and eye contact. Avoid breathing spray mist.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. DO NOT apply directly to water. DO NOT apply when weather conditions favor drift from areas treated. DO NOT contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT pour or spill near open flame.

STORAGE AND DISPOSAL

Storage: Keep out of reach of children. Keep container closed and store in a cool place. DO NOT pour or spill near open flame.

PESTICIDE DISPOSAL

*Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture, and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

EPA Reg. No. 491-217
 3416

EPA Est. No. 491-GA-1
 01/90

Not Reviewed. Registrant claims to be in accordance with registration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.