

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic
Animal.

WARNING:

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or other water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical and Chemical Hazards
Strong Oxidizing Agent:

Oxidizing material. Do not mix with other chemicals. Contact with organic material may cause fire. Decomposes at 308-317 F with liberation of harmful gases. In case of decomposition, a possible volatile container in open or well-ventilated area. Flood with drip volume of water if necessary.

SELIG'S

5-SX-80

ACTIVE INGREDIENTS

Sodium hypochlorite
 5.0%
 Water
 95.0%

NET CONTENTS

KEEP OUT OF REACH OF CHILDREN.

WARNING

FIRST AID

In case of eye contact, flush eyes with water for 15 minutes. If irritation persists, consult a physician. If swallowed, do not induce vomiting. If inhaled, move to fresh air. If on skin, wash with water for 15 minutes. If on clothing, remove and wash with water. For object contact, wash with water for 15 minutes.



CHEMICALS

8700 J. D. R. SW
 Miami, Florida 33176

491-226
 11/1/81

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Prepare a sanitizing solution by dissolving 4.0 oz or 1.0 oz of Selig's 5-SX-80 per gallon of water. This provides a solution containing 100ppm or 200ppm of available chlorine, respectively. Clean and rinse if necessary to be sanitized. Then place glass or plastic equipment or utensils in solution for 2 to 5 minutes. Rinse or rinse with potable water and dry. For flat surfaces, use a brush to remove gross filth and debris first. Then spread the sanitizing solution and allow to stand 2 to 5 minutes. Rinse with potable water.

The sanitizing solution may be used in feed tanks, dispensers or spray type machines. Allow 5 to 10 minutes contact time for sanitizing of glass and food processing equipment and utensils. Clean and rinse before sanitizing. After sanitizing, rinse with potable water and dry. The sanitizing solution should be used immediately after mixing. If the solution is allowed to stand, it is oxidized and loses its sanitizing ability. Selig's 5-SX-80 should be stored in a cool, dark, well-ventilated area. For more information, contact Selig Chemicals.

STORAGE AND DISPOSAL

Store in a cool, well-ventilated area. Do not store in a confined space. Do not store in a container that has been used for other purposes. Do not mix with other chemicals. Do not mix with organic materials. Do not mix with acids. Do not mix with other oxidizing agents. Do not mix with flammable liquids. Do not mix with other hazardous materials. Do not mix with other chemicals. Do not mix with organic materials. Do not mix with acids. Do not mix with other oxidizing agents. Do not mix with flammable liquids. Do not mix with other hazardous materials. Do not mix with other chemicals.

20