

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**CLEANS  
REMOVES MILKSTONES  
SANITIZES**

**MIXING IS EASY**  
7-SX-80 is easily and quickly dispersed in hot or cold water and in water up to 175 ppm of hardness (as calcium carbonate) to form a completely uniform solution. 7-SX-80 when used at a 1:500 aqueous dilution (200 ppm active quaternaries) may be used on food processing and dairy equipment without the necessity of a final potable water rinse.

#### CLEANING BULK MILK TANKS

As soon as possible after milk has been removed from bulk tank, rinse tank completely with cold water and allow to drain. Place 6 gal. of warm water 120°F in tank and add 1 ounce (2 tablespoons) 7-SX-80 to the water in the tank. Scrub tank, mixers and covers and then allow to drain.

**SANITIZING MILK EQUIPMENT AND COW UDDERS**  
Previously cleaned milking equipment, pails, luffings and tubing should be sanitized prior to milking operations by preparing a 200 ppm solution of active quaternaries by mixing 3 cu. in. (2 tablespoons) 7-SX-80 in 4 gallons of water. Scrub

## SELIG'S 7-SX-80

### Multi-Purpose Cleaner Sanitizer for the Dairy Industry

#### ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides	5.0%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	5.0%
Phosphoric Acid	30.0%
INERT INGREDIENTS:	60.0%
<b>TOTAL:</b>	<b>100.0%</b>

E.P.A. Est. No. 491-Ga-1

E.P.A. Reg. No. 491-227

### DANGER

Keep Out of Reach of Children. See right side panel for additional precautionary and first aid statements.



DALLAS  
HOUSTON  
LOS ANGELES  
LOUISVILLE

ATLANTA

MIAMI  
NEW ORLEANS  
SAN FRANCISCO  
SAN JUAN

or dip equipment into the solution for at least one minute, and allow to drain prior to beginning of milking operation. Use a clean single service towel for each animal to wipe udders with the above sanitizing solution prior to milking. Never reuse towel or dip used towel back into solution. Always prepare a fresh solution daily or more frequently if the solution becomes soiled.

#### STORAGE AND DISPOSAL

**Prohibitions:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**Pesticide Disposal:** Pesticide, spray mixture, or rinseate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides, or buried in a safe place away from water supplies.

**Container Disposal:** (a) Re-seal container and offer for re-conditioning, or (b) Triple rinse (or equivalent) and: Offer for recycling, reconditioning, or disposal in approved landfill, or bury. (c) If container is plastic, and is less than 30 gallons in size, do not reuse empty container. Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

**General:** Consult Federal, State, or Local disposal authorities for approved alternative procedures such as limited open burning.

**PRECAUTIONARY  
STATEMENTS  
DANGER**

#### Hazards to Humans and Domestic Animals

**Keep Out of Reach of Children.** Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

#### PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

#### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

Rinse empty container thoroughly with water and discard.

**HARD WATER TOLERANCE**  
This product fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance 1965 recommendations of the U.S. Public Health Service in waters up to 600 ppm of hardness calculated as calcium carbonate, when tested by the AOAC Germicidal and Detergent/Sanitizing Official Method. Consult your milk inspector or health officer for recommendations on your local program.