

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### INDOOR APPLICATION

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Vacate treated areas and ventilate before reoccupying.

For maximum effectiveness, a combination of spot surface treatment and fogging is recommended.

**Surface Spraying:** To control roaches, ants, silverfish, crickets, clover mites, cheese mites, granary weevils, rice weevils, confused flour beetles, rufous red flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, drug-store beetles, meal worms, grain mites and cadellids. Use a good sprayer adjusted to a coarse, wet spray. Direct the spray into hiding places, cracks and crevices, under pallets around containers of stored foods, around the base of machinery, behind shelves and drawers. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. If surface application only is to be used, spray floors and other surfaces applying at a rate of 1 gallon to 750 square feet of surface.

To control carpet beetles. Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, closets and infested areas of shelving. Repeat treatment as needed.

To control bedbugs: Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, mouldings, and floors. Repeat treatment as needed.

To control Fleas and Brown dog ticks: Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, mouldings, window and door frames, and localized areas of floor and floor

# SELIG'S

# 47-SX-80

*A Concentrate Micro Emulsion  
Clear • Stable • Leaves No Oily  
or Objectionable Residues*

### Effective, Fast Action Insecticide

For Use in Homes, Institutions, Restaurants, Food Processing Plants, Dairies, Livestock and Outdoors for Mosquito Control. Apply with Conventional Mechanical or Compressed Air Equipment.

#### ACTIVE INGREDIENTS

Pyrethrins	0.1%
*Piperonyl Butoxide, Technical	1.0%
Petroleum Distillate	0.4%
INERT INGREDIENTS	98.5%
	100.0%

\*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

## CAUTION

KEEP OUT OF REACH OF CHILDREN  
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

EPA Reg No 491-234

EPA Est. No. 491 Ga 1

Dallas  
Houston  
Los Angeles  
Louisville



Miami  
New Orleans  
Puerto Rico  
San Francisco

**CHEMICAL  
INDUSTRIES**

DIVISION OF NATIONAL SERVICE INDUSTRIES, INC.

840 Selig Drive, S.W. • Atlanta, Georgia 30378

covering. Fresh bedding should be placed in animal quarters following treatment. Concurrent treatment of animals with an approved insecticide is recommended. Repeat treatment as needed.

**To control clothes moths:** Remove any infested articles from storage. Brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining.

**Space Spraying:** Close doors and windows and shut off ventilating systems. Apply with a good machine adjusted to deliver a fine mist or fog. For rapid control of flies, fruit flies, gnats, mosquitoes, skipper flies, wasps, hornets, and gnomish grain moths, mediterranean flour moths, indian meal moths, and tobacco moths. Direct spray at an upward angle distributing it uniformly throughout the entire area at a rate of 3.6 ounces per 1000 cubic feet of space.

**Fogging:** To kill exposed or accessible stages of the above named crawling insects, use a rate of one gallon to 20,000 to 40,000 cubic feet of space. Contact insects directly when ever possible.

**On Animals:** To protect cattle and horses from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the surface of the hair. To control stable flies, horse flies, and deer flies, apply at a rate of 2 ounces per adult cow or horse, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

**To control blood sucking lice:** Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 2 to 3 weeks if required.

**Outdoor Adult Mosquito Control:** Apply as a fine mist to thoroughly treat the entire area. For best results, treat when the wind velocity does not exceed 5 miles per hour. Treat shrubbery or vegetation where mosquitoes may rest, low marshy places, stagnant

potholes or ponds and shore lines. Apply at a rate of 1 1/2 gallons per acre (14.7 ounces per 1000 square feet).

Using truck mounted conventional misting equipment such as Rotomist models 51C, 91 or 100 MT traveling at 5 m.p.h. to treat a 300-foot swath can be treated to deliver 4.5 gallons per minute.

## PRECAUTIONARY STATEMENT

Hazards to Humans and Domestic Animals

## CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing mist. In case of contact, immediately flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention. Remove pets, birds and cover fish aquaria before spraying.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on the label.

### Storage & Disposal:

**Prohibitions:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**Pesticide Disposal:** Pesticide, spray, mixture, or rinseate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

**Container Disposal:** Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

NET CONTENTS

PM 17

491-234

2 of 2

0000  
1000

**ACCEPTED**

JAN 19 1962

Under the provisions of the  
 Fungicide, Insecticide, and  
 Plant Growth Regulator Act  
 as amended, the above product  
 registered under EPA Reg. No. 491-234