

ACCEPTED

MAR 11 1982

PRECAUTIONARY STATEMENTS  
Hazards to Humans & Domestic Animals

CAUTION

98-SX-80

For Use in Food Processing Plants,  
Restaurants, Industrial Buildings; schools,  
warehouses, offices, theatres, garages, hotels,  
motels, hospitals and kennels

Harmful if swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator if you are advised to do so. For more information and Safety Administration of the National Institute for Occupational Safety and Health, contact the National Institute for Occupational Safety and Health, 1015 North 15th Street, Washington, D.C. 20045. Get immediate medical attention. Avoid contact with skin and eyes. Wash with plenty of water. Obtain medical attention if irritation persists.

DO NOT apply directly to food. DO NOT apply to any surface where food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before use. After spraying, wash hands thoroughly with soap and water. Wash all clothing with hot soapy water. Equipment, machinery, and tools used in areas where exposed to this product should be washed thoroughly before use. DO NOT use in food processing areas. DO NOT have children play in areas where a wet spray will be used in accordance with the directions and cautions given above.

When using in areas of high humidity, do not apply to wet surfaces. Wash with plenty of water. Do not use in areas where children play. Wash hands thoroughly after use.

Remove pets, birds, and animals from treated areas.

PHYSICAL HAZARDS

DO NOT store near food or feed.

DIRECTIONS FOR USE

For a complete list of Federal use to use this product, see the label on the container and its labeling.

General: This product is designed for use indicated on the label. It is a spray which produces particles of insecticide.

NOTE: When used in areas where children play, do not apply to wet surfaces. Wash with plenty of water. Do not use in areas where children play. Wash hands thoroughly after use.

For use in kennels, contact the manufacturer for more information.

**Space Spray Undiluted** - For use in food processing plants, restaurants, industrial buildings, schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space.

**Space Spray** - For use in food processing plants, restaurants, industrial buildings, schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space.

ACTIVE INGREDIENTS

Piperonyl butoxide (technical)	1.00%
Piperonyl butoxide (technical)	2.00%
4-N-ethyl bicycloheptene dicarbonyl amide	3.00%
Petroleum distillate	94.00%
TOTAL	100.00%
*Equivalent to 1.6% (butylcarbitol-6-propyl-piperonyl-ether and 4% related compounds)	
AMGR 164 Insecticide Synergist	

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Contains a petroleum distillate. If swallowed it may induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

For a complete list of Federal use to use this product, see the label on the container and its labeling.

Dallas  
Houston  
Los Angeles  
Louisville



Miami  
New Orleans  
Puerto Rico  
San Francisco

CHEMICAL  
INDUSTRIES

840 Selig Drive S.W. • Atlanta, Georgia 30378

EPA Reg. No. 491-251      EPA Est. No. 491 Ga 1  
Not For Home Use

**Contact Spray Undiluted** - For use in food processing plants, restaurants, industrial buildings, schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space.

**Contact Spray Diluted** - For use in food processing plants, restaurants, industrial buildings, schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space.

**FOR USE IN DAIRY AND BEEF BARN; SWINE HOUSING** - Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space.

**Space Spray Diluted** - For use in food processing plants, restaurants, industrial buildings, schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space. Apply at the rate of 1.0 to 2.0 fluid ounces per 1000 cubic feet of space.

STORAGE AND DISPOSAL

**Storage** - Store in a cool, dry place. Keep out of reach of children.

**Pesticide Disposal** - Pesticide containers that cannot be used should be disposed of in accordance with the label directions. Do not reuse pesticide containers for any other purpose.

**Container Disposal** - Containers should be disposed of in accordance with the label directions.

**General** - Follow all Federal, State, and local disposal authorities for appropriate disposal procedures.

**General** - Follow all Federal, State, and local disposal authorities for appropriate disposal procedures. Do not reuse pesticide containers for any other purpose. Do not use in areas where children play. Wash hands thoroughly after use.