

**Precautionary Statements  
Hazards to Humans and Domestic Animals**

**DANGER**

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling the product. Harmful if swallowed. Do not breath spray mist. Avoid contamination of food.

**ENVIRONMENTAL HAZARDS:**

SELIG'S Selcol III is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with an NPDES permit.

**Selcol III**

**Disinfectant-Sanitizer — Fungicide-Deodorizer  
with Organic Soil Tolerance for Hospital, Institutional,  
Industrial, School, Dairy and Other Farm Use**

<b>Active Ingredients</b>	
Alkyldimethylbenzylammonium chloride	41.00
Diethyl dimethylammonium chloride	21.50
Didecyl dimethylammonium chloride	1.125
Dioctyl dimethylammonium chloride	1.125
<b>Inert Ingredients</b>	9.750
<b>Total</b>	<b>100.000</b>

**ACCEPTED**  
MAY 17 1985  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 491-263

**ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS  
KEEP OUT OF REACH OF CHILDREN  
DANGER**

**Statement of Practical Treatment**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured By



EPA Registration No. 491-263

EPA Establishment No. 491-GA-1

Net Contents

**Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Establishments:** Food processing equipment, dairy equipment, food service equipment, and other hard surfaces should be sanitized daily. Wash and rinse all surfaces thoroughly. Surfaces should be prepared daily with water. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water.

**Application:** Apply to hard surfaces. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water. Do not use for drinking water.

**Directions For Use  
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with labeling. Apply Selcol III with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

**Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions:** For disinfecting floors, walls, countertops, bathing areas, lavatories, benches, tables, chairs, garbage pails and other hard non-porous surfaces. Add 3.5 oz. Selcol III to 4.5 gallons water. Apply to previously cleaned hard surfaces. At this use level, Selcol III is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, and *Salmonella choleraesuis* in the presence of 5% blood serum when evaluated by the AOAC Use Dilution test.

**Disinfection in Institutions, Industry and Schools:** Add 2 oz. of Selcol III to 4.5 gallons of water. At 0.5 oz. to 2.25 gallons of water use level, the fungicidal effectiveness of Selcol III in the presence of 5% blood serum against *Trichophyton mentagrophytes* has been shown utilizing the AOAC Fungicidal Test.

**Disinfection of Barber Tools:** Pre-rinse barber tools such as combs, brushes, razors, and scissors can be disinfect by immersing in a 0.5 oz/gallon solution of Selcol III.

**Disinfection of Poultry Equipment, Animal Quarters and Kennels:** Poultry brooders, watering fountains, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz. Selcol III to 4.5 gallons of water. Small utensils should be immersed in this solution. Prior to disinfection, all poultry, other animals, and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

**WARRANTY STATEMENT**

This product is designed exclusively for Industrial and Institutional use by trained professional maintenance personnel. Label directions and precautions must be followed exactly. Selig Chemical Industries will not be responsible for injury, loss, or damage if product is used in any manner not in compliance with label directions or if precautions are not observed.

**BEST AVAILABLE COPY**