

R220 # 418-55 PM 13 1/2

FRONT PANEL

FLEA KILLER

For DOGS and CATS

with MALATHION

KILLS FLEAS, LICE AND TICKS

DEODORIZES  
DOGGY ODOR

Active Ingredients:

Pyrethrins.....	0.06%
*Technical Piperonyl Butoxide.....	0.48%
**Methoxychlor, Technical.....	0.50%
Malathion (0,0-dimethyldithiophosphate of diethyl mercaptosuccinate).....	0.25%
Petroleum Distillate.....	8.21%
Inert Ingredients:	90.50%

Total: 100.00%

\*Equivalent to 0.384% of (butylcarbityl)  
(6-propylpiperonyl) ether and 0.096% of  
related compounds.

\*\*Equivalent to 0.44% 2,2-bis(p-methoxyphenyl)-  
1,1,1-Trichloroethane and 0.06% other isomers  
and related compounds.

**ACCEPTED**  
 JUN 16 1987  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 418-55

418-55

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ CAREFULLY PRECAUTIONS ON BACK OF CAN

c. 2/2

BACK PANEL

FAST ACTING. KILLS FLEAS, TICKS, AND LICE.  
REDUCES ITCHING AND SCRATCHING.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

C A U T I O N

Avoid breathing mist. Do not contaminate foodstuffs. Keep away from children. Apply sparingly to cats, puppies and kittens, spraying only on the back. Excessive application may cause toxic reaction. Avoid contact with skin; wash thoroughly after using. Do not spray into eyes, face or genital area of animal. Do not use on nursing puppies or kittens under three months.

PHYSICAL OR CHEMICAL HAZARDS

Contents Under Pressure. Do not use or store near heat or open flame. Never puncture container or throw into fire. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To operate remove protective cap from top of can. Hold can upright about 8 to 12 inches from animal's hair and apply on the basis of a 4 to 6 second application to a 5 lb. cat. Be sure to protect animal's eyes from spray. Point opening on side of valve in desired direction for spray. To release spray, press down on valve. Move the can over the entire animal, using a "zig-zag" motion, until the coat is slightly damp. It may be advantageous, especially on long-haired dogs, to run the hand against the lay of hair, spraying into the ruffled hair directly behind the hand. Spray all attached ticks to insure control of this pest. Usually 30 to 45 seconds of spraying is sufficient to treat a 30 lb. dog. Repeat treatment as necessary, but not more than once weekly to prevent reinfestation. Thoroughly spray interior of kennel or other sleeping quarters. Also spray bedding and replace with fresh bedding if necessary. This can makes a slight hissing sound and causes a cool sensation. This is temporary. Nervous dogs may become frightened the first time this can is used but soon become accustomed to the treatment.

**STORAGE:** Store in a cool, dry area, away from heat or open flame.

**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash.

CHASE PRODUCTS COMPANY  
Broadview, IL. 60153