

INSTITUTIONAL
FORMULA



INSECT KILLER



WITH
METHOXYCHLOR

CONTROLLED

FRAGRANCE

ACCEPTED
11-18-70
UNDER THE FEDERAL
PUNICIDAL AND
FOR ECONOMIC
ED ATTACKED COM-
TO
S.A.

**FOR INSTITUTIONAL
COMMERCIAL • INDUSTRIAL USE**

SHAKE WELL BEFORE USING

DIRECTIONS

To kill annoying insect pests follow these simple directions. Remove protective cap from top of can. Hold can upright, point opening in valve in desired direction for spray. To release spray, press valve downward. Do not remain in treated areas. Ventilate the area when treatment is completed.

FLIES, MOSQUITOES, GNATS: Spray upward into four corners of closed room, filling the room with a mist. Close windows and doors for about 15 minutes after treatment.

FLYING MOTHS, WASPS, HORNETS: Spray 20 to 25 seconds per 1000 cu. ft. Spray liberally into cracks of woodwork, walls, floors, hiding and breeding places, directly on insects when possible. Repeat as necessary.

ANTS, SILVERFISH: Spray liberally into cracks of woodwork, walls, floor, hiding and breeding places; directly on insects when possible. Repeat as necessary.

MOTH WORMS, CARPET BEETLES: Clean, air, and brush clothing, rugs, carpets, and fabrics. Spray thoroughly from 3 ft. distances especially seams, folds, under collars and lapels. Clean and spray closets and drawers. Repeat approximately every 30 days.

CAUTION

Harmful if swallowed. Keep out of reach of children. This solution, if brought into contact with skin, can cause toxic symptoms. In case of contact wash immediately with soap and water. Avoid inhalation of spray mist. Do not use in commercial food preparation areas or in edible products areas of food processing plants. Avoid contact with exposed food, cooking utensils, and remove birds, pets and fish bowls from rooms being sprayed. To avoid staining hold spray 3 ft. from all objects. Most asphalt tile, painted surfaces, some linoleum, certain plastic materials and wall-paper may tend to discolor, streak and soften when wet with insecticides. Test on small inconspicuous area before spraying or wetting such materials. Do not puncture container or dispose of in fire. Container should not be placed where temperature exceeds 120° Fahrenheit.

ACTIVE INGREDIENTS:

*Methoxychlor, Technical	4.65%
Isobornyl Thiocyanacetate	1.91%
Other Related Terpenes	.42%
INERT INGREDIENTS:	93.02%
	100.00%

*Equivalent to 4.09% 2,2-Bis(2,4,6-Trichlorophenyl)-1,1,1-Trichloroethane and 0.56% other Isomers and Related Compounds.

USDA Reg. No. 498-70

CHASE PRODUCTS CO.

BROADVIEW, ILLINOIS 60153

BP