

SPRAYPAK®

WASP KILLER

INDUSTRIAL SPECIFICATIONS

Flash Point: Above 300°F. Fire Point: Above 300°F.

Electrically Nonconducting*

*Spray Test: Electrodes 11" apart;
no arcing up to 35,000 volts

* Cup Test: Electrodes 1/10" apart;
average breakdown voltage 21,500 volts

SHOOTS UP TO A 20-FOOT STUNNING BLAST

KILLS... HORNETS... SPIDERS...

YELLOW JACKETS... BEES... WASPS...

ACTIVE INGREDIENTS:

Pyrethrins.....	0.10%
*Piperonyl butoxide, technical.....	0.20%
N-octylbicycloheptene dicarboximide.....	0.33%
**0-Isopropoxyphenylmethylcarbamate.....	0.50%
*** INERT INGREDIENTS:.....	98.87%
	<hr/> 100.00%

* Equivalent to 0.16% (butylcarbityl)(6-propyl piperonyl) ether
and 0.4% other related compounds.

** Propoxur.

*** Contains Petroleum Distillate.

EPA Reg. No. 498-74

EPA Est. 498-IL-1

NET WT. ———

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read precautions on back of can

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call physician or Poison Control Center; Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove from contaminated atmosphere. Give artificial respiration and oxygen if necessary.

IF ON SKIN: Wash with soap and water.

IF ON EYES: Wash with plenty of water. Get medical attention if irritation persists.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BACK PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should be avoided. Wash thoroughly with soap and warm water after handling. If poisoning occurs, get medical aid. Avoid contamination of food, utensils, food preparation areas. Do not use in commercial food preparation areas or in edible product areas of food processing plants. Avoid contamination of fish ponds. Remove pets from area before spraying.

PHYSICAL HAZARDS

CONTENTS UNDER PRESSURE. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS: Remove protective cap. Point nozzle toward nest, crevice, or hole where infestation or insects are known to be inside. For indoor use, spray from 12 to 18 inches away from nest, crevice, or hole. For outdoor use, Wasp Killer can be used 20 feet away. Press valve all the way down and spray. This treated surface will have a residual killing action and prevent reinfestation for weeks. In the event the insecticide film becomes ineffective due to rain or other causes, repeat treatment. Application should be made in the late evening when insects are at nest. Hold can upright. Point valve opening away from face. With wind at back, aim at nest. Thoroughly saturate nests with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothing, do not stand directly under the nest. Do not spray vegetation. If reinfestation occurs, repeat treatment. Do not use as a space spray.

When using indoors avoid wetting asphalt tile, rubber and plastic materials.

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.

CHASE PRODUCTS CO.
The Quality First Company
P.O. Box 70
Maywood, IL 60153

