


[498-77]



ACCEPTED
11-16-71
498-77
UNDER THE FEDERAL INSECTICIDE ACT
FOR ECHINOMYX PESTICIDES
ED UNDER NO. 100-100000
TO ATTACHED COMPLAINTS

INDOORS - FOR HOUSE FLIES, MOSQUITOES, GRAYS AND CRAWLING INSECTS

Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

Roaches, earwigs, grain mites, sawbugs, spiders and centipedes. Spray thoroughly into hiding places such as cracks, crevices, moist areas, opening around pipes and sinks, under refrigerator, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS Spray trails, nests and point of entry. Spray on ants where possible. Repeat as necessary.

OUTDOOR - TO PROTECT ORNAMENTAL PLANTS

Use on apple, exposed tree, adult white flies, leafhoppers, plant bugs, spittle bugs and Japanese Beetle on smaller rhododendrons, pines, spruce, hemlock, spruce, fir, yew, pine, cypress, taxus, viburnum, euonymus, oak, maple, cypress, forsythia and azalea and on mango. On mango, spray directly on insects. Hold container 12 inches from the infested plant. Spray on short spray bursts at one to three seconds or spray at the rate of one hour for that growth period. Direct spray to underside of leaves and slightly upward. Avoid trees and shrubs as much as possible to obtain control.

Spittle bugs, leafhoppers, plant bugs, Japanese Beetles, and other insects on ornamental plants. Spray on short spray bursts at one to three seconds or spray at the rate of one hour for that growth period. Direct spray to underside of leaves and slightly upward. Avoid trees and shrubs as much as possible to obtain control.

Use on ornamental plants, Japanese Beetles, and other insects on ornamental plants. Spray on short spray bursts at one to three seconds or spray at the rate of one hour for that growth period. Direct spray to underside of leaves and slightly upward. Avoid trees and shrubs as much as possible to obtain control.

WASPS - Apply to the ground around the nest when insects are at rest. Spray on short spray bursts at one to three seconds or spray at the rate of one hour for that growth period. Direct spray to underside of leaves and slightly upward. Avoid trees and shrubs as much as possible to obtain control.

ACTIVE INGREDIENTS

1.5% Beta-cyfluthrin	0.250
2.0% Cyfluthrin	0.300
Relative Inert	0.450
Active Ingredient	0.750
INERT	2.250
Total	3.000

Net Content: 1.0 liter (33.8 fl. oz.)
U.S. Patent Nos. 3,440,000

CAUTION: KEEP OUT THE REACH OF CHILDREN

Avoid contact with eyes, nose, mouth and skin. Wash hands thoroughly after use.

WARNING - Do not use on ornamental plants. Do not use on plants that are to be eaten. Do not use on plants that are to be used for medicinal purposes. Do not use on plants that are to be used for food purposes. Do not use on plants that are to be used for medicinal purposes. Do not use on plants that are to be used for food purposes.

EPA Reg. No. 100-100000

Camerasman's Note
Poor Copy