pro- 1 \$ 3

FRONT PANEL

CHASE'S

FOAMING CLEANER

ACTIVE INGREDIENTS:	
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethylbenzyl ammonium chloride	0.1%
n-Alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium chloride	0.1%
INERT INGREDIENTS:	
Total	100.0%

EPA Reg. No. 498-88

EPA Est. No. 498-IL-1

CLEANS - DISINFECTS - DEODORIZES

CLEANS IN ONE EASY OPERATION WITHOUT SCRUBBING

LEAVES NO GRIT OR SOAP SCUM

NET WT.

ACCELTED
JAN 24 1995
Under the Federal Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN C A U T I O N SEE BACK PANEL OF CAN FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

CHASE PRODUCTS CO.
The Quality First Company
P.O. Box 70
Maywood, IL 60153

2 93

BACK PANEL

FORMULATED FOR HOSPITALS . INSTITUTIONS . HOMES . OFFICES . SCHOOLS . MOTELS . HOTELS.

FOR MODERN METHODS TO CLEAN, DISINFECT, AND DEODORIZE INANIMATE SURFACES.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUNANS AND DONESTIC ANIMALS

CAUTION

Avoid getting concentrate in eyes. In case of contact, flush with water. If irritation persists, get medical attention.

PHYSICAL HAZARDS

The contents of this container are under pressure. Do not use near heat or open flame. Do not puncture or dispose of same in fire or incinerator. Container should not be stored in direct sunlight or where temperature exceeds 120°F.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream of normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

SHAKE WELL before using. Hold can 6 to 8 inches from surface to be cleaned. Spray area with foam and remain wet for 10 minutes. Wipe off with clean cloth or sponge. For hard to clean surfaces, allow foam to stand and wipe off.

For use on Bathtubs, Sinks, Shower stalls, Walls and Tile surfaces. Kills Staphylococcus aureus, Salmonella choleraesuis and Fseudomonas aeruginosa.

Effective for cleaning and deodorizing refrigerators, freezers, and garbage cans. Excellent for cleaning and disinfecting bed pans, wastebaskets, and diaper pails, in hospitals, nurseries, rest homes, and sick rooms.

STORAGE: Store in a cool, dry area away from heat or open.flame.

• •

DISPOSAL: Do not re-use empty container. Replace cap and discard container in trash. Do not incinerate or puncture.

ABH/mm(12/94)(5\498-88)

• • • •

: