

CHALLENGER SPOT WEED KILLER



ACTIVE INGREDIENTS:	
2,4-Dichlorophenoxyacetic acid, butoxypropyl ester of *	0.144%
Silver [2-(2,4,5-Trichlorophenoxy) propionic acid] butoxypropyl ester of *	0.067%
INERT INGREDIENTS	99.789%
Acid Equivalents	
* 2,4-Dichlorophenoxyacetic acid	0.059%
** Silver [2-(2,4,5-Trichlorophenoxy) propionic acid]	0.044%

EPA REG NO 495-90

Controls the following Broadleaf and Weeds

Black Medic	Field Bindweed	Oxalis	Spurge
Chickweed	Ground Ivy	Pigweed	Thistles
Clovers	Henbit	Plantain	Wild Carrot
Curly Dock	Knotted	Parsley	Wild Garlic
Creeping Buttercup	St. John's Wort	Ragwort	Wild Onion
Dandelion	Mallow	Sp. Swell	Yarrow

NET WEIGHT: 1 LB. 2 OZ.

CAUTION: See back of can for directions and precautions.

DIRECTIONS

Shake can before using.

Invert can and hold 2-3 feet above the ground with can aimed at weed. Spray to cover center of weed with foam. Do not over spray. One application will kill most of the weeds. However, certain hard to kill weeds such as dock, thistles, knotweed, and black medic may require a second application ten days after the first. Weeds such as henbit, wild onion, wild garlic should be treated when they appear in early spring and later fall. Do not water or cut lawn within 24 hours after application.

PRECAUTIONS

Bent grass, carpet grass, centipedegrass, red fescue, and St. Augustine grass are sensitive to the product and may be temporarily injured. Do not apply to non-grass lawn such as Dichondra, Lippia, or clover.

Avoid contact with flowers, shrubs, trees, and other desirable plants since vapor and spray drifts from this produce may be injurious to nearby plants. At high temperatures vapor may cause injury to susceptible plant growing in the immediate vicinity. Do not store near seeds, fertilizer, insecticides, or fungicides. Do not contaminate water used for irrigational or domestic purposes.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Apply this product only as specified on this label.

CAUTION

Avoid contact with eyes and skin. In case of eye contact, immediately flush with plenty of clean water for at least 15 minutes. Wash hands after use.

WARNING

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130 degrees F. may cause bursting. Never throw container into fire or incinerator.



Chase Products Company
Broadview, Illinois 60153

ACCEPTED
July 12, 1973
NO. 447-90

CHASTAIN

SPOT

WEED KILLER



ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid, butoxypropyl ester of, *	0.144%
Silvex [2-(2,4,5-Trichlorophenoxy) propionic acid] butoxypropyl ester of, **	0.067%

INERT INGREDIENTS: 99.789%

Acid Equivalents

* 2,4-Dichlorophenoxyacetic acid	0.089%
** Silvex [2-(2,4,5-Trichlorophenoxy) propionic acid]	0.044%

E.P.A. REG. NO. 49890

Controls the following Broadleaf and Weeds:

Black Mistle	Field Bindweed	Oxalis	Spurge
Chickweeds	Ground Ivy	Pyweed	Thistles
Clovers	Herbit	Plantain	Wild Carrot
Curly Dock	Knotweed	Purslane	Wild Garlic
Crested Buttercup	Lam. Yellow	Popweed	Wild Onion
Dandelion	Mallow	Sheepweed	Yellow Wood Sorrel

NET WEIGHT: 1 LB. 2 OZ.

CHASTAIN SPOT WEED KILLER