SPRAYPAK®

SPRAY DISINFECTANT

KILLS MOST GER IS

ELIMINATES ODOR

PREVENTS MOLD AND MILDEW

ACCEPTED APR 03 7992

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 498-57 EPA Reg. No.

KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS
PREVIOUSLY SOILED WITH BLOOD
AND BODY FLUIDS.

ACTIVE INGREDIENTS:	
n-alkyl(60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethylbenzyl ammonium chlorides	0.1%
n-alkyl(68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	0.1%
INERT INGREDIENTS:	99.8%
Total	100.0%
CONTAINS SODIUM NITRITE	
EPA Reg. No. 498-97 EPA Est. 49	8-IL-1

NET WT. 13 OZ.

CAUTION

SEE PRECAUTIONARY STATEMENTS ON BACK OF CAN

BACK PANEL

FORMULATED FOR HOSPITAL . SCHOOL . HOTEL . MOTEL . OFFICE RESTAURANT . LOCKER AND REST ROOM . FACTORY . INSTITUTION HOME . BEAUTY SHOP . BARBER SHOP .

ACCEPTED

CH. APR 03 1992

Under the Federal Insecticide, Fungicide, and Redenticide Act, as amended, for the pesticide registered under the pesticide EPA Reg. No.

SPRAY DISINFECTANT - SHAKE BEFORE USING

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Kills HIV-1 (AlDS VIRUS) on pre-cleaned environmental surfaces/ objects previously soiled with blood and body fluids.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

CONTACT TIME: Leave surface wet for 10 minutes.

After surface is cleaned, hold can upright and spray six to eight inches from surface to be treated until surface becomes wet.

Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping.

DIRECTIONS: FOR DISINFECTION OF INANIMATE SURFACES

This disinfectant spray is a powerful germicidal that kills Staphylococcus aureus, Salmonella choleraesuis, and Pseudomonas aeruginosa.

BEST AVAILABLE COPY

Use to disinfect urinals, toilet seats, wash bowls, shower stalls, telephones, empty hampers, diaper pails, athletic equipment, light switches, garbage cans and lockers.

clean object to be sprayed using usual cleaning methods. Hold dispenser upright and spray six inches from surface until surface is wet.

It is also effective against fungi such as Trichophyton interdigitale (causes of ring worm or aunletes foot), not intended to topical application to the body.

DIRECTIONS: FOR CONTROL OF MOLD & MILDEW

Prevent mold and mildew on hard surfaces such as cer_mic, metal, glass in basement closets, attic storage areas, summer cottages.

Clean object by usual cleaning methods. Hold dispenser upright and spray six inches from surface until surface is wet. Repeat application when new growth appears.

DIRECTIONS: FOR SPACE DEODORIZER & AIR FRESHENER

Use to deodorize meeting room, class room, kitchen, bathroom, sick room, living room, and churches.

Hold can upright and point valve opening away from face. Spray upwards for three seconds into corner as well as center of room, filling room with mist. BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

C A U T I O N: Avoid contact with the eyes and skin. If sprayed into eyes, wash with water. If irritation persists, consult your Physician. Avoid breathing of spray mist. Avoid contamination of food stuff. Keep out of reach of children.

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 120°F may cause bursting. Never throw container into fire or incinerator.

Do not spray on varnished, painted or plastic surface.

S T O R A G E: Store in a cool, dry area away from heat or open flame.

Replace cap. Securely wrap original DISPOSAL: in several layers of newspaper and discard in t incinerate or puncture. APR 0.3 1992

KEEP OUT OF REACH OF CHILDREN

CHASE PRODUCTS CO. The Quality First Company P.O. Box 70, Maywood, IL. 60153

Under the Federal Insecticide. Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 1/39-57

EPA Reg. No.