

SPRAYPAK®

HIGH PRESSURE INSECTICIDE WITH CONTINUOUS FOGGING VALVE

**For Use on Rooms, Apartments, Homes,
Attics, Basements, Campers, Boats, Garages,
Pet Sleeping Areas,
Non-Food Storage Areas, Cabins
ONE UNIT TREATS UP TO 6,000 CUBIC FEET**

ACTIVE INGREDIENTS:	
d trans Allethrin (allyl homolog of Cineerin I)	900%
Related compounds	021%
* 1 Phenoxybenzyl d cis and trans** 2,2 dimethyl 1 (2 methylpropenyl) cyclopropane carboxylate	191%
* Other isomers	009%
Petroleum distillate	14.477%
INERT INGREDIENTS: 85.000%	
* d cis, trans phenothrin	
** cis trans isomer ratio: max. 25% (+ or -) cis min. 75% (+ or -) trans	

CAUTION

KEEP OUT OF REACH OF CHILDREN.
See Back Panel for Additional Precautionary Statements.
Kills Houseflies, Mosquitoes, Black Carpet Beetles, Saw-
toothed Grain Beetles, Rice Weevils, Small Flying Moths. Aids
in the control of Cockroaches, Spiders, Wasps, Pill bugs,
Crickets, Silverfish.

Net Weight 7.5 Ounces

CHASE PRODUCTS COMPANY
19th & Gardner Road
Broadview, Illinois 60153

ACCEPTED

20 JUN 79

Used in accordance with the
Fungicide, and Rodenticide Act,
as amended by the pesticide
registered under
EPA Reg. No. 135-101

SPRAYPAK®

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes: Flush with plenty of water and get medical attention if irritation persists. Avoid contamination of food and feed stuffs.

Do not use in commercial food processing, preparation, storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE — GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.
Disposal: Do not re-use empty container. Wrap container and put in trash collection.

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for 6,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.


BEST DOCUMENT AVAILABLE

217

197

PT 565F Pyrethrum

FOR PROFESSIONAL USE



Insect Fogger With Dual Activators

Sanitation

1978

499-20

PT 565F Pyrethrum

DIRECTIONS

Use this product in a manner consistent with its labeling.

Flies: Spray directly on flies. **Wasps:** Small Flying Moths **Flies:** Close all windows and doors. Spray at a rate of 1 to 3 seconds per 1000 cubic feet. Repeat every 15 minutes.

Ants and Wasp Nests: Spray directly on insects and their nests from approximately 2 feet. Repeat every 15 minutes.

Bees: Spray directly on bees and their nests from approximately 2 feet. Repeat every 15 minutes.

Meat Moth, Chocolate Moth, Mediterranean Flour Moth, Spawntail Green Moth: Direct spray into all parts of room especially around stored and darkened areas. Spray 5 to 10 seconds for each 1000 cubic feet of space. Repeat every 15 minutes following treatment. Repeat treatment weekly or as needed. Products should be fumigated or treated by other effective methods: Consult label for this purpose.

DO NOT reuse empty container. Wrap container and put in trash.

PRECAUTIONARY STATEMENTS - CAUTION Hazards to Humans and Domestic Animals

Caution: Do not breathe vapors. Do not remain in treated areas. Ventilate area after treatment. Remove pets, birds, and cover fish aquariums before treatment.

Processing Areas Of Food Plants: Foods should be removed or covered during treatment. All equipment should be covered during treatment or thoroughly cleaned before using. In these areas, apply only when the facility is not in operation.

Physical or Chemical Hazards

Do not puncture. Do not use or store near heat or open flame. Exposure to fire may cause bursting. Never throw or burn containers.

BEST DOCUMENT AVAILABLE

Whitcomb Research Laboratories, Inc., St. Louis, MO 63122

Insect Fogger With Dual Activators

ACTIVE INGREDIENTS:

Pyrethrins	1.500%
Technical Piperonyl Butoxide	1.000%
N-Octyl bicycloheptene dicarboximide	1.000%
Refined Petroleum Oil	6.000%

INERT INGREDIENTS

89.500%
Equivalent to 0.8% (Butylcarbitol, 5-Propylpiperonyl ether, and other Related Compounds)

A high pressure aerosol insecticide for flying insect control in non-residential food handling areas of hospitals, restaurants, food plants, supermarkets, motels, hotels, food processing, food storage and food warehouses.

E.P.A. REG. NO. 499-200-AA

E.P.A. EST. NO. 499-MO-1

CAUTION: Keep out of reach of children.
See side panel for additional warnings.

NET WEIGHT 15 LBS

17