

498-109-109 6/1-1/1
ACCEPTED

AUG 25 1980

Under Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 498-109

SPRAYPAK®

**HIGH PRESSURE
INSECTICIDE
WITH CONTINUOUS
FOGGING VALVE**

For Use on Rooms, Apartments, Homes,
Attics, Basements, Campers, Boats, Garages,
Pet Sleeping Areas,
Non-Food Storage Areas, Cabins
ONE UNIT TREATS UP TO 6,000 CUBIC FEET

ACTIVE INGREDIENTS:

d-trans Allethrin (allyl homolog of Cinerin I) 300%
Related compounds 0.023%
*3-Phenoxybenzyl d-cis and trans**2,2-dimethyl-3-
(2-methylpropenyl)
cyclopropanecarboxylate 191%
*Other isomers 0.009%
Petroleum distillate 14.477%

INERT INGREDIENTS: 85.000%

*d-(cis, trans) phenothrin
**cis/trans isomer ratio: max 25%(+ or -) cis
min 75%(+ or -) trans

CAUTION

KEEP OUT OF REACH OF CHILDREN.

See Back Panel for Additional Precautionary Statements.
Kills Houseflies, Mosquitoes, Black Carpet
Beetles, Saw-toothed Grain Beetles, Rice
Weevils, Small Flying Moths, Fleas, Ticks.
Aids in the control of Cockroaches, Spiders,
Wasps, Pill bugs, Crickets, Silverfish.

Net Weight 7.5 Ounces

CHASE PRODUCTS COMPANY

19th & Gardner Road
Broadview, Illinois 60153

EPA Reg. No. 498-109

EPA Reg. No. 498-109

SPRAYPAK®

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water and seek medical attention if irritation persists. Avoid contamination of food and feed stuffs.

Do not use in commercial food processing, preparation, storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE — GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.
Disposal: Do not re-use empty container. Wrap container and put in trash collection.

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for 6,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place logger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under logger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

To Kill Fleas: Follow directions for ticks but use one unit per 1,500 cubic feet of room space.

BEST AVAILABLE COPY