

SPRAYPAK **HIGH PRESSURE INSECTICIDE** WITH CONTINUOUS FOGGING VALVE

For Use on Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Pet Sleeping Areas, Non-Food Storage Areas, Cabins.

One Unit Treats Up to 6,000 Cubic Feet.

ACTIVE INGREDIENTS:

| | |
|---|--------|
| d-trans Allethrin (Allyl homolog of Cinerin I)..... | 0.300% |
| Related Compounds..... | 0.023% |
| *3 Phenoxybenzyl d-cis and trans **2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate..... | 0.191% |
| *Other Isomers..... | 0.009% |

| | |
|----------------------------|-----------------|
| ***INERT INGREDIENTS:..... | 99.477% |
| | <u>100.000%</u> |

* d(cis, trans) phenothrin.

** Cis/trans isomer ratio: Max 25% (+ or -) cis
Min 75% (+ or -) trans

***Contains Petroleum Distillate.

EPA Reg. No. 498-109

EPA Est. No. 498-IL-1


Kills Houseflies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks. Aids in the control of Cocroaches, Spiders, Wasp, Pill Bugs, Crickets, Silverfish.

NET WT. 7.5 oz.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional
Precautionary Statements



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BACK PANEL

Formulated For Hospital. School. Hotel. Motel. Office. Restaurant. Locker and Rest Room. Factory. Institution.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

For use in non-food processing areas only of restaurants, hotels and other commercial food handling establishments. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before used. Before spraying, cover exposed food & fish aquariums and remove pets and birds.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

DIRECTIONS FOR USE - GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cover exposed food, dishes, and food handling equipment. Open cabinets, drawers, closets and doors to area that will be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Then close doors and windows to prevent escape of spray mist. Point valve opening away from face and eyes when spraying. Use no more than one unit for each 6,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

To operate valve: To lock valve in open position for automatic discharge, press valve button all the way down, locking the catch. Then place fogger on stand or table in the center of the room with valve locked in the open position. Place several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow fresh air to circulate for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks: Destroy Pet's old bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

To Kill Fleas: Follow directions for ticks but use one unit per 1,500 cubic feet of room space.

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash.

CHASE PRODUCTS CO.

The Quality Food Company
P.O. BOX 70
MAYWOOD, IL 60153

